

ADEMCO 4130XM/4140XM/5130XM PROGRAMMING FORM

INSTALLER CODE	*00	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>																																																																																																																																																																																
MASTER CODE	*01	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>																																																																																																																																																																																
RESPONSE TYPE	*02	<table border="0" style="width: 100%; text-align: center;"> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> <tr> <td>1</td><td>2</td><td>3</td><td>4</td> </tr> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> <tr> <td>5</td><td>6</td><td>7</td><td>8</td> </tr> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> <tr> <td>9</td><td>10</td><td>11</td><td>12</td> </tr> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> <tr> <td>13</td><td>14</td><td>15</td><td>16</td> </tr> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> <tr> <td>17</td><td>18</td><td>19</td><td>20</td> </tr> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> <tr> <td>21</td><td>22</td><td>23</td><td>24</td> </tr> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> <tr> <td>25</td><td>26</td><td>27</td><td><input type="text"/><input type="text"/></td> </tr> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td>0 0</td> </tr> <tr> <td>10 = Interior Delay</td> <td>*05</td> <td> <table border="0" style="width: 100%; text-align: center;"> <tr> <td>SHORT</td><td>1 & *</td><td>3 & #</td><td>* & #</td> </tr> <tr> <td><input type="text"/><input type="text"/></td><td><input type="text"/><input type="text"/></td><td><input type="text"/><input type="text"/></td><td><input type="text"/><input type="text"/></td> </tr> <tr> <td>0 0</td><td>0 9</td><td>0 8</td><td>0 7</td> </tr> </table> </td> </tr> <tr> <td>If Zone 7 isto be used for key switch Arm/Disarm operation enter 10</td> <td></td> <td></td> </tr> <tr> <td>DESIGNATE RIGHT ZONE USAGE</td> <td>*06</td> <td> <table border="0" style="width: 100%; text-align: center;"> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> <tr> <td>10</td><td>11</td><td>12</td><td>13</td><td>14</td><td>15</td><td>16</td><td></td> </tr> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> <tr> <td>17</td><td>18</td><td>19</td><td>20</td><td>21</td><td>22</td><td>23</td><td>24</td> </tr> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> <tr> <td>25</td><td>26</td><td>27</td><td>28</td><td>29</td><td>30</td><td>31</td><td>32</td> </tr> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> </table> </td> </tr> <tr> <td>0 or 1; 0 for 4208, 4130, 4191, 4192SD, 4194, 4275 usage and for left loop on 4190WH and PIR on 4196; 1 for right loop on 4190WH and auxiliary loop on 4196</td> <td>*07</td> <td></td> </tr> <tr> <td>ENTRY DELAY #1 X 15 secs (00 - 15)</td> <td>*09</td> <td><input type="text"/><input type="text"/></td> </tr> <tr> <td>EXIT DELAY #1 X 15 secs (00 - 15)</td> <td>*10</td> <td><input type="text"/><input type="text"/></td> </tr> <tr> <td>ENTRY DELAY #2 X 15 secs (00 - 15)</td> <td>*11</td> <td><input type="text"/><input type="text"/></td> </tr> <tr> <td>EXIT DELAY #2 X 15 secs (00 - 15)</td> <td>*12</td> <td><input type="text"/><input type="text"/></td> </tr> <tr> <td>ALARM SOUNDER TIME DURATION X 2 min (01 - 15)</td> <td>*13</td> <td><input type="text"/><input type="text"/></td> </tr> <tr> <td>NOT USED (Must be Zero)</td> <td>*14</td> <td><input type="text" value="0"/></td> </tr> <tr> <td>KEYSWITCH ENABLE 1=Yes; 0 = No</td> <td>*15</td> <td><input type="checkbox"/></td> </tr> <tr> <td>CONFIRMATION OF ARMING DING 1=Yes; 0 = No</td> <td>*16</td> <td><input type="checkbox"/></td> </tr> <tr> <td>AC LOSS SOUNDING 1=Yes; 0 = No</td> <td>*17</td> <td><input type="checkbox"/></td> </tr> <tr> <td>AC PWR LOSS ALARM 1=Yes; 0 = No</td> <td>*18</td> <td><input type="text" value="0"/></td> </tr> <tr> <td>CONTROL ALARM SOUNDER DISABLE 1=Yes; 0 = No</td> <td>*19</td> <td><input type="checkbox"/></td> </tr> <tr> <td>NOT USED (Must be Zero)</td> <td>*20</td> <td><input type="text" value="0"/></td> </tr> </table>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	1	2	3	4	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	5	6	7	8	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	9	10	11	12	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	13	14	15	16	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	17	18	19	20	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	21	22	23	24	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	25	26	27	<input type="text"/> <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	0 0	10 = Interior Delay	*05	<table border="0" style="width: 100%; text-align: center;"> <tr> <td>SHORT</td><td>1 & *</td><td>3 & #</td><td>* & #</td> </tr> <tr> <td><input type="text"/><input type="text"/></td><td><input type="text"/><input type="text"/></td><td><input type="text"/><input type="text"/></td><td><input type="text"/><input type="text"/></td> </tr> <tr> <td>0 0</td><td>0 9</td><td>0 8</td><td>0 7</td> </tr> </table>	SHORT	1 & *	3 & #	* & #	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>	0 0	0 9	0 8	0 7	If Zone 7 isto be used for key switch Arm/Disarm operation enter 10			DESIGNATE RIGHT ZONE USAGE	*06	<table border="0" style="width: 100%; text-align: center;"> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> <tr> <td>10</td><td>11</td><td>12</td><td>13</td><td>14</td><td>15</td><td>16</td><td></td> </tr> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> <tr> <td>17</td><td>18</td><td>19</td><td>20</td><td>21</td><td>22</td><td>23</td><td>24</td> </tr> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> <tr> <td>25</td><td>26</td><td>27</td><td>28</td><td>29</td><td>30</td><td>31</td><td>32</td> </tr> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> </table>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	10	11	12	13	14	15	16		<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	17	18	19	20	21	22	23	24	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	25	26	27	28	29	30	31	32	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	0 or 1; 0 for 4208, 4130, 4191, 4192SD, 4194, 4275 usage and for left loop on 4190WH and PIR on 4196; 1 for right loop on 4190WH and auxiliary loop on 4196	*07		ENTRY DELAY #1 X 15 secs (00 - 15)	*09	<input type="text"/> <input type="text"/>	EXIT DELAY #1 X 15 secs (00 - 15)	*10	<input type="text"/> <input type="text"/>	ENTRY DELAY #2 X 15 secs (00 - 15)	*11	<input type="text"/> <input type="text"/>	EXIT DELAY #2 X 15 secs (00 - 15)	*12	<input type="text"/> <input type="text"/>	ALARM SOUNDER TIME DURATION X 2 min (01 - 15)	*13	<input type="text"/> <input type="text"/>	NOT USED (Must be Zero)	*14	<input type="text" value="0"/>	KEYSWITCH ENABLE 1=Yes; 0 = No	*15	<input type="checkbox"/>	CONFIRMATION OF ARMING DING 1=Yes; 0 = No	*16	<input type="checkbox"/>	AC LOSS SOUNDING 1=Yes; 0 = No	*17	<input type="checkbox"/>	AC PWR LOSS ALARM 1=Yes; 0 = No	*18	<input type="text" value="0"/>	CONTROL ALARM SOUNDER DISABLE 1=Yes; 0 = No	*19	<input type="checkbox"/>	NOT USED (Must be Zero)	*20	<input type="text" value="0"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>																																																																																																																																																																															
1	2	3	4																																																																																																																																																																															
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>																																																																																																																																																																															
5	6	7	8																																																																																																																																																																															
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>																																																																																																																																																																															
9	10	11	12																																																																																																																																																																															
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>																																																																																																																																																																															
13	14	15	16																																																																																																																																																																															
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>																																																																																																																																																																															
17	18	19	20																																																																																																																																																																															
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>																																																																																																																																																																															
21	22	23	24																																																																																																																																																																															
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>																																																																																																																																																																															
25	26	27	<input type="text"/> <input type="text"/>																																																																																																																																																																															
<input type="text"/>	<input type="text"/>	<input type="text"/>	0 0																																																																																																																																																																															
10 = Interior Delay	*05	<table border="0" style="width: 100%; text-align: center;"> <tr> <td>SHORT</td><td>1 & *</td><td>3 & #</td><td>* & #</td> </tr> <tr> <td><input type="text"/><input type="text"/></td><td><input type="text"/><input type="text"/></td><td><input type="text"/><input type="text"/></td><td><input type="text"/><input type="text"/></td> </tr> <tr> <td>0 0</td><td>0 9</td><td>0 8</td><td>0 7</td> </tr> </table>	SHORT	1 & *	3 & #	* & #	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>	0 0	0 9	0 8	0 7																																																																																																																																																																				
SHORT	1 & *	3 & #	* & #																																																																																																																																																																															
<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>																																																																																																																																																																															
0 0	0 9	0 8	0 7																																																																																																																																																																															
If Zone 7 isto be used for key switch Arm/Disarm operation enter 10																																																																																																																																																																																		
DESIGNATE RIGHT ZONE USAGE	*06	<table border="0" style="width: 100%; text-align: center;"> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> <tr> <td>10</td><td>11</td><td>12</td><td>13</td><td>14</td><td>15</td><td>16</td><td></td> </tr> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> <tr> <td>17</td><td>18</td><td>19</td><td>20</td><td>21</td><td>22</td><td>23</td><td>24</td> </tr> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> <tr> <td>25</td><td>26</td><td>27</td><td>28</td><td>29</td><td>30</td><td>31</td><td>32</td> </tr> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> </table>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	10	11	12	13	14	15	16		<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	17	18	19	20	21	22	23	24	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	25	26	27	28	29	30	31	32	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>																																																																																																																								
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>																																																																																																																																																																											
10	11	12	13	14	15	16																																																																																																																																																																												
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>																																																																																																																																																																											
17	18	19	20	21	22	23	24																																																																																																																																																																											
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>																																																																																																																																																																											
25	26	27	28	29	30	31	32																																																																																																																																																																											
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>																																																																																																																																																																											
0 or 1; 0 for 4208, 4130, 4191, 4192SD, 4194, 4275 usage and for left loop on 4190WH and PIR on 4196; 1 for right loop on 4190WH and auxiliary loop on 4196	*07																																																																																																																																																																																	
ENTRY DELAY #1 X 15 secs (00 - 15)	*09	<input type="text"/> <input type="text"/>																																																																																																																																																																																
EXIT DELAY #1 X 15 secs (00 - 15)	*10	<input type="text"/> <input type="text"/>																																																																																																																																																																																
ENTRY DELAY #2 X 15 secs (00 - 15)	*11	<input type="text"/> <input type="text"/>																																																																																																																																																																																
EXIT DELAY #2 X 15 secs (00 - 15)	*12	<input type="text"/> <input type="text"/>																																																																																																																																																																																
ALARM SOUNDER TIME DURATION X 2 min (01 - 15)	*13	<input type="text"/> <input type="text"/>																																																																																																																																																																																
NOT USED (Must be Zero)	*14	<input type="text" value="0"/>																																																																																																																																																																																
KEYSWITCH ENABLE 1=Yes; 0 = No	*15	<input type="checkbox"/>																																																																																																																																																																																
CONFIRMATION OF ARMING DING 1=Yes; 0 = No	*16	<input type="checkbox"/>																																																																																																																																																																																
AC LOSS SOUNDING 1=Yes; 0 = No	*17	<input type="checkbox"/>																																																																																																																																																																																
AC PWR LOSS ALARM 1=Yes; 0 = No	*18	<input type="text" value="0"/>																																																																																																																																																																																
CONTROL ALARM SOUNDER DISABLE 1=Yes; 0 = No	*19	<input type="checkbox"/>																																																																																																																																																																																
NOT USED (Must be Zero)	*20	<input type="text" value="0"/>																																																																																																																																																																																

NO FIRE TIME-OUT 1=Yes; 0 = No	*21	<input type="checkbox"/>																
FIRE DISPLAY 1=Yes; 0 = No	*22	<input type="checkbox"/>																
MULTIPLE ALARMS 1=Yes; 0 = No	*23	<input type="checkbox"/>																
DISABLE TAMPER 1=Yes; 0 = No	*24	<input type="checkbox"/>																
DETECTION IN EXPANSION ZNS 10-64 1=Yes; 0 = No	*25	<input type="checkbox"/>																
DISABLE DURESS IN HIGH SPEED FORMAT 1=Yes; 0 = No	*26	<input type="checkbox"/>																
INTERNAL ALARM SOUND SELECTION 1 = Sweeping; 0 = Steady (makes no difference for 4140XM)	*27	<input type="checkbox"/>																
TEST REPORT INTERVAL 0=no report; 1=12 hrs; 2=24 hrs; 3=168 hrs	*28	<input type="checkbox"/>																
POWER UP IN PREVIOUS STATE 1=Yes; 0 = No	*29	<input type="checkbox"/>																
QUICK ARM 1=Yes; 0 = No	*30	<input type="checkbox"/>																
TOUCH-TONE DIAL 1=Yes; 0=Rotary	*31	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>																
PABX CODE	*32	<input type="text" value="0"/> <input type="text" value="0"/> <input type="text" value="0"/> <input type="text" value="0"/> <input type="text" value="0"/> <input type="text" value="0"/>																
SUBSCRIBER (AID) #	*33	<input type="text" value="1"/> <input type="text" value="8"/> <input type="text" value="0"/> <input type="text" value="0"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>																
PRIMARY PHONE #	*34	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>																
SECONDARY PHONE #	*35	<input type="text" value="1"/> <input type="text" value="8"/> <input type="text" value="0"/> <input type="text" value="0"/> <input type="text" value="7"/> <input type="text" value="6"/> <input type="text" value="2"/> <input type="text" value="7"/> <input type="text" value="8"/> <input type="text" value="3"/> <input type="text" value="1"/> <input type="text"/> <input type="text"/>																
CS DOWNLOAD	*36	<input type="text" value="1"/> <input type="text" value="5"/> <input type="text" value="1"/> <input type="text" value="5"/> <input type="text" value="1"/> <input type="text" value="5"/> <input type="text" value="1"/> <input type="text" value="5"/> <input type="text" value="1"/> <input type="text" value="5"/> <input type="text" value="1"/> <input type="text" value="5"/> <input type="text" value="1"/> <input type="text" value="5"/>																
CS ID#	*37	<input type="text" value="1"/> <input type="text" value="5"/> <input type="text" value="1"/> <input type="text" value="5"/> <input type="text" value="1"/> <input type="text" value="5"/> <input type="text" value="1"/> <input type="text" value="5"/> <input type="text" value="1"/> <input type="text" value="5"/> <input type="text" value="1"/> <input type="text" value="5"/> <input type="text" value="1"/> <input type="text" value="5"/>																
DOWNLOADING COMMANDS 1=Yes; 0=No																		
ALLOWED		<table border="0" style="width: 100%;"> <tr> <td>1 DIALER SHUTDOWN</td> <td><input type="text" value="1"/></td> </tr> <tr> <td>2 SYSTEM SHUTDOWN</td> <td><input type="text" value="1"/></td> </tr> <tr> <td>3 NOT USED</td> <td><input type="text" value="0"/></td> </tr> <tr> <td>4 REMOTE BYPASS</td> <td><input type="text" value="1"/></td> </tr> <tr> <td>5 REMOTE DISARM</td> <td><input type="text" value="1"/></td> </tr> <tr> <td>6 REMOTE ARM</td> <td><input type="text" value="1"/></td> </tr> <tr> <td>7 UPLOAD PROGRAM</td> <td><input type="text" value="1"/></td> </tr> <tr> <td>8 DOWNLOAD PROGRAM</td> <td><input type="text" value="1"/></td> </tr> </table>	1 DIALER SHUTDOWN	<input type="text" value="1"/>	2 SYSTEM SHUTDOWN	<input type="text" value="1"/>	3 NOT USED	<input type="text" value="0"/>	4 REMOTE BYPASS	<input type="text" value="1"/>	5 REMOTE DISARM	<input type="text" value="1"/>	6 REMOTE ARM	<input type="text" value="1"/>	7 UPLOAD PROGRAM	<input type="text" value="1"/>	8 DOWNLOAD PROGRAM	<input type="text" value="1"/>
1 DIALER SHUTDOWN	<input type="text" value="1"/>																	
2 SYSTEM SHUTDOWN	<input type="text" value="1"/>																	
3 NOT USED	<input type="text" value="0"/>																	
4 REMOTE BYPASS	<input type="text" value="1"/>																	
5 REMOTE DISARM	<input type="text" value="1"/>																	
6 REMOTE ARM	<input type="text" value="1"/>																	
7 UPLOAD PROGRAM	<input type="text" value="1"/>																	
8 DOWNLOAD PROGRAM	<input type="text" value="1"/>																	

PRIORITY ZONE *38
 01 - 09 (00 if all zones are bypassed)

OPEN/CLOSE REPORT *39
 1=Yes; 0 = No

PROGRAM TAMP RPT *40
 (1st digit) 01-15 (00- no report)

EOLRs ON ZONES 2-8 *41
 1=N.C. loops; 0=EOLR supervision

DIAL TONE PAUSE *42
 0=5 secs; 1=11 secs; 2=30 secs

DUAL TONE DETECT *43
 1=Yes; 0=No, just pause

RING DETECT COUNT *44
 00=no ring detect; 01-14 for ring count 1-14; 15 ans w mach over-ride

PRIM ACK WAIT *45
 0=30 secs; 1=60 secs

PRIM XMIT FORMAT *46
 0=ADEMCO LO; 1= SESCOA/RAD; 2=ADEMCO HI SPEED

SEC ACK WAIT *47
 0=30 secs; 1=60 secs

SEC XMIT FORMAT *48
 0=ADEMCO LO; 1= SESCOA/RAD; 2=ADEMCO HI SPEED

CHECKSUM VERIFY *49
 1=Yes; 0 = No

SESCO/RADIONICS SELECTION *50
 0=Radionics format w/0-9, B-F reporting; 1=SESCOA format w/0-9 reporting

DUAL REPORTING *51
 1=Yes; 0 = No

OPEN/CLOSE REPORT *52
 1=Yes; 0 = No

4+2 ZONE (MAX OF 17 WIRED ZONES) *53
 FORMAT SELECTION
 0=a non-reported zone configuration
 1=4+2 reporting by zone for a zone expanded system

4+2 ZONE (MAX OF 9 WIRED ZONES) *54
 FORMAT SELECTION
 1=4+2 format; 0=3+1/4+1 or ADEMCO Hi Speed format

ALARM REPORT *55
 0=Standard; 1=Expanded

RESTORE REPORT *56
 0=Standard; 1=Expanded

BYPASS REPORT *57
 0=Standard; 1=Expanded

TROUBLE REPORT *58
 0=Standard; 1=Expanded

OPEN/CLOSE REPORT *59
 0=Standard; 1=Expanded

LOW BAT; AC LOSS REPORT *60
 0=Standard; 1=Expanded

CHANNEL ASSIGNED TO EACH ZONE *61 00-15; 00=unused zone

ZONE 1 2 3 4 5 6 7 8
03 03 03 03 03 03 03 03

ZONE 9 10 11 12 13 14 15 16
03 03 03 03 03 03 03 03

ZONE 17 18 19 20 21 22 23 24

ZONE 25 26 27 DURESS SHORT 1 & * 3 & # * & #
 01 01 01 01

ALARM CODES FOR EACH CHANNEL *65

ENTER 01-15;
 00=no channel reporting

CH1	0	1
CH2		
CH3		
CH4		
CH5		
CH6		
CH7		
CH8		

*66

CH9		
CH10		
CH11		
CH12		
CH13		
CH14		
CH15		
NOT USED	0	0

NON-ALARM CODES EACH CHANNEL *67

ENTER 01-15;
 00=no channel reporting

AC LOSS		
TRBL		
TRBL RESTR		
BYPASS		
BYPASS RESTR		
RESTR CODE FOR ALARM, AC, LO BAT		

*68

OPEN		
CLOSE		
LO BAT		
L BAT 2nd#		
TEST		
PWR UP		
NOT USED	0	0
CANCEL		

ZONE TYPES RESTORE REPORT *69 1 2 3 4 5 6 7 8 9 10
 1=Yes; 0 = No

4+2 EXPANDED FORMAT ZONES 1-8 REPORTS *72

(Enter 01-15
 00=no code reporting)

ALARM		
TRBL		
BYPASS		
ALARM RESTR		
TRBL RESTR		
BYPASS RESTR		

*76

Z1		
Z2		
Z3		
Z4		
Z5		
Z6		
Z7	0	0
Z8		

**4+2 EXPANDED
FORMAT ZONES
9-16 REPORTS**

(Enter 01-15
00=no code reporting)

*73	1st DIGIT	*77	2nd DIGIT
ALARM	<input type="text"/>	Z9	<input type="text"/>
TRBL	<input type="text"/>	Z10	<input type="text"/>
BYPASS	<input type="text"/>	Z11	<input type="text"/>
ALARM RESTR	<input type="text"/>	Z12	<input type="text"/>
TRBL RESTR	<input type="text"/>	Z13	<input type="text"/>
BYPASS RESTR	<input type="text"/>	Z14	<input type="text"/>
		Z15	<input type="text"/>
		Z16	<input type="text"/>

**4+2 EXPANDED
FORMAT ZONES
17-24 REPORTS**

(Enter 01-15
00=no code reporting)

*74	1st DIGIT	*78	2nd DIGIT
ALARM	<input type="text"/>	Z17	<input type="text"/>
TRBL	<input type="text"/>	Z18	<input type="text"/>
BYPASS	<input type="text"/>	Z19	<input type="text"/>
ALARM RESTR	<input type="text"/>	Z20	<input type="text"/>
TRBL RESTR	<input type="text"/>	Z21	<input type="text"/>
BYPASS RESTR	<input type="text"/>	Z22	<input type="text"/>
		Z23	<input type="text"/>
		Z24	<input type="text"/>

**4+2 EXPANDED
FORMAT KEYPAD
PANICS/ZONE
EXPANDER WIRING
REPORTS**

(Enter 01-15
00=no code reporting)

*75	1st DIGIT	*79	2nd DIGIT
ALARM	<input type="text"/>	Z25	<input type="text"/>
TRBL	<input type="text"/>	Z26	<input type="text"/>
BYPASS	<input type="text"/>	Z27	<input type="text"/>
ALARM RESTR	<input type="text"/>	DURESS	<input type="text"/>
TRBL RESTR	<input type="text"/>	SHORT/ZN EXP	<input type="text"/>
BYPASS RESTR	<input type="text"/>	1 & * PANIC	<input type="text"/>
		3 & # PANIC	<input type="text"/>
		* & # PANIC	<input type="text"/>

**4+2 EXPANDED
FORMAT NON-
ALARM CODES**

(Enter 01-15
00=no code reporting)

*80	1st DIGIT	2nd DIGIT
CLOSE REPORT	<input type="text"/>	<input type="text"/>
OPEN REPORT	<input type="text"/>	<input type="text"/>
LOW BATT REPORT	<input type="text"/>	<input type="text"/>
LOW BATT RESTORE RPT	<input type="text"/>	<input type="text"/>
TEST REPORT	<input type="text"/>	<input type="text"/>

**4+2 EXPANDED
FORMAT NON-
ALARM CODES
(CONT'D)**

*81	1st DIGIT	2nd DIGIT
POWER-UP REPORT	<input type="text"/>	<input type="text"/>
(2nd digit is also 2nd digit for program tamper code (see *40))		
AC LOSS REPORT	<input type="text"/>	<input type="text"/>
AC RESTORE REPORT	<input type="text"/>	<input type="text"/>
CANCEL REPORT	<input type="text"/>	<input type="text"/>

**SWINGER
SHUTDOWN
01-15 ALARMS**

***82**

**TEST REPORT
START**

01-31 hrs; 00=INSTANT

***83**

KISSOFF WAIT

1=ademco HIGH SPEED ON wats;
0=other formats or if local telco lines are being used

***84**

DO NOT USE

***85** 0 (must be zero)

ZONE EXPANDER TYPE

1=No 4206; 0=other VECTOR type RPM's

***86**

ENTRY WARNING

1=CONT; 0=NO DELAY

***87**

**BURG. ALARM
COMM DELAY**

1=16 secs; 0=no delay

***88**

DO NOT USE

***89** 0 (must be zero)

SEC SUBSCRIBER #

***90**

ACCESS THE FOLLOWING ADDRESSES BY ENTERING *94 WHILE IN PROGRAMMING MODE, ONLY THE LAST 2 DIGITS OF EACH ADDRESSES MUST BE KEYED

**OPEN/CLOSE
REPORT ENABLE**

1=Yes; 0=No

***100**

USER	17	28	19	20	21	22
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

ASSIGN RESPONSE TYPE FOR ZONES

*101 ZNS 28-32	*102 ZNS 33-40	*103 ZNS 41-48
Z28 <input type="text"/>	Z33 <input type="text"/>	Z41 <input type="text"/>
Z29 <input type="text"/>	Z34 <input type="text"/>	Z42 <input type="text"/>
Z30 <input type="text"/>	Z35 <input type="text"/>	Z43 <input type="text"/>
Z31 <input type="text"/>	Z36 <input type="text"/>	Z44 <input type="text"/>
Z32 <input type="text"/>	Z37 <input type="text"/>	Z45 <input type="text"/>
	Z38 <input type="text"/>	Z46 <input type="text"/>
	Z39 <input type="text"/>	Z47 <input type="text"/>
	Z40 <input type="text"/>	Z48 <input type="text"/>
*104 ZNS 49-56	*105 ZNS 57-64	*108 ASSIGN RESP. TYPE
Z49 <input type="text"/>	Z57 <input type="text"/>	2nd 4280
Z50 <input type="text"/>	Z58 <input type="text"/>	<input type="text"/>
Z51 <input type="text"/>	Z59 <input type="text"/>	<input type="text"/>
Z52 <input type="text"/>	Z60 <input type="text"/>	<input type="text"/>
Z53 <input type="text"/>	Z61 <input type="text"/>	<input type="text"/>
Z54 <input type="text"/>	Z62 <input type="text"/>	<input type="text"/>
Z55 <input type="text"/>	Z63 <input type="text"/>	<input type="text"/>
Z56 <input type="text"/>	Z64 <input type="text"/>	<input type="text"/>
		Z88 <input type="text"/> 2nd 4280 NOT REC XMTR SIG

***106** NOT USED

***107** NOT USED

***109** ASSIGN RESP. TYPE 1ST & 2ND 4280

Z89 <input type="text"/>	2ND 4280 NOT RESP/BAD CONN TO PANEL
Z90 <input type="text"/>	1ST 4280 NOT RECEIVING XMITTER SIGNALS
Z91 <input type="text"/>	1ST 4280 NOT RESP/BAD CONN TO PANEL

DESIGNATE RIGHT ZONE USAGE (SEE *06 FOR CHOICES)

*110 ZN 33 - 40 [33] [34] [35] [36] [37] [38] [39] [40]
 [41] [42] [43] [44] [45] [46] [47] [48]
 *111 ZN 41 - 48 [49] [50] [51] [52] [53] [54] [55] [56]
 [57] [58] [59] [60] [61] [62] [63] [64]
 *112 ZN 49 - 56 [] [] [] [] [] [] [] []
 *113 ZN 57 - 64 [] [] [] [] [] [] [] []
 *114 *115 *116 *117 NOT USED

SELECTION OF WIRELESS FOR: (1=YES; 0=NO)

*118 ZN 1 - 8 [1] [2] [3] [4] [5] [6] [7] [8]
 [9] [10] [11] [12] [13] [14] [15] [16]
 *119 ZN 9 - 16 [17] [18] [19] [20] [21] [22] [23] [24]
 [25] [26] [27] [28] [29] [30] [31] [32]
 *120 ZN 17 - 24 [] [] [] [] [] [] [] []
 *121 ZN 25 - 32 [] [] [] [] [] [] [] []
 *122 ZN 33 - 40 [] [] [] [] [] [] [] []
 [41] [42] [43] [44] [45] [46] [47] [48]
 *123 ZN 41 - 48 [] [] [] [] [] [] [] []
 [49] [50] [51] [52] [53] [54] [55] [56]
 *124 ZN 49 - 56 [] [] [] [] [] [] [] []
 [57] [58] [59] [60] [61] [62] [63]
 *125 ZN 57 - 63 [] [] [] [] [] [] []
 *126 1ST 4280 RF XPNDR SELECT []
 1=YES; 0=NO
 *127 2ND 4280 RF XPNDR SELECT []
 1=YES; 0=NO
 *128 RF XMTR LO BAT ANNUN []
 1=IMMED; 0=WHEN DISARMED
 *129 RF XMTR LO BAT RPT []
 1=YES; 0=NO
 *130 4280 SUP CHK-IN MON. INTRV [] [] X 2 HOURS
 01 - 15
 *131 RF XMTR CHK-IN MON. INTRV [] [] X 2 HOURS
 01 - 15
 *132 ADEMCO H.S. CONTACT RPT FMT []
 1=YES; 0=NO
 *133 TT DIAL W/ROTARY BACKUP []
 1=YES; 0=NO
 *134 COMM SPLIT REPORTING []
 0=NO; 1=ALARMS PRIM/OTHERS SEC;
 2=OP/CL, TST SEC, OTHERS PR

CHANNEL ASSIGNED TO EACH ZONE (ENTER 01 - 15, 00=NO CODE REPORTING)

*138 ZNS 49-56 [] [] [] [] [] [] [] []
 Z49 [] [] [] [] [] [] [] []
 Z50 [] [] [] [] [] [] [] []
 Z51 [] [] [] [] [] [] [] []
 Z52 [] [] [] [] [] [] [] []
 Z53 [] [] [] [] [] [] [] []
 Z54 [] [] [] [] [] [] [] []
 Z55 [] [] [] [] [] [] [] []
 Z56 [] [] [] [] [] [] [] []
 *139 ZNS 57-64 [] [] [] [] [] [] [] []
 Z57 [] [] [] [] [] [] [] []
 Z58 [] [] [] [] [] [] [] []
 Z59 [] [] [] [] [] [] [] []
 Z60 [] [] [] [] [] [] [] []
 Z61 [] [] [] [] [] [] [] []
 Z62 [] [] [] [] [] [] [] []
 Z63 [] [] [] [] [] [] [] []
 Z64 [] [] [] [] [] [] [] []
 *140, *141 NOT USED
 *142 ASSIGN CHNNL TO 2ND RCVR FAULT
 [00] []
 [00] []
 [00] []
 [00] []
 [00] []
 [00] []
 [00] []
 [00] []
 [00] []
 [00] []
 [00] []
 Z88 [] [] <
 2ND 4280 NOT RECEIVING XMTR SIGNAL

*143 CHANNEL ASSIGNED TO RF RCVR FAULTS
 Z89 [] [] 2ND 4280 NOT RESP/BAD CONN TO PANEL
 Z90 [] [] 1ST 428 NOT RECEIVING XMITTER SIGNALS
 Z91 [] [] 1ST 4280 NOT RESP/BAD CONN TO PANEL

*144 WIRELESS KEYPAD TAMPERS
 DETECT ENABLE []
 1=YES; 0=NO
 *145 WIRELESS KEYPAD TAMPERS
 DETECT ENABLE []
 1=YES; 0=NO
 *146 AUX. OUTPUT FUNCTION
 ENABLE []
 0=GND START; 1=OP/CL TRGR; 2=CONSOLE SOUNDS
 *147 ENABLE CHIME ANNUN ON EXTERNAL ALARM SNDR []
 1=YES; 0=NO
 *148 WIRELESS KEYPAD DISABLE []
 1=YES; 0=NO
 *149 DISABLE RF XMTR CHECK-IN FAIL TRBL SOUNDING []
 1=YES; 0=NO

CHANNEL ASSIGNED TO EACH ZONE (ENTER 01 - 15, 00=NO CODE REPORTING)

*135 ZNS 28-32 [] [] [] []
 Z28 [] [] [] []
 Z29 [] [] [] []
 Z30 [] [] [] []
 Z31 [] [] [] []
 Z32 [] [] [] []
 *136 ZNS 33-40 [] [] [] []
 Z33 [] [] [] []
 Z34 [] [] [] []
 Z35 [] [] [] []
 Z36 [] [] [] []
 Z37 [] [] [] []
 Z38 [] [] [] []
 Z39 [] [] [] []
 Z40 [] [] [] []
 *137 ZN 41-48 [] [] [] []
 Z41 [] [] [] []
 Z42 [] [] [] []
 Z43 [] [] [] []
 Z44 [] [] [] []
 Z45 [] [] [] []
 Z46 [] [] [] []
 Z47 [] [] [] []
 Z48 [] [] [] []