

**Customer Information**

Company	
Contact	
Department	
Extension	
Address	
City	
Province/State	
Postal/Zip Code	
Voice Telephone Number	
Email Address	
Panel Telephone Number:	3333
Additional Comments	

**Module Version**

Module Version | Unknown Module Version

**Language Selection**

Select Language	English	ASCII Code
Special Character 0		N/A
Special Character 1		N/A
Special Character 2		N/A
Special Character 3		N/A
Special Character 4		N/A
Special Character 5		N/A
Special Character 6		N/A
Special Character 7		N/A

**Function Key Options [000]**

Key	Setting
1	03 - Stay Arm
2	04 - Away Arm
3	06 - Chime On/Off
4	14 - Command Output 2/Sensor Reset
5	16 - Quick Exit

**Zone Labels (Zones 1-32) [\*]-[001]...[032]**

Zone	Label	Zone	Label
Zone 01	Zone 1	Zone 17	Zone 17
Zone 02	Zone 2	Zone 18	Zone 18
Zone 03	Zone 3	Zone 19	Zone 19
Zone 04	Zone 4	Zone 20	Zone 20
Zone 05	Zone 5	Zone 21	Zone 21
Zone 06	Zone 6	Zone 22	Zone 22
Zone 07	Zone 7	Zone 23	Zone 23
Zone 08	Zone 8	Zone 24	Zone 24
Zone 09	Zone 9	Zone 25	Zone 25
Zone 10	Zone 10	Zone 26	Zone 26
Zone 11	Zone 11	Zone 27	Zone 27
Zone 12	Zone 12	Zone 28	Zone 28
Zone 13	Zone 13	Zone 29	Zone 29
Zone 14	Zone 14	Zone 30	Zone 30
Zone 15	Zone 15	Zone 31	Zone 31
Zone 16	Zone 16	Zone 32	Zone 32

**Zone Labels (Zones 33-64) [\*]-[033]...[064]**

Zone	Label	Zone	Label
Zone 33	Zone 33	Zone 49	Zone 49
Zone 34	Zone 34	Zone 50	Zone 50
Zone 35	Zone 35	Zone 51	Zone 51

Zone Labels (Zones 33-64) continued on Page 2...

**Zone Labels (Zones 33-64) continued from Page 1...**

Zone 36	Zone 36	Zone 52	Zone 52
Zone 37	Zone 37	Zone 53	Zone 53
Zone 38	Zone 38	Zone 54	Zone 54
Zone 39	Zone 39	Zone 55	Zone 55
Zone 40	Zone 40	Zone 56	Zone 56
Zone 41	Zone 41	Zone 57	Zone 57
Zone 42	Zone 42	Zone 58	Zone 58
Zone 43	Zone 43	Zone 59	Zone 59
Zone 44	Zone 44	Zone 60	Zone 60
Zone 45	Zone 45	Zone 61	Zone 61
Zone 46	Zone 46	Zone 62	Zone 62
Zone 47	Zone 47	Zone 63	Zone 63
Zone 48	Zone 48	Zone 64	Zone 64

**Fire Alarm Label [\*]-[065]**

Fire Alarm Label | Fire Zone

**Fail to Arm Event Message [\*]-[066]**

Fail to Arm Message | System Has | LCD Line 1  
 | Failed to Arm | LCD Line 2

**Alarm When Armed Event Message [\*]-[067]**

Alarm when Armed Message | Alarm Occurred | LCD Line 1  
 | While Armed <> | LCD Line 2

**First User Display Mask [\*]-[070]**

Setting	Option	Option Enabled	Option Disabled
Enabled	1	Hold [P] Key Prompt Enabled	Hold [P] Key Prompt Disabled
Enabled	2	Zone Bypassing Prompt Enabled	Zone Bypassing Prompt Disabled
Enabled	3	Troubles Prompt Enabled	Troubles Prompt Disabled
Enabled	4	Alarm Memory Prompt Enabled	Alarm Memory Prompt Disabled
Enabled	5	Door Chime Control Prompt Enabled	Door Chime Control Prompt Disabled
Enabled	6	Access Codes Prompt Enabled	Access Codes Prompt Disabled
Enabled	7	User Functions Prompt Enabled	User Functions Prompt Disabled
Enabled	8	Output Control Prompt Enabled	Output Control Prompt Disabled

**Second User Display Mask [\*]-[071]**

Setting	Option	Option Enabled	Option Disabled
Disabled	1	Installer Programming Prompt Enabled	Installer Programming Prompt Disabled
Enabled	2	At-Home Arm Prompt Enabled	At-Home Arm Prompt Disabled
Enabled	3	Quick Arm Prompt Enabled	Quick Arm Prompt Disabled
Enabled	4	Interior Arm Prompt Enabled	Interior Arm Prompt Disabled
Disabled	5	Quick Exit Prompt Enabled	Quick Exit Prompt Disabled
Enabled	6	View Event Buffer Prompt Enabled	View Event Buffer Prompt Disabled
Disabled	7	For Future Use	
Disabled	8	Music Input Prompt Enabled	Music Input Prompt Disabled

**Third User Display Mask [\*]-[072]**

Setting	Option	Option Enabled	Option Disabled
Enabled	1	System Test Prompt Enabled	System Test Prompt Disabled
Enabled	2	Time and Date Prompt Enabled	Time and Date Prompt Disabled
Enabled	3	Auto-Arm Control Prompt Enabled	Auto-Arm Control Prompt Disabled
Enabled	4	Auto-Arm Time Prompt Enabled	Auto-Arm Time Prompt Disabled
Enabled	5	Download Enable Prompt Enabled	Download Enable Prompt Disabled
Enabled	6	Bright Control Prompt Enabled	Bright Control Prompt Disabled
Enabled	7	Contrast Control Prompt Enabled	Contrast Control Prompt Disabled
Enabled	8	Buzzer Control Prompt Enabled	Buzzer Control Prompt Disabled

**Downloaded LCD Message Duration [\*]-[073]**

|003| Valid entries are 000-255, 000=Unlimited Message Display

**Key Options [\*]-[074]**

Setting | Option | Option Enabled | Option Disabled

Key Options continued on Page 3...

Key Options continued from Page 2...

Enabled	1	[F] Key Enabled	[F] Key Disabled
Enabled	2	[A] Key Enabled	[A] Key Disabled
Enabled	3	[P] Key Enabled	[P] Key Disabled
Disabled	4	For Future Use	
Disabled	5	For Future Use	
Disabled	6	For Future Use	
Disabled	7	For Future Use	
Disabled	8	For Future Use	

Fourth User Display Mask [\*]-[075]

Setting	Option	Option Enabled	Option Disabled
Enabled	1	User Callup Prompt Enabled	User Initiated Callup Prompt Disabled
Disabled	2	Last Code to Disarm/Arm Prompt Enabled	Last Code to Disarm/Arm Prompt Disabled
Disabled	3	Walk Test Prompt Enabled	Walk Test Prompt Disabled
Enabled	4	Command Output #1 Prompt Enabled	Command Output #1 Prompt Disabled
Enabled	5	Command Output #2 Prompt Enabled	Command Output #2 Prompt Disabled
Disabled	6	Command Output #3 Prompt Enabled	Command Output #3 Prompt Disabled
Disabled	7	Command Output #4 Prompt Enabled	Command Output #4 Prompt Disabled
Disabled	8	For Future Use	

Keypad Options [\*]-[076]

Setting	Option	Option Enabled	Option Disabled
Enabled	1	Display Access Code when Programming	Display X's when Programming
Enabled	2	Local Clock Display Enabled	Local Clock Display Disabled
Disabled	3	Local Clock Display in 24hr	Local Clock Display in 12hr
Enabled	4	AutoScroll Alarm Enabled	AutoScroll Alarm Disabled
Disabled	5	Local Temperature Display Enabled	Local Temperature Display Disabled
Disabled	6	Bypass Options Prompt Enabled	Bypass Options Prompt Disabled
Disabled	7	For Future Use	
Disabled	8	For Future Use	

Fifth User Display Mask [\*]-[077]

Setting	Option	Option Enabled	Option Disabled
Disabled	1	Thermostat CTRL Prompt Enabled	Thermostat CTRL Prompt Disabled
Disabled	2	Temperature Setting Prompt Enabled	Temperature Setting Prompt Disabled
Disabled	3	Occupancy Mode Prompt Enabled	Occupancy Mode Prompt Disabled
Disabled	4	Thermostat Mode Prompt Enabled	Thermostat Mode Prompt Disabled
Disabled	5	Fan Control Prompt Enabled	Fan Control Prompt Disabled
Disabled	6	For Keypad View Prompt Enabled	For Keypad View Prompt Disabled
Disabled	7	For Future Use	
Disabled	8	For Future Use	

Sixth User Display Mask [\*]-[078]

Setting	Option	Option Enabled	Option Disabled
Disabled	1	Occupancy Mode Auxiliary Prompt Enabled	Occupancy Mode Auxiliary Prompt Disabled
Disabled	2	Occupancy Mode Day Prompt Enabled	Occupancy Mode Day Prompt Disabled
Disabled	3	Occupancy Mode Away Prompt Enabled	Occupancy Mode Away Prompt Disabled
Disabled	4	Occupancy Mode Night Prompt Enabled	Occupancy Mode Night Prompt Disabled
Disabled	5	For Future Use	
Disabled	6	For Future Use	
Disabled	7	For Future Use	
Disabled	8	For Future Use	

Partition Labels [\*]-[101]...[108]

Partition 1 Label	System
Partition 2 Label	Partition 2
Partition 3 Label	Partition 3
Partition 4 Label	Partition 4
Partition 5 Label	Partition 5
Partition 6 Label	Partition 6
Partition 7 Label	Partition 7
Partition 8 Label	Partition 8

test, PC1555 3.2, G:\DLS\Folders\Accounts\Test.Dsc-LCD5500(Z)

**Partition 1 Command Output Labels [\*]-[120]...[123]**

Partition 1 Command Output 1 Label	<input type="text" value="Command O/P 1"/>
Partition 1 Command Output 2 Label	<input type="text" value="Command O/P 2"/>
Partition 1 Command Output 3 Label	<input type="text" value="Command O/P 3"/>
Partition 1 Command Output 4 Label	<input type="text" value="Command O/P 4"/>

**Partition 2 Command Output Labels [\*]-[124]...[127]**

Partition 2 Command Output 1 Label	<input type="text" value="Command O/P 1"/>
Partition 2 Command Output 2 Label	<input type="text" value="Command O/P 2"/>
Partition 2 Command Output 3 Label	<input type="text" value="Command O/P 3"/>
Partition 2 Command Output 4 Label	<input type="text" value="Command O/P 4"/>

**Partition 3 Command Output Labels [\*]-[128]...[131]**

Partition 3 Command Output 1 Label	<input type="text" value="Command O/P 1"/>
Partition 3 Command Output 2 Label	<input type="text" value="Command O/P 2"/>
Partition 3 Command Output 3 Label	<input type="text" value="Command O/P 3"/>
Partition 3 Command Output 4 Label	<input type="text" value="Command O/P 4"/>

**Partition 4 Command Output Labels [\*]-[132]...[135]**

Partition 4 Command Output 1 Label	<input type="text" value="Command O/P 1"/>
Partition 4 Command Output 2 Label	<input type="text" value="Command O/P 2"/>
Partition 4 Command Output 3 Label	<input type="text" value="Command O/P 3"/>
Partition 4 Command Output 4 Label	<input type="text" value="Command O/P 4"/>

**Partition 5 Command Output Labels [\*]-[136]...[139]**

Partition 5 Command Output 1 Label	<input type="text" value="Command O/P 1"/>
Partition 5 Command Output 2 Label	<input type="text" value="Command O/P 2"/>
Partition 5 Command Output 3 Label	<input type="text" value="Command O/P 3"/>
Partition 5 Command Output 4 Label	<input type="text" value="Command O/P 4"/>

**Partition 6 Command Output Labels [\*]-[140]...[143]**

Partition 6 Command Output 1 Label	<input type="text" value="Command O/P 1"/>
Partition 6 Command Output 2 Label	<input type="text" value="Command O/P 2"/>
Partition 6 Command Output 3 Label	<input type="text" value="Command O/P 3"/>
Partition 6 Command Output 4 Label	<input type="text" value="Command O/P 4"/>

**Partition 7 Command Output Labels [\*]-[144]...[147]**

Partition 7 Command Output 1 Label	<input type="text" value="Command O/P 1"/>
Partition 7 Command Output 2 Label	<input type="text" value="Command O/P 2"/>
Partition 7 Command Output 3 Label	<input type="text" value="Command O/P 3"/>
Partition 7 Command Output 4 Label	<input type="text" value="Command O/P 4"/>

**Partition 8 Command Output Labels [\*]-[148]...[151]**

Partition 8 Command Output 1 Label	<input type="text" value="Command O/P 1"/>
Partition 8 Command Output 2 Label	<input type="text" value="Command O/P 2"/>
Partition 8 Command Output 3 Label	<input type="text" value="Command O/P 3"/>
Partition 8 Command Output 4 Label	<input type="text" value="Command O/P 4"/>