

CONTACT I.D. SETUP

4130XM/4140XM/5130XM PROGRAMMING FORM

INSTALLER CODE
(ENTER 0-9)

*00

MASTER CODE
(ENTER 0-9)

*01

RESPONSE TYPE
(ENTER 00-10)

- 00 = unused zone
- 01 = E/E #1
- 02 = E/E #2
- 03 = Perimeter
- 04 = Interior Follower
- 05 = Trouble by day/
Alarm by night
- 06 = 24 hr Silent
- 07 = 24 Hr Audible
- 08 = 24 hr Auxiliary
- 09 = Fire
- 10 = Interior Delay

* If Zone 7 is to be used for key switch Arm/Disarm operation, enter 10.

ZONES 1 2 3 4
*02

ZONES 5 6 7 8

ZONES 9 10 11 12
*03

ZONES 13 14 15 16

ZONES 17 18 19 20
*04

ZONES 21 22 23 24

ZONES 25 26 27 28
*05

ZONES 29 30 31 32

ZONES 33 34 35 36

ZONES 37 38 39 40

ZONES 41 42 43 44

ZONES 45 46 47 48

ZONES 49 50 51 52

ZONES 53 54 55 56

ZONES 57 58 59 60

ZONES 61 62 63 64

ZONES 65 66 67 68

ZONES 69 70 71 72

ZONES 73 74 75 76

ZONES 77 78 79 80

ZONES 81 82 83 84

ZONES 85 86 87 88

ZONES 89 90 91 92

ZONES 93 94 95 96

ZONES 97 98 99 100

ZONES 101 102 103 104

ZONES 105 106 107 108

ZONES 109 110 111 112

ZONES 113 114 115 116

ZONES 117 118 119 120

ZONES 121 122 123 124

ZONES 125 126 127 128

ZONES 129 130 131 132

ZONES 133 134 135 136

ZONES 137 138 139 140

ZONES 141 142 143 144

ZONES 145 146 147 148

ZONES 149 150 151 152

ZONES 153 154 155 156

ZONES 157 158 159 160

ZONES 161 162 163 164

ZONES 165 166 167 168

ZONES 169 170 171 172

ZONES 173 174 175 176

ZONES 177 178 179 180

ZONES 181 182 183 184

ZONES 185 186 187 188

ZONES 189 190 191 192

ZONES 193 194 195 196

ZONES 197 198 199 200

ZONES 201 202 203 204

ZONES 205 206 207 208

ZONES 209 210 211 212

ZONES 213 214 215 216

ZONES 217 218 219 220

ZONES 221 222 223 224

ZONES 225 226 227 228

ZONES 229 230 231 232

ZONES 233 234 235 236

ZONES 237 238 239 240

ZONES 241 242 243 244

ZONES 245 246 247 248

ZONES 249 250 251 252

ZONES 253 254 255 256

ZONES 257 258 259 260

ZONES 261 262 263 264

ZONES 265 266 267 268

ZONES 269 270 271 272

ZONES 273 274 275 276

ZONES 277 278 279 280

ZONES 281 282 283 284

ZONES 285 286 287 288

ZONES 289 290 291 292

ZONES 293 294 295 296

ZONES 297 298 299 300

ZONES 301 302 303 304

ZONES 305 306 307 308

ZONES 309 310 311 312

ZONES 313 314 315 316

ZONES 317 318 319 320

ZONES 321 322 323 324

ZONES 325 326 327 328

ZONES 329 330 331 332

ZONES 333 334 335 336

ZONES 337 338 339 340

ZONES 341 342 343 344

ZONES 345 346 347 348

ZONES 349 350 351 352

ZONES 353 354 355 356

ZONES 357 358 359 360

ZONES 361 362 363 364

ZONES 365 366 367 368

ZONES 369 370 371 372

ZONES 373 374 375 376

ZONES 377 378 379 380

ZONES 381 382 383 384

ZONES 385 386 387 388

ZONES 389 390 391 392

ZONES 393 394 395 396

ZONES 397 398 399 400

ZONES 401 402 403 404

ZONES 405 406 407 408

ZONES 409 410 411 412

ZONES 413 414 415 416

ZONES 417 418 419 420

ZONES 421 422 423 424

ZONES 425 426 427 428

ZONES 429 430 431 432

ZONES 433 434 435 436

ZONES 437 438 439 440

ZONES 441 442 443 444

ZONES 445 446 447 448

ZONES 449 450 451 452

ZONES 453 454 455 456

ZONES 457 458 459 460

ZONES 461 462 463 464

ZONES 465 466 467 468

ZONES 469 470 471 472

ZONES 473 474 475 476

ZONES 477 478 479 480

ZONES 481 482 483 484

ZONES 485 486 487 488

ZONES 489 490 491 492

ZONES 493 494 495 496

ZONES 497 498 499 500

ZONES 501 502 503 504

ZONES 505 506 507 508

ZONES 509 510 511 512

ZONES 513 514 515 516

ZONES 517 518 519 520

ZONES 521 522 523 524

ZONES 525 526 527 528

ZONES 529 530 531 532

ZONES 533 534 535 536

ZONES 537 538 539 540

ZONES 541 542 543 544

ZONES 545 546 547 548

ZONES 549 550 551 552

ZONES 553 554 555 556

ZONES 557 558 559 560

ZONES 561 562 563 564

ZONES 565 566 567 568

ZONES 569 570 571 572

ZONES 573 574 575 576

ZONES 577 578 579 580

ZONES 581 582 583 584

ZONES 585 586 587 588

ZONES 589 590 591 592

ZONES 593 594 595 596

ZONES 597 598 599 600

ZONES 601 602 603 604

ZONES 605 606 607 608

ZONES 609 610 611 612

ZONES 613 614 615 616

ZONES 617 618 619 620

ZONES 621 622 623 624

ZONES 625 626 627 628

ZONES 629 630 631 632

ZONES 633 634 635 636

ZONES 637 638 639 640

ZONES 641 642 643 644

ZONES 645 646 647 648

ZONES 649 650 651 652

ZONES 653 654 655 656

ZONES 657 658 659 660

ZONES 661 662 663 664

ZONES 665 666 667 668

ZONES 669 670 671 672

ZONES 673 674 675 676

ZONES 677 678 679 680

ZONES 681 682 683 684

ZONES 685 686 687 688

ZONES 689 690 691 692

ZONES 693 694 695 696

ZONES 697 698 699 700

ZONES 701 702 703 704

ZONES 705 706 707 708

ZONES 709 710 711 712

ZONES 713 714 715 716

ZONES 717 718 719 720

ZONES 721 722 723 724

ZONES 725 726 727 728

ZONES 729 730 731 732

ZONES 733 734 735 736

ZONES 737 738 739 740

ZONES 741 742 743 744

ZONES 745 746 747 748

ZONES 749 750 751 752

ZONES 753 754 755 756

ZONES 757 758 759 760

ZONES 761 762 763 764

ZONES 765 766 767 768

ZONES 769 770 771 772

ZONES 773 774 775 776

ZONES 777 778 779 780

ZONES 781 782 783 784

ZONES 785 786 787 788

ZONES 789 790 791 792

ZONES 793 794 795 796

ZONES 797 798 799 800

ZONES 801 802 803 804

ZONES 805 806 807 808

ZONES 809 810 811 812

ZONES 813 814 815 816

ZONES 817 818 819 820

ZONES 821 822 823 824

ZONES 825 826 827 828

ZONES 829 830 831 832

ZONES 833 834 835 836

ZONES 837 838 839 840

ZONES 841 842 843 844

ZONES 845 846 847 848

ZONES 849 850 851 852

ZONES 853 854 855 856

ZONES 857 858 859 860

ZONES 861 862 863 864

ZONES 865 866 867 868

ZONES 869 870 871 872

ZONES 873 874 875 876

ZONES 877 878 879 880

ZONES 881 882 883 884

ZONES 885 886 887 888

ZONES 889 890 891 892

ZONES 893 894 895 896

ZONES 897 898 899 900

ZONES 901 902 903 904

ZONES 905 906 907 908

ZONES 909 910 911 912

ZONES 913 914 915 916

ZONES 917 918 919 920

ZONES 921 922 923 924

ZONES 925 926 927 928

ZONES 929 930 931 932

ZONES 933 934 935 936

ZONES 937 938 939 940

ZONES 941 942 943 944

ZONES 945 946 947 948

ZONES 949 950 951 952

ZONES 953 954 955 956

ZONES 957 958 959 960

ZONES 961 962 963 964

ZONES 965 966 967 968

ZONES 969 970 971 972

ZONES 973 974 975 976

ZONES 977 978 979 980

ZONES 981 982 983 984

ZONES 985 986 987 988

ZONES 989 990 991 992

ZONES 993 994 995 996

ZONES 997 998 999 1000

ZONES 1001 1002 1003 1004

PRIORITY ZONE *38

01 - 31 (00 if all zones are bypassable)

OPEN/CLOSE REPORT ENABLE *39

1 = Yes, 0 = No

PROGRAM TAMPER RPT *40

(1st digit) 01 - 15 (00 - no report)

USE EOLRs ON ZONES 2-8 *41

1 = N.C. loops, 0 = EOLR supervision

DIAL TONE PAUSE *42

0 = 5 secs., 1 = 11 secs, 2 = 30 secs.

DIAL TONE DETECT *43

1 = Yes, 0 = No; JUST PAUSE

RING DETECT COUNT *44

00 = no ring detect; 01 - 14 for ring counts of 1 - 14; 15 when telephone answering machine is connected to the same phone line

PRIM ACK WAIT *45

0 = 30 secs.; 1 = 60 secs.

PRIM XMIT FORMAT *46

0 = ADEMCO LO; 1 = SESCOA/RAD
2 = ADEMCO HI SPEED

SEC ACK WAIT *47

0 = 30 SECS; 1 = 60 SECS.

SEC XMIT FORMAT *48

0 = ADEMCO LO; 1 = SESC/RAD
2 = ADEMCO HI SPEED

CHECKSUM VERIFY *49

1 = Yes, 0 = No

SESCOA/RADIONICS SELECTION *50

0 = Radionics format w/ 0-9, B-F reporting;
1 = SESCOA format w/ 0-9 reporting

DUAL REPORTING *51

1 = Yes, 0 = No

OPEN/CLOSE REPORT ENABLE *52

1 = Yes, 0 = No

4+2 ZONE (MAX. OF 27 ZONES) *53 0

FORMAT SELECTION

0 = a non-expanded zone configuration.
1 = 4+2 reporting by zone for a zone expanded system.

4+2 ZONE (MAX. OF 9 WIRED ZONES) *54 0

FORMAT SELECTION

1 = 4+2 format;
0 = 3+1/4+1 or ADEMCO Hi Speed format

ALARM REPORT *55

0 = Standard; 1 = Expanded

RESTORE REPORT *56

0 = Standard; 1 = Expanded

BYPASS REPORT *57

0 = Standard; 1 = Expanded

TROUBLE REPORT *58

0 = Standard; 1 = Expanded

OPEN/CLOSE REPORT *59

0 = Standard; 1 = Expanded

LOW BAT; AC LOSS REPORT *60

0 = Standard; 1 = Expanded

CHANNEL ASSIGNED TO EACH ZONE *61 (Enter 01 - 15; 00 = no code reporting)

ZONE 1 2 3 4 5 6 7 8

01 02 03 04 05 06 07 08

ZONE 9 10 11 12 13 14 15 16

09 10 11 12 13 14 15 01

ZONE 17 18 19 20 21 22 23 24

02 03 04 05 06 07 08 09

ZONE 25 26 27 DURESS SHORT 1 & * 3 & # * & #

10 11 12 13 14 15 01 02

ALARM CODES FOR EACH CHANNEL *65 (Enter 01 - 15; 00 = no code reporting)

CH1 01
CH2 01
CH3 01
CH4 01
CH5 01
CH6 01
CH7 01
CH8 01

*66

CH9 01
CH10 01
CH11 01
CH12 01
CH13 01
CH14 01
CH15 01
NOT USED 00

NON-ALARM CODES *67 (Enter 01 - 15; 00 = no code reporting)

AC LOSS 01
AC LOSS 2nd DIGIT 01
TRBL 02
TRBL RESTR 03
BYPASS 04
BYPASS RESTR 05
RESTR CODE FOR ALRM, AC, LO BAT 06

*68

OPEN 07
CLOSE 08
LO BAT 09
L BAT 2nd # 10
TEST 11
PWR UP 12
CANCEL 13

ZONE TYPES 1-10 RESTORE REPORT ENABLE *69

(1 = YES; 0 = NO)

4+2 EXPANDED FORMAT ZONES 1-8 REPORTS *72 (Enter 01 - 15; 00 = no code reporting)

ALRM
TRBL
BYPASS
ALRM RESTR
TRBL RESTR
BYPASS RESTR

*76

Z1
Z2
Z3
Z4
Z5
Z6
Z7
Z8

**4+2 EXPANDED
FORMAT ZONES
9-16 REPORTS**

(Enter 00 - 15;
00 = no channel
reporting)

	*73 1st DIGIT		*77 2nd DIGIT
ALRM	<input type="text"/>	Z9	<input type="text"/>
TRBL	<input type="text"/>	Z10	<input type="text"/>
BYPASS	<input type="text"/>	Z11	<input type="text"/>
ALRM RESTR	<input type="text"/>	Z12	<input type="text"/>
TRBL RESTR	<input type="text"/>	Z13	<input type="text"/>
BYPASS RESTR	<input type="text"/>	Z14	<input type="text"/>
		Z15	<input type="text"/>
		Z16	<input type="text"/>

SWINGER SHUTDOWN *82
01-15 ALARMS

<input type="text"/>	<input type="text"/>
----------------------	----------------------

TEST REPORT START *83
01-31 HRS.; 00 = INSTANT

<input type="text"/>	<input type="text"/>
----------------------	----------------------

KISSOFF WAIT *84

1 = ADEMCO High speed on WATS;
0 = other formats or if local telco lines
are being used.

<input type="text"/>

DO NOT USE *85

must be zero

ZONE EXPANDER TYPE *86
1 = No. 4208.

0 = other VECTOR type RPM's

<input type="text"/>

ENTRY WARNING *87

1 = CONT.; 0 = 3 BEEPS

<input type="text"/>

**BURG. ALARM
COMM DELAY *88**

1 = 16 SECS.; 0 = NO DELAY

<input type="text"/>

NOT USED *89

must be zero

**4+2 EXPANDED
FORMAT ZONES 17-24
REPORTS**

(Enter 01 - 15;
00 = no code
reporting)

	*74 1st DIGIT		*78 2nd DIGIT
ALRM	<input type="text"/>	Z17	<input type="text"/>
TRBL	<input type="text"/>	Z18	<input type="text"/>
BYPASS	<input type="text"/>	Z19	<input type="text"/>
ALRM RESTR	<input type="text"/>	Z20	<input type="text"/>
TRBL RESTR	<input type="text"/>	Z21	<input type="text"/>
BYPASS RESTR	<input type="text"/>	Z22	<input type="text"/>
		Z23	<input type="text"/>
		Z24	<input type="text"/>

SEC. SUBSCRIBER # *90

00 - 09; B - F [11 - 15]

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------

ACCESS THE FOLLOWING ADDRESSES (100 - 149) BY ENTERING '91 WHILE IN
THE PROGRAMMING MODE. ONLY THE LAST 2 DIGITS OF EACH ADDRESS
MUST BE KEYED

OPEN/CLOSE *100

REPORT ENABLE

USER 17 18 19 20 21 22

1 = YES, 0 = NO

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------	----------------------	----------------------	----------------------

**4+2 EXPANDED
FORMAT KEYPAD
PANICS/ZONES 25-27/
XPDR SUPVSRV**

(Enter 01 - 15;
00 = no code
reporting)

	*75 1st DIGIT		*79 2nd DIGIT
ALRM	<input type="text"/>	Z25	<input type="text"/>
TRBL	<input type="text"/>	Z26	<input type="text"/>
BYPASS	<input type="text"/>	Z27	<input type="text"/>
ALRM RESTR	<input type="text"/>	DURESS	<input type="text"/>
TRBL RESTR	<input type="text"/>	WIRING SHORT, ZONE EXP.	<input type="text"/>
BYPASS RESTR	<input type="text"/>	1 & # PANIC	<input type="text"/>
		3 & # PANIC	<input type="text"/>
		* & # PANIC	<input type="text"/>

ASSIGN RESPONSE TYPE FOR ZONES: (SEE FLD6.02 - 06)

***101 ZNS 28 - 32 *102 ZNS 33 - 40 *103 ZNS 41 - 48**

Z28	<input type="text"/>
Z29	<input type="text"/>
Z30	<input type="text"/>
Z31	<input type="text"/>
Z32	<input type="text"/>

Z33	<input type="text"/>
Z34	<input type="text"/>
Z35	<input type="text"/>
Z36	<input type="text"/>
Z37	<input type="text"/>
Z38	<input type="text"/>
Z39	<input type="text"/>
Z40	<input type="text"/>

Z41	<input type="text"/>
Z42	<input type="text"/>
Z43	<input type="text"/>
Z44	<input type="text"/>
Z45	<input type="text"/>
Z46	<input type="text"/>
Z47	<input type="text"/>
Z48	<input type="text"/>

**4+2 EXPANDED
FORMAT NON-
ALARM CODES**

(Enter 01 - 15;
00 = no code
reporting)

	*80 1st DIGIT	2nd DIGIT
CLOSE REPORT	<input type="text"/>	<input type="text"/>
OPEN REPORT	<input type="text"/>	<input type="text"/>
LOW BATT REPORT	<input type="text"/>	<input type="text"/>
LOW BATT RESTORE RPT	<input type="text"/>	<input type="text"/>
TEST REPORT	<input type="text"/>	<input type="text"/>

***104 ZNS 49 - 56**

Z49	<input type="text"/>
Z50	<input type="text"/>
Z51	<input type="text"/>
Z52	<input type="text"/>
Z53	<input type="text"/>
Z54	<input type="text"/>
Z55	<input type="text"/>
Z56	<input type="text"/>

***105 ZNS 57 - 64**

Z57	<input type="text"/>
Z58	<input type="text"/>
Z59	<input type="text"/>
Z60	<input type="text"/>
Z61	<input type="text"/>
Z62	<input type="text"/>
Z63	<input type="text"/>
Z64	<input type="text"/>

***108 ASSIGN RESP.
TYPE 2ND 4280**

<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>

2nd 4280
NOT REC
XMTR SIG

**4+2 EXPANDED
FORMAT NON-
ALARM CODES
(CONT'D)**

(Enter 01 - 15;
00 = no code
reporting)

	*81 1st DIGIT	2nd DIGIT
POWER-UP REPORT	<input type="text"/>	<input type="text"/>
AC LOSS REPORT	<input type="text"/>	<input type="text"/>
AC RESTORE REPORT	<input type="text"/>	<input type="text"/>
CANCEL REPORT	<input type="text"/>	<input type="text"/>

*2nd digit is also second digit for program
tamper code (see *40)

***106 NOT USED *107 NOT USED**

***109 ASSIGN RESP. TYPE 1ST & 2ND 4280**

Z89	<input type="text"/>
Z90	<input type="text"/>
Z91	<input type="text"/>

2ND 4280 NOT RESP / BAD CONN TO PANEL

1ST 4280 NOT RECEIVING XMTR SIGNALS

1ST 4280 NOT RESP / BAD CONN TO PANEL

DESIGNATE RIGHT ZONE USAGE (SEE *06 FOR CHOICES)

*110 ZN 33 - 40
 33 34 35 36 37 38 39 40
 [][][][][][][][]

*111 ZN 41 - 48
 41 42 43 44 45 46 47 48
 [][][][][][][][]

*112 ZN 49 - 56
 49 50 51 52 53 54 55 56
 [][][][][][][][]

*113 ZN 57 - 64
 57 58 59 60 61 62 63 64
 [][][][][][][][]

*114, *115, *116, *117 NOT USED

SELECTION OF WIRELESS FOR: (1 = YES, 0 = NO)

*118 ZN 1 - 8
 1 2 3 4 5 6 7 8
 [][][][][][][][]

*119 ZN 9 - 16
 9 10 11 12 13 14 15 16
 [][][][][][][][]

*120 ZN 17 - 24
 17 18 19 20 21 22 23 24
 [][][][][][][][]

*121 ZN 25 - 32
 25 26 27 28 29 30 31 32
 [][][][][][][][]

*122 ZN 33 - 40
 33 34 35 36 37 38 39 40
 [][][][][][][][]

*123 ZN 41 - 48
 41 42 43 44 45 46 47 48
 [][][][][][][][]

*124 ZN 49 - 56
 49 50 51 52 53 54 55 56
 [][][][][][][][]

*125 ZN 57 - 63
 57 58 59 60 61 62 63
 [][][][][][][]

*126 1ST 4280 RF XPNDR SELECT
 1 = YES, 0 = NO

*127 2ND 4280 RF XPNDR SELECT
 1 = YES, 0 = NO

*128 RF XMTR LO BAT ANNUN
 1 = IMMED, 0 = WHEN DISARMED

*129 RF XMTR LO BAT RPT
 1 = YES, 0 = NO

*130 4280 SUP CHK-IN MON. INTRV X 2 HOURS
 01 - 15

*131 RF XMTR CHK-IN MON. INTRV X 2 HOURS
 01 - 15

*132 ADEMCO H.S. CONTACT RPT FMT 1
 1 = YES, 0 = NO

*133 TT DIAL W/ ROTARY BACKUP
 1 = YES, 0 = NO

*134 COMM SPLIT REPORTING
 0 = NO, 1 = ALARMS PRIM/OTHERS SEC, 2 = OP/CL, TST SEC, OTHERS PRI

CHANNEL ASSIGNED TO EACH ZONE (01 - 15, 00 = NO CODE ENTRY)

*138 ZNS 49 - 56
 Z49 [0][7]
 Z50 [0][8]
 Z51 [0][9]
 Z52 [1][0]
 Z53 [1][1]
 Z54 [1][2]
 Z55 [1][3]
 Z56 [1][4]

*139 ZNS 57 - 64
 Z57 [1][5]
 Z58 [0][1]
 Z59 [0][2]
 Z60 [0][3]
 Z61 [0][4]
 Z62 [0][5]
 Z63 [0][6]
 Z64 [0][7]

*140, *141 NOT USED

*142 ASSIGN CHNNL TO 2ND RCVR FAULT
 Z88 [0][8] 2ND 4280 NOT RECEIVING XMTR SIGNAL

*143 CHANNEL ASSIGNED TO RF RCVR FAULTS
 Z89 [0][9] 2ND 4280 NOT RESPONDING/BAD CONN. TO PANE
 Z90 [1][0] 1ST 4280 NOT RECEIVING XMTR SIGNAL
 Z91 [1][1] 1ST 4280 NOT RESPONDING/BAD CONN. TO PANE

*144 WIRELESS KEYPAD TAMPER DETECT ENABLE
 1 = YES, 0 = NO

*145 ENABLE CONSOLE ANNUN DURING EXIT DELAY
 1 = YES, 0 = NO

*146 AUX. OUTPUT FUNCTION ENABLE
 0 = GND START, 1 = OP/CL TRGR, 2 = CONSOLE SOUNDS

*147 ENABLE CHIME ANNUN ON EXTERNAL ALARM SNDR
 1 = YES, 0 = NO

*148 WIRELESS KEYPAD DISABLE
 1 = YES, 0 = NO

*149 DISABLE RF XMTR CHECK-IN FAIL TRBL SOUNDING
 1 = YES, 0 = NO

CHANNEL ASSIGNED TO EACH ZONE (ENTER 01 - 15, 00 = NO CODE REPORTING)

*135 ZN 28 - 32
 Z28 [0][1]
 Z29 [0][2]
 Z30 [0][3]
 Z31 [0][4]
 Z32 [0][5]

*136 ZN 33 - 40
 Z33 [0][6]
 Z34 [0][7]
 Z35 [0][8]
 Z36 [0][9]
 Z37 [1][0]
 Z38 [1][1]
 Z39 [1][2]
 Z40 [1][3]

*137 ZN 41 - 48
 Z41 [1][4]
 Z42 [1][5]
 Z43 [0][1]
 Z44 [0][2]
 Z45 [0][3]
 Z46 [0][4]
 Z47 [0][5]
 Z48 [0][6]

HEXADECIMAL TO NUMERIC ENTRY CONVERSION

0 = 10 (REPORT CODES)
 0 = 00 (SUBS ID, PABX OR CS ID)
 1 = 01 2 = 02 3 = 03 4 = 04 5 = 05 6 = 06 7 = 07
 8 = 08 9 = 09 B = 11 C = 12 D = 13 E = 14 F = 15
 A = 10 (CS ID only)