

PROGRAMMING SHEET

MDC-16ET - MPC-32D



1845 W. 205th Street,
Torrance, CA 90501-1510

Default (factory programmed) settings are in parentheses.

1. DELAY TIMES

- 1. Exit (60 sec) _____ x 1 sec
- 2. Entrance (45 sec) _____ x 1 sec
- 3. Prealarm (0 sec) _____ x 1 sec
- 4. Self Test
 - 1. Conditional (No) _____
 - 2. Unconditional (No) _____
 - 3. Fixed Time
 - 1. Daily (No) _____
 - 2. Weekly
 - 1. Sunday (No) _____
 - 2. Monday (No) _____
 - 3. Tuesday (No) _____
 - 4. Wednesday (No) _____
 - 5. Thursday (No) _____
 - 6. Friday (No) _____
 - 7. Saturday (No) _____
 - 3. Monthly
 - 1. Day (0) _____
 - 2. Time (No) _____
- 5. A.C. Failure (15 min) _____ x 1 min

2. CUTOFF TIMES

- 1. Bell (15 min) _____ x 10 sec
- 2. Siren (15 min) _____ x 10 sec
- 3. Aux Relay 1 (15 min) _____ x 10 sec
- 4. Aux Relay 2 (15 min) _____ x 10 sec
- 5. Listen-In (0 sec) _____ x 1 sec
- 6. Battery Test (0 sec) _____ x 1 sec
- 7. Time Clock
 - 1. Set Clock
 - Date _____
 - Time _____
 - 2. Daylite Save (No) _____
 - 3. Display (No) _____
 - 4. Set By User (No) _____

3. ZONE CONFIG

(Refer to Page 5 and Chart I on Page 6)

4. REPORT CODES

1. Report Menu 1

- 1. Low Battery (No) _____
- 2. Battery Restore (No) _____
- 3. A.C. Fail (No) _____
- 4. A.C. Restore (No) _____
- 5. Box Tamper (No) _____
- 6. Tamper Restore (No) _____
- 7. Self Test (No) _____

2. Report Menu 2

- 1. Enter Program (No) _____
- 2. Exit Program (No) _____
- 3. Duress (No) _____
- 4. Comm Fail (No) _____
- 5. Bell Restore (No) _____
- 6. Open Restore (No) _____
- 7. On Prem Rpt Code (No) _____

3. Report Menu 3

- 1. Open Exception (No) _____
- 2. Close Exception (No) _____
- 3. Clock Change (No) _____
- 4. Perm Schedule Change (No) _____
- 5. Temp Schedule Change (No) _____
- 6. O/C Buffer Overflow (No) _____
- 7. O/C Buffer Full (No) _____

5. RECEIVER

1. Receiver 1

- 1. Telephone No. _____
- 2. Account # [Z1-Z8] (0000) _____
- 3. Account # [Z9-Z16] (0000) _____
- 4. Review Format (10 PPS 3-1) _____
- 5. Format (See Chart III) _____

2. Receiver 2

- 1. Telephone No. _____
- 2. Account # [Z1-Z8] (0000) _____
- 3. Account # [Z9-Z16] (0000) _____
- 4. Review Format (10 PPS 3-1) _____
- 5. Format (See Chart III) _____

3. Receiver 3

- 1. Telephone No. _____
- 2. Account Number (0000) _____
- 3. Review Format (10 PPS 3-1) _____
- 4. Format (See Chart III) _____

4. Anti Jam (5 sec) _____ x 1 sec
(Must be at least 5 seconds)

5. Resources

- 1. 2 Telco Lines (No) _____
- 2. Line Type (No) _____
- 3. Radio Attempts (No) _____
- 4. Radio Format (No) _____
- 5. Digital First (No) _____
- 6. Both Receivers (No) _____

6. Ground Start (No) _____

7. Radio Acct # (No) _____

6. PIN NUMBERS

- 1. Review PIN *
- 2. Installer PIN (9999) _____
- 3. All Open Code (No) _____
- 4. All Close Code (No) _____
- 5. User Open Code (enter User #)
- 6. User Close Code (enter User #)

User #	Open Code	Close Code
1	_____	_____
2	_____	_____
3	_____	_____
4	_____	_____
5	_____	_____
6	_____	_____
7	_____	_____
8	_____	_____
9	_____	_____
10	_____	_____
11	_____	_____
12	_____	_____
13	_____	_____
14	_____	_____
15	_____	_____
16	_____	_____
17	_____	_____
18	_____	_____
19	_____	_____
20	_____	_____
21	_____	_____
22	_____	_____
23	_____	_____
24	_____	_____
25	_____	_____
26	_____	_____
27	_____	_____
28	_____	_____
29	_____	_____
30	_____	_____
31	_____	_____
32	_____	_____

7. Special PIN

- 1. Special PIN _____
- 2. Aux Relay 1 (No) _____
- 3. Aux Relay 2 (No) _____

* No programming required.

7. SUPERVISORY

- 1. Supervised (No) _____
- 2. Close Ringback (No) _____
- 3. Open Ringback (No) _____
- 4. P.C. Ringback (No) _____
- 5. Siren Ringback (No) _____
- 6. Bell Ringback (No) _____
- 7. Aux 1 Ringback (No) _____
- 8. Aux 2 Ringback (No) _____
- 9. Bell Test (No) _____

8. EMERGENCY

- 1. Report Code (No) _____
- 2. Steady Bell (No) _____
- 3. Pulse Bell (No) _____
- 4. Steady Siren (No) _____
- 5. Pulse Siren (No) _____
- 6. Aux Relay 1 (No) _____
- 7. Aux Relay 2 (No) _____

9. OPTIONS

- 1. View Program (No) _____
- 2. Print Program * _____
- 3. Mini Loader _____
- 4. Monitor Mode
 - 1. Display Zone (No) _____
 - 2. Acknowledge (No) _____
 - 3. Bell (No) _____
 - 4. Siren (No) _____
 - 5. AUX 1 Relay (No) _____
 - 6. AUX 2 Relay (No) _____
 - 7. Scroll Open Z (No) _____
 - 8. Scroll Bypass Z (No) _____
- 5. Prompt Menus
 - 1. (System Ready) _____
 - 2. (Zones Normal) _____
- 6. C.S. Download
 - 1. Telephone _____
 - 2. Rings (12) _____
 - 3. Local Download (No) _____
 - 4. Download PIN _____
 - 5. RDM (No) _____
- 7. U.L. Fire (No) _____
- 8. Auxiliary Arm
 - 1. Partial Arm (No) _____
 - 2. Group Arm/User (No) _____
 - 3. Total Groups (0) _____
 - 4. Group Number**
 - 1. Description _____
 - 2. Zones 1-16 (Yes) _____
 - 3. Open Code (No) _____
 - 4. Close Code (No) _____
 - 5. Common Group (No) _____
- 9. Scheduling
 - 1. Types
 - 1. O/C Windows (No) _____
 - 2. Closed w/Bypass (No) _____
 - 3. Closed w/Alarm (No) _____
 - 4. Schedule 1 (No) _____
 - 5. Schedule 2 (No) _____
 - 2. User Set (No) _____

* No programming required.

** Refer to Matrix on Chart II to set up Group Configuration.

9. Options - continued:

3. Window System

1. Schedule 1

- 1. Open Window (0) _____ x 10 Min.
- 2. Close Window (0) _____ x 10 Min.

3. Daily O/C Times

1. Sunday

- 1. Open Start (No) _____
- 2. Close Start (No) _____

2. Monday

- 1. Open Start (No) _____
- 2. Close Start (No) _____

3. Tuesday

- 1. Open Start (No) _____
- 2. Close Start (No) _____

4. Wednesday

- 1. Open Start (No) _____
- 2. Close Start (No) _____

5. Thursday

- 1. Open Start (No) _____
- 2. Close Start (No) _____

6. Friday

- 1. Open Start (No) _____
- 2. Close Start (No) _____

7. Saturday

- 1. Open Start (No) _____
- 2. Close Start (No) _____

8. Copy Days

(See Programming Manual,
Programing Procedure, Page 15)

- 4. Pre-Close Warning (No) _____
- 5. Auto Arming (No) _____
- 6. Auto Arm Code (No) _____

2. Schedule 2

1. Daily O/C Times

1. Sunday

- 1. Open (No) _____
- 2. Close (No) _____

2. Monday

- 1. Open (No) _____
- 2. Close (No) _____

3. Tuesday

- 1. Open (No) _____
- 2. Close (No) _____

4. Wednesday

- 1. Open (No) _____
- 2. Close (No) _____

5. Thursday

- 1. Open (No) _____
- 2. Close (No) _____

6. Friday

- 1. Open (No) _____
- 2. Close (No) _____

7. Saturday

- 1. Open (No) _____
- 2. Close (No) _____

8. Copy Days

(See Programming Manual
Programing Procedure, Page 15)

3. Holiday Schedule

1. Add Holiday

- 1. Date _____
- 2. Days (0) _____

2. Delete Holiday

- 1. Date _____
- 2. Days (0) _____

4. Temp Schedule 1

- 1. Date _____
- 2. Open Start (No) _____
- 3. Close Start (No) _____

5. Temp Schedule 2

- 1. Date _____
- 2. Open (No) _____
- 3. Close (No) _____

4. History

- 1. Print *
- 2. View *
- 3. User View
 - 1. All History (No) _____
 - 2. O/C History (No) _____
 - 3. Alarms (No) _____

* No programming required.

ZONE CONFIGURATION CHART - MDC-16ET - MPC-32D

Default (factory programmed) settings are in parentheses.

1. Alarm Output

- 1. Telephone (Yes) _____
- 2. Radio (No) _____
- 3. Steady Bell (Yes) _____
- 4. Pulsing Bell (No) _____
- 5. Steady Siren (No) _____
- 6. Pulsing Siren (No) _____
- 7. Aux Relay 1 (No) _____
- 8. Aux Relay 2 (No) _____

2. Loop Type (3) _____

- 1. N.O. No Trbl
- 2. N.C. No Trbl
- 3. Open or Close
- 4. N.O. Trbl Brk
- 5. N.C. Trbl Shrt

3. Zone Type (1) _____

- 1. Perimeter Inst
- 2. Perimeter Dly
- 3. Interior Inst
- 4. Interior Dly
- 5. 24 Hour
- 6. Day Circuit

4. Zone Features

- 1. Bypass (Yes) _____
- 2. Loop Response (250 ms) _____ x 50 ms
- 3. Entrance Delay (45 sec) _____
- 4. Display Armed (No) _____
- 5. Display Unarmed (No) _____
- 6. Monitor Test (No) _____
- 7. Number of Alarms (0) _____
- 8. Time Period (0) _____ x 10 min.

5. Report Codes

- 1. Alarm (No) _____
- 2. Restore (No) _____
- 3. Cancel (No) _____
- 4. Trouble (No) _____
- 5. Bypass (No) _____

6. Copy Zone

(See Programming Manual, Page 23)

7. Name That Zone

(See Programming Manual, Page 24)

**CHART II
GROUP CONFIGURATION
FOR**

PARTIAL ARM AND GROUP ARM/USER

NOTE The Partial Arm and Group Arm/User program is designed for single subscriber premises partitioning. It is not recommended for multiple subscriber installation.

Prior to actual programming use this Chart to set up and identify the zones for each group

1. Select Group Number.
2. Assign zones to Group by placing "Y" in corresponding zone box.
3. Assign description (name) for Group with maximum 16 characters including spaces.
4. Assign Open and Close Code (if used) for Group.

		Z O N E S																DESCRIPTION	OPEN CODE	CLOSE CODE	COMMON	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					
G R O U P S	1																					
	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	6	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	7	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

If Group Arm/User is selected:

- A. With entire system disarmed, only 24 hour violated zones (if programmed for display) will display.
- B. With any group in the system armed, no violated zones will display.
- C. Closing signals begin transmission after exit delay time has expired.
- D. Only one group can be programmed as a "Common" group.

CHART III
FOR
PROGRAMMING RECEIVER FORMAT

Select the format that can be accepted by your receiver.
Check with the receiver manufacturer if you have any
questions.

1. Basic

- 1 10 PPS 3-1 (Factory Set)
- 2 10 PPS 3-1 Ext.
- 3 10 PPS 4-1
- 4 10 PPS 4-2
- 5 20 PPS 3-1
- 6 20 PPS 3-1 Ext.
- 7 20 PPS 4-1
- 8 20 PPS 4-2

2. Advanced

- 1 Varitech 4-1
- 2 Varitech 4-2
- 3 40 PPS W/P
- 4 40 PPS W/P Ext.
- 5 BFSK