



RadionicsTM

D2000 Series Program Record Sheet

Account Information

Account Rx _____ - _____ Panel Type _____ Panel Phone # _____

Name _____

Address _____ City _____ State _____ Zip Code _____

Contact Phone # _____

Contact Person _____

Comments _____

Panel _____ Location _____

Notes _____

1. SYSTEM CONFIGURATION

- 1 Account Number _____
- 2 Swinger Count 1 2 3 4
- 3 Keyswitch **Momentary**, ____ Easikey
- 4 Custom Idle Text 1 _____
- 5 Custom Idle Text 2 _____
- 6 Custom Service Text _____

2. PHONE

- 1 DTMF Dialing **Yes, No**
- 2 Phone 1 _____
- 3 Phone 2 _____
- 4 Phone Routing **Yes, No** _____
- 5 Fire Route **Local** _____
- 6 Non-Fire Route **Local** _____
- 7 Pt Trbl Route **Local** _____
- 8 Restoral Route **Local** _____
- 9 Closing Route **Local** _____
- 10 Opening Route **Local** _____
- 11 Cancel Route **Local** _____
- 12 Sys Trbl Route **Local** _____
- 13 Sys Res Route **Local** _____
- 14 Duress Route **Local** _____
- 15 Test Route **Local** _____

3. REPORTS

- 1 O/C Rpts-All On **Yes, No**
- 2 O/C Rpts-Part On **Yes, No**
- 3 Restricted O/C **Yes, No**
- 4 Delay Alarm Rpt **0** _____
- 5 Cancel Rpt **Yes, No**
- 6 Restoral Rpts **Yes, No, Delay**
- 7 AC Fail Buzz/Rpt _____
- 8 Point User Flag **Yes, No**

4. RECEIVER

- 1 Rcvr Format **Modem**, Pulse
- 2 Fire Group **0** _____
- 3 Non-Fire Group **0** _____
- 4 Pt Trbl Group **0** _____
- 5 Restoral Group **0** _____
- 6 Closing Group **0** _____
- 7 Opening Group **0** _____
- 8 Cancel Group **0** _____
- 9 Sys Trbl Group **0** _____
- 10 Sys Res Group **0** _____
- 11 Duress Group **0** _____
- 12 Test Group **0** _____

5. REMOTE PROGRAMMING

- 1 RAM Passcode **999999** _____
- 2 RAM Phone _____
- 3 Answer Armed **0** _____
- 4 Answer Disarmed **0** _____
- 5 Answer Machine **Yes, No**

6. OPEN / CLOSE

- 1 Entry Dly Time **30** _____
- 2 Exit Dly Time **60** _____
- 3 Extended Dly **120** _____
- 4 Exit Tone **Yes, No**
- 5 No Delay **Disabled** _____
- 6 Excursion **Disabled** _____

7. A, B, C KEYS

- 1 A-Key Report **00** _____
- 2 A-Key Alarm Output **No Output**, Steady, Pulse
- 3 A-Key Ack Tone **Yes, No**
- 4 A-Key Text _____
- 5 B-Key Report **00** _____
- 6 B-Key Alarm Output **No Output**, Steady, Pulse
- 7 B-Key Ack Tone **Yes, No**
- 8 B-Key Text _____
- 9 C-Key Report **00** _____
- 10 C-Key Alarm Output **No Output**, Steady, Pulse
- 11 C-Key Ack Tone **Yes, No**

8. BELL

- 1 Bell Time **6** _____
- 2 Bell Test Yes, **No**
- 3 Single Ring Yes, **No**
- 4 Alarm on 2 Fail Yes, **No**

9. TEST TIMER

- 1 Test Interval **No Report,** _____
- 2 Hours to Next **0** _____
- 3 Minutes to Next **0** _____
- 4 Defer Test Rpt Yes, **No**

10. ADDRESS CONFIGURATION

- 1 Address 1 **Text Keypad,** _____
- 2 Address 2 **Not Used,** _____
- 3 Address 3 **Not Used,** _____
- 4 Address 4 **Not Used,** _____
- 5 Address 5 **Not Used,** _____
- 6 Address 6 **Not Used,** _____
- 7 Address 7 **Not Used,** _____
- 8 Address 8 **Not Used,** _____

11. POINT CODES & TEXT**TEXT**

- | | | |
|-----------------|------------|-------|
| Point Number 1 | Code _____ | _____ |
| Point Number 2 | Code _____ | _____ |
| Point Number 3 | Code _____ | _____ |
| Point Number 4 | Code _____ | _____ |
| Point Number 6 | Code _____ | _____ |
| Point Number 6 | Code _____ | _____ |
| Point Number 7 | Code _____ | _____ |
| Point Number 8 | Code _____ | _____ |
| Point Number 9 | Code _____ | _____ |
| Point Number 10 | Code _____ | _____ |
| Point Number 11 | Code _____ | _____ |
| Point Number 12 | Code _____ | _____ |
| Point Number 13 | Code _____ | _____ |
| Point Number 14 | Code _____ | _____ |
| Point Number 15 | Code _____ | _____ |
| Point Number 16 | Code _____ | _____ |
| Point Number 17 | Code _____ | _____ |
| Point Number 18 | Code _____ | _____ |
| Point Number 19 | Code _____ | _____ |
| Point Number 20 | Code _____ | _____ |
| Point Number 21 | Code _____ | _____ |
| Point Number 22 | Code _____ | _____ |
| Point Number 23 | Code _____ | _____ |
| Point Number 24 | Code _____ | _____ |

13. RELAYS*

- 1 Relay 1 Logic _____
- 2 Relay 2 Logic _____
- 3 Relay 1, Func 1 _____
- 4 Relay 1, Func 2 _____
- 5 Relay 2, Func 1 _____
- 6 Relay 2, Func 2 _____

RELAY PARAMETERS

Each relay parameter below is a separate group when keypad programming.

- 18 Relay 1, Function 1, Parameter -----
-
- 18 Relay 1, Function 2, Parameter -----
-
- 18 Relay 2, Function 1, Parameter -----
-
- 18 Relay 2, Function 2, Parameter -----
-

* Relay Function Selections:

- | | | | |
|------------------------|---------------------------|-------------------------|---------------------------|
| 0 - No Output | 7 - A, B, C Key Pulse | 13 - Reset | 19 - Entry and Exit Delay |
| 1 - Alarm | 8 - A, B, C Key Momentary | 14 - AC Failure | 20 - Extended Delay |
| 2 - Alarm Memory | 9 - Off with Passcode | 15 - Battery Trouble | 21 - Pulsed Output |
| 3 - Point Trouble | 10 - Follow Alarm Report | 16 - Communication Fail | 22 - 2-second Output |
| 4 - Follow Point | 11 - All On | 17 - Communicating | 23 - RF, Light Key |
| 5 - Watch Tone | 12 - Part On | 18 - Ground Start | 24 - RF, Special Key |
| 6 - A, B, C Key Steady | | | |

14. USER TEST

- 1 Usr Tst, Bell Yes, **No**
- 2 Usr Tst, Battery Yes, **No**
- 3 Usr Tst, Comm Yes, **No**

15. PASSCODE

		#	Passcode	Type				
1	Instlr Code	654321	_____	1	123456	_____	Owner	_____
2	Passcode Length	3	_____	2	_____	_____		_____
3	Code 8 = Duress	Yes, No		3	_____	_____		_____
4	Passcode Rquired	Yes, No		4	_____	_____		_____
5	Change Passcode	_____		5	_____	_____		_____
				6	_____	_____		_____
				7	_____	_____		_____
				8	_____	_____		_____

16. PRF PARAMETERS

- 1 Supervision Intrvl **24,** 12

17. PROGRAM LOCK

- 1 Return to Default (Keypad Programming Only)
- 2 Program Lock Yes, **No**
- 3 Disable System Yes, **No**

© 1997 Radionics, Inc., Salinas, CA, USA. All rights reserved
™ The Radionics logo is a registered trademark of Radionics, Inc., Salinas, CA, USA.
Radionics, Inc., 1800 Abbott Street
P.O. Box 80012 Salinas, California 93912
Customer Service: (800) 538-5807

