

# R A D I O N I C S

## D9112B Program Record Sheet

Date \_\_\_\_\_

Subscriber Name \_\_\_\_\_ Premises Phone \_\_\_\_\_

Address \_\_\_\_\_

City / State / ZIP \_\_\_\_\_

Installer Name \_\_\_\_\_ Subscriber Contact \_\_\_\_\_

Record Name \_\_\_\_\_

Area Number	Account #	Area Description
1	_____	_____ _____ _____
2	_____	_____ _____ _____
3	_____	_____ _____ _____
4	_____	_____ _____ _____
5	_____	_____ _____ _____
6	_____	_____ _____ _____
7	_____	_____ _____ _____
8	_____	_____ _____ _____

Control/Communicator Location \_\_\_\_\_

Phone # \_\_\_\_\_ Aux Power Current Load \_\_\_\_\_ mA

AC Voltage \_\_\_\_\_ VAC Battery Voltage \_\_\_\_\_ VDC Earth Ground Location \_\_\_\_\_

Transformer Location \_\_\_\_\_ RJX38X \_\_\_\_\_

Bell / Siren Locations \_\_\_\_\_

## Panel Wide Parameters

### Phone

Phone # 1 -----  
 Phone # 2 -----  
 Phone # 3 -----  
 Phone # 4 -----

Modem Format	Yes / No	Two Phone Lines	Yes / No
Point/User Flag	Yes / No	BFSK Duress Code	_____
DTMF Dialing	Yes / No	Expanded Test Rpt	Yes / No
Phone Supv Time	_____	Cancel Report	Yes / No
Alarm On Fail	Yes / No	Ground Start	Short / Long

### Phone Routing

▼ Report Type	Phone 1	Phone 2	Phone 3	Phone 4
Fire Alarm/Res	_____	_____	_____	_____
Fire Tbl/Res	_____	_____	_____	_____
Alarm/Res/Cncl	_____	_____	_____	_____
Trouble	_____	_____	_____	_____
Open/Close	_____	_____	_____	_____
Test/Stat Rpt	_____	_____	_____	_____
Diagnostic	_____	_____	_____	_____
Relay	_____	_____	_____	_____
Skeds	_____	_____	_____	_____
RAM	_____	_____	_____	_____
Power/Phone	_____	_____	_____	_____
Service	_____	_____	_____	_____

Selections: Blank - Do not Send    P - Primary    B - Backup    D - Duplicate

### Power Supervision

AC Fail Time	— —	AC/Battery Buzz	Yes / No
AC Fail/Res Rpt	Yes / No	Bat Fail/Res Rpt	Yes / No
AC Tag Along	Yes / No		

### Printer Parameters

Printer Address	# 17	# 18	# 19
Scope	_____	_____	_____
Area Assign	_____	_____	_____
Supervision	Yes / No	Yes / No	Yes / No
Prt Points	Yes / No	Yes / No	Yes / No
Prt O/C	Yes / No	Yes / No	Yes / No
Prt Non Alarm	Yes / No	Yes / No	Yes / No

Selections: No Printer    Panel Wide    Account    Area

### R.A.M. Parameters

RAM Passcode	_____	Answer Armed	— —
Log % Full	— —	Answer Disarmed	— —
RAM Call Back	Yes / No	RAM Ph	_____
RAM Line Monitor	Yes / No		_____

# Area Wide Parameters

## Area Parameters

	Area 1	Area 2	Area 3	Area 4	Area 5	Area 6	Area 7	Area 8
Area On	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
Account Number	_____	_____	_____	_____	_____	_____	_____	_____
FA Bypass Max	_____	_____	_____	_____	_____	_____	_____	_____
Delay Res	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
Exit Tone	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
Exit Dly Time	_____	_____	_____	_____	_____	_____	_____	_____
Auto Watch	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
Verify Time	_____	_____	_____	_____	_____	_____	_____	_____

Verification Time: 10 - 60 Seconds

## Bell Parameters

	Area 1	Area 2	Area 3	Area 4	Area 5	Area 6	Area 7	Area 8
Fire Time	_____	_____	_____	_____	_____	_____	_____	_____
Fire Pat	_____	_____	_____	_____	_____	_____	_____	_____
Burg Time	_____	_____	_____	_____	_____	_____	_____	_____
Burg Pat	_____	_____	_____	_____	_____	_____	_____	_____
Single Ring	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
Bell Test	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No

Pattern Selections: Steady Pulse March Time CA Standard Temporal Code 3

## Opening & Closing

### Open/Close Options

	Area 1	Area 2	Area 3	Area 4	Area 5	Area 6	Area 7	Area 8
Acct O/C	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
Area O/C	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
Restrictd O/C	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
Perimeter O/C	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
Disable O/C In Window	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
Auto Close	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
Fail To Open	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
Fail To Close	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No

### O/C Windows

	Day of Week	Sked #	Open			Sked #	Close			Kept Holiday	Holiday	Area(s)
			Early Begin	Window Start	Stop		Early Begin	Window Start	Stop			
1	SMTWTFS	18	---	---	---	19	---	---	---	Yes / No	1 2 3 4	1 2 3 4 5 6 7 8
2	SMTWTFS	20	---	---	---	21	---	---	---	Yes / No	1 2 3 4	1 2 3 4 5 6 7 8
3	SMTWTFS	22	---	---	---	23	---	---	---	Yes / No	1 2 3 4	1 2 3 4 5 6 7 8
4	SMTWTFS	24	---	---	---	25	---	---	---	Yes / No	1 2 3 4	1 2 3 4 5 6 7 8
5	SMTWTFS	26	---	---	---	27	---	---	---	Yes / No	1 2 3 4	1 2 3 4 5 6 7 8
6	SMTWTFS	28	---	---	---	29	---	---	---	Yes / No	1 2 3 4	1 2 3 4 5 6 7 8
7	SMTWTFS	30	---	---	---	31	---	---	---	Yes / No	1 2 3 4	1 2 3 4 5 6 7 8
8	SMTWTFS	32	---	---	---	33	---	---	---	Yes / No	1 2 3 4	1 2 3 4 5 6 7 8
9	SMTWTFS	34	---	---	---	35	---	---	---	Yes / No	1 2 3 4	1 2 3 4 5 6 7 8
10	SMTWTFS	36	---	---	---	37	---	---	---	Yes / No	1 2 3 4	1 2 3 4 5 6 7 8
11	SMTWTFS	38	---	---	---	39	---	---	---	Yes / No	1 2 3 4	1 2 3 4 5 6 7 8
12	SMTWTFS	40	---	---	---	41	---	---	---	Yes / No	1 2 3 4	1 2 3 4 5 6 7 8
13	SMTWTFS	42	---	---	---	43	---	---	---	Yes / No	1 2 3 4	1 2 3 4 5 6 7 8
14	SMTWTFS	44	---	---	---	45	---	---	---	Yes / No	1 2 3 4	1 2 3 4 5 6 7 8
15	SMTWTFS	46	---	---	---	47	---	---	---	Yes / No	1 2 3 4	1 2 3 4 5 6 7 8
16	SMTWTFS	48	---	---	---	49	---	---	---	Yes / No	1 2 3 4	1 2 3 4 5 6 7 8

All windows start at midnight.

# Command Center

## Cmd Cntr Assignment

Address	Supervised	Scope	Area
Cmd Center # 1	Yes / <b>No</b>	_____	_____
Cmd Center # 2	Yes / <b>No</b>	_____	_____
Cmd Center # 3	Yes / <b>No</b>	_____	_____
Cmd Center # 4	Yes / <b>No</b>	_____	_____
Cmd Center # 5	Yes / <b>No</b>	_____	_____
Cmd Center # 6	Yes / <b>No</b>	_____	_____
Cmd Center # 7	Yes / <b>No</b>	_____	_____
Cmd Center # 8	Yes / <b>No</b>	_____	_____

Selections = No Keypad / Panel Wide / Account / Area

## Area Text

	Area 1	Area 2
Area # Is On	-----	-----
Area # Not Ready	-----	-----
Area # Is Off	-----	-----
Area # Acct is On	-----	-----
	Area 3	Area 4
Area # Is On	-----	-----
Area # Not Ready	-----	-----
Area # Is Off	-----	-----
Area # Acct is On	-----	-----
	Area 5	Area 6
Area # Is On	-----	-----
Area # Not Ready	-----	-----
Area # Is Off	-----	-----
Area # Acct is On	-----	-----
	Area 7	Area 8
Area # Is On	-----	-----
Area # Not Ready	-----	-----
Area # Is Off	-----	-----
Area # Acct is On	-----	-----

## Custom Function

Text	Key Strokes
CF 128	-----
CF 129	-----
CF 130	-----
CF 131	-----
CF 132	-----
CF 133	-----
CF 134	-----
CF 135	-----
CF 136	-----
CF 137	-----
CF 138	-----
CF 139	-----
CF 140	-----
CF 141	-----
CF 142	-----
CF 143	-----

0-9 =	0-9	C =	ESC
A =	COMMAND	D =	NEXT
B =	PREV	E =	ENT

# User Interface

Cmd Center Function				Authority Level Selections													
				Blank = Disabled / E = Enable													
Blank = Disabled / E = Enable / P = Passcode				1	2	3	4	5	6	7	8	9	10	11	12	13	14
15	#	Function	Command	E/P													
	1	Disarm															
	2	Master Arm	CMD 1														
	3	Mstr Arm Inst	CMD 11														
	4	Perim Inst	CMD 2														
	5	Perim Delay	CMD 3														E
	6	Watch Mode	CMD 6														
	7	Perim Partial	CMD 8														E
	8	View Area Stat															E
	9	View Event Mem	CMD 40														E
	10	View Pt Status															E
	11	Walk Test	CMD 44														E
	12	Fire Test	CMD 58														E
	13	Send Report	CMD 41/42														
	14	Not Used															E
	15	Chg Display	CMD 49														E
	16	Chg Time/Date	CMD 45														E
	17	Chg Passcode	CMD 55														
	18	Add Passcode	CMD 56														E
	19	Del Passcode	CMD 53														E
	20	Extend Close	CMD 51														E
	21	View Log															E
	22	Print Log															E
	23	User Cmd 7	CMD 7														E
	24	User Cmd 9	CMD 9														
	25	Bypass a Pt	CMD 0														E
	26	Unbypas a Pt	CMD 00														E
	27	Reset Sensors	CMD 47														E
	28	Relay Control	CMD 54														E
	29	Remote Program	CMD 43														E
	30	Move to Area	CMD 50														
	31	<i>Not Used</i>															E
	32	Display Rev	CMD 59														E
	33	Service Walk															E
	34	Default Text	CMD 57														E
	35	Change Skeds	CMD 52	P													
		Force Arm		P													
		Area O/C		P													
		Restricted O/C		P													
		Perimeter O/C		P													
		Send Duress		P													
		Passcode Arm		P													

Pascode Disarm

# Command Menu

Menu Item	Function	CC Address 1	CC Address 2	CC Address 3	CC Address 4	CC Address 5	CC ADDRESS 6	CC Address 7	CC Address 8
1	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
2	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
3	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
4	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
5	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
6	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
7	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
8	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
9	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
10	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
11	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
12	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
13	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
14	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
15	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
16	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
17	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
18	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
19	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
20	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
21	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
22	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
23	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
24	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
25	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
26	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
27	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
28	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
29	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
30	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
31	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No
32	_____	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No	Yes / No

# User Access Windows

Sked #	User Window #	Day of Week	Access Window		Xept Holiday	Holiday
			Start	Stop		
50	1	S M T W T F S	—:—	—:—	Yes / No	1 2 3 4
51	2	S M T W T F S	—:—	—:—	Yes / No	1 2 3 4
52	3	S M T W T F S	—:—	—:—	Yes / No	1 2 3 4
53	4	S M T W T F S	—:—	—:—	Yes / No	1 2 3 4
54	5	S M T W T F S	—:—	—:—	Yes / No	1 2 3 4
55	6	S M T W T F S	—:—	—:—	Yes / No	1 2 3 4
56	7	S M T W T F S	—:—	—:—	Yes / No	1 2 3 4
57	8	S M T W T F S	—:—	—:—	Yes / No	1 2 3 4
58	9	S M T W T F S	—:—	—:—	Yes / No	1 2 3 4
59	10	S M T W T F S	—:—	—:—	Yes / No	1 2 3 4
60	11	S M T W T F S	—:—	—:—	Yes / No	1 2 3 4
61	12	S M T W T F S	—:—	—:—	Yes / No	1 2 3 4
62	13	S M T W T F S	—:—	—:—	Yes / No	1 2 3 4
63	14	S M T W T F S	—:—	—:—	Yes / No	1 2 3 4
64	15	S M T W T F S	—:—	—:—	Yes / No	1 2 3 4

DOW Only	Yes	Yes	No	No
DOW Except Holiday	Yes	Yes	Yes	Yes
DOW Plus Holiday	Yes	Yes	No	Yes
Holiday Only	No	Yes	No	Yes

All windows start at midnight.

# Passcode Worksheet

Duress \_\_\_\_\_ Selections: 1 or 2

User Flag	User	Passcode	User Window	Area Auth							8User Name
				1	2	3	4	5	6	7	
000	00	-----	---	15	15	15	15	15	15	15	15 Service Passcode
001	01	-----	---								
002	02	-----	---								
003	03	-----	---								
004	04	-----	---								
005	05	-----	---								
601	06	-----	---								
602	07	-----	---								
603	08	-----	---								
604	09	-----	---								
605	10	-----	---								
606	11	-----	---								
607	12	-----	---								
608	13	-----	---								
701	14	-----	---								
702	15	-----	---								
703	16	-----	---								
704	17	-----	---								
705	18	-----	---								
706	19	-----	---								
707	20	-----	---								
708	21	-----	---								
801	22	-----	---								
802	23	-----	---								
803	24	-----	---								
804	25	-----	---								
805	26	-----	---								
806	27	-----	---								
807	28	-----	---								
808	29	-----	---								
B01	30	-----	---								
B02	31	-----	---								
B03	32	-----	---								
B04	33	-----	---								
B05	34	-----	---								
B06	35	-----	---								
B07	36	-----	---								
B08	37	-----	---								
C01	38	-----	---								
C02	39	-----	---								
C03	40	-----	---								
C04	41	-----	---								
C05	42	-----	---								
C06	43	-----	---								
C07	44	-----	---								
C08	45	-----	---								
D01	46	-----	---								
D02	47	-----	---								
D03	48	-----	---								
D04	49	-----	---								



# Passcode Worksheet Cont.

User Flag	User	Passcode	User Window	Area Auth							User Name	
				1	2	3	4	5	6	7		
D05	50	-----	---	-	-	-	-	-	-	-	-	
D06	51	-----	---	-	-	-	-	-	-	-	-	
D07	52	-----	---	-	-	-	-	-	-	-	-	
D08	53	-----	---	-	-	-	-	-	-	-	-	
E01	54	-----	---	-	-	-	-	-	-	-	-	
E02	55	-----	---	-	-	-	-	-	-	-	-	
E03	56	-----	---	-	-	-	-	-	-	-	-	
E04	57	-----	---	-	-	-	-	-	-	-	-	
E05	58	-----	---	-	-	-	-	-	-	-	-	
E06	59	-----	---	-	-	-	-	-	-	-	-	
E07	60	-----	---	-	-	-	-	-	-	-	-	
E08	61	-----	---	-	-	-	-	-	-	-	-	
F01	62	-----	---	-	-	-	-	-	-	-	-	
F02	63	-----	---	-	-	-	-	-	-	-	-	
F03	64	-----	---	-	-	-	-	-	-	-	-	
F04	65	-----	---	-	-	-	-	-	-	-	-	
F05	66	-----	---	-	-	-	-	-	-	-	-	
F06	67	-----	---	-	-	-	-	-	-	-	-	
F07	68	-----	---	-	-	-	-	-	-	-	-	
F08	69	-----	---	-	-	-	-	-	-	-	-	
000	70	-----	---	-	-	-	-	-	-	-	-	
000	71	-----	---	-	-	-	-	-	-	-	-	
000	72	-----	---	-	-	-	-	-	-	-	-	
000	73	-----	---	-	-	-	-	-	-	-	-	
000	74	-----	---	-	-	-	-	-	-	-	-	
000	75	-----	---	-	-	-	-	-	-	-	-	
000	76	-----	---	-	-	-	-	-	-	-	-	
000	77	-----	---	-	-	-	-	-	-	-	-	
000	78	-----	---	-	-	-	-	-	-	-	-	
000	79	-----	---	-	-	-	-	-	-	-	-	
000	80	-----	---	-	-	-	-	-	-	-	-	
000	81	-----	---	-	-	-	-	-	-	-	-	
000	82	-----	---	-	-	-	-	-	-	-	-	
000	83	-----	---	-	-	-	-	-	-	-	-	
000	84	-----	---	-	-	-	-	-	-	-	-	
000	85	-----	---	-	-	-	-	-	-	-	-	
000	86	-----	---	-	-	-	-	-	-	-	-	
000	87	-----	---	-	-	-	-	-	-	-	-	
000	88	-----	---	-	-	-	-	-	-	-	-	
000	89	-----	---	-	-	-	-	-	-	-	-	
000	90	-----	---	-	-	-	-	-	-	-	-	
000	91	-----	---	-	-	-	-	-	-	-	-	
000	92	-----	---	-	-	-	-	-	-	-	-	
000	93	-----	---	-	-	-	-	-	-	-	-	
000	94	-----	---	-	-	-	-	-	-	-	-	
000	95	-----	---	-	-	-	-	-	-	-	-	
000	96	-----	---	-	-	-	-	-	-	-	-	
000	97	-----	---	-	-	-	-	-	-	-	-	
000	98	-----	---	-	-	-	-	-	-	-	-	
000	99	-----	---	-	-	-	-	-	-	-	-	

# Point Index

Point Index Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Type (0-7)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pt Response (0-D)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Entry Delay (5-600)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Entry Tone Off	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Silent Bell	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Ring Until Restored	<u>Y/N</u>	<u>Y/N</u>	<u>Y/N</u>	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Audible After 2 Failures	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Invisible	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Buzz on Fault	<u>Y/N</u>	<u>Y/N</u>	<u>Y/N</u>	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Watch Point	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Relay Follows Point	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Local While Disarmed	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Local While Armed	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Disable Restorals	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Returnable	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Bypassable	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Swinger Bypass	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Report Bypass at Occurrence	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Defer Bypass Report	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Fire Point	<u>Y/N</u>	<u>Y/N</u>	<u>Y/N</u>	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Alarm Verify	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Resettable	Y/N	Y/N	<u>Y/N</u>	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N

### Type Selections:

0 = 24 Hour	4 = Keyswitch Maintained
1 = Perimeter	5 = Keyswitch Momentary
2 = Interior	6 = O/C Point
3 = Follower	7 = D279

## Point Index cont.

Point Index Number	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Type (0-7)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pt Response (0-D)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Entry Delay (5-600)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Entry Tone Off	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Silent Bell	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Ring Until Restored	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Audible After 2 Failures	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Invisible Point	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Buzz on Fault	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Watch Point	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Relay Follows Point	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Local While Disarmed	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Local While Armed	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Disable Restorals	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Returnable	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Bypassable	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Swinger Bypass	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Report Bypass at Occurrence	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Defer Bypass Report	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Fire Point	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Alarm Verify	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
Resettable	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N

### Point Response Selections (I = Instant D = Delay T = Trouble)

		0	1	2	3	4	5	6	7	8	9	A	B	C	D
Controlled	Armed Open	I	I	I	I	D	D	I	I	D	I	I	I	I	I
	Short	I	I	I	I	I	I	D	D	D	I	I	I	I	I
Controlled	Disarmed Open		T		T				T		I	I	T	I	
	Short			T	T		T				I	T	I		I
24 Hour	Open	I	T	I	T			I	T						
	Short	I	I	T	T	I	T								

# Point Assignments

Popit Switch Setting	Translation	Point #	Point Index	Area Assign	Debounce	BFSK/Relay	Point Text
	100	01	3	1	2	1	P O I N T # 1 F I R E
	200	02	5	1	2	2	P O I N T # 2 P A N I C
	300	03	12	1	2	3	P O I N T # 3 D E L A Y
	400	04	24	1	2	4	P O I N T # 4 F O L L O W
	500	05	9	1	2	5	P O I N T # 5 I N S T A N T
	600	06	9	1	2	6	P O I N T # 6 I N S T A N T
	700	07	9	1	2	7	P O I N T # 7 I N S T A N T
	800	08	9	1	2	8	P O I N T # 8 I N S T A N T
123456	101	09		1	2	1	P O I N T # 9
1234 5-	102	10		1	2	1	P O I N T # 10
1234 -6	103	11		1	2	1	P O I N T # 11
1234 --	104	12		1	2	1	P O I N T # 12
123- 56	105	13		1	2	1	P O I N T # 13
123- 5 -	106	14		1	2	1	P O I N T # 14
123 - -6	107	15		1	2	1	P O I N T # 15
123- - -	108	16		1	2	1	P O I N T # 16
12- 456	109	17		1	2	1	P O I N T # 17
12- 45 -	110	18		1	2	1	P O I N T # 18
12- 4- 6	111	19		1	2	1	P O I N T # 19
12- 4- -	112	20		1	2	1	P O I N T # 20
12- - 56	113	21		1	2	1	P O I N T # 21
12- - 5 -	114	22		1	2	1	P O I N T # 22
12- - - 6	115	23		1	2	1	P O I N T # 23
12- - - -	116	24		1	2	1	P O I N T # 24
1- 3456	201	25		1	2	2	P O I N T # 25
1- 345 -	202	26		1	2	2	P O I N T # 26
1- 34- 6	203	27		1	2	2	P O I N T # 27
1- 34- -	204	28		1	2	2	P O I N T # 28
1- 3- 56	205	29		1	2		P O I N T # 29
1- 3- 5-	206	30		1	2		P O I N T #
1- 3- - 6	207	31		1	2		P O I N T #
1- 3- - -	208	32			2		P O I N T #
1- - 456	209	33			2		P O I N T #
1- - 45 -	210	34			2		P O I N T #
1- - 4- 6	211	35					P O I N T #
1- - 4- -	212	36					P O I N T #
1- - - 56	213	37					
1- - - 5-	214	38					
1- - - - 6	215	39					
1- - - - -	216	40					
- 23456	301	41					
- 2345-	302	42					
- 234- 6	303	43					
- 234- -	304	44					
- 23- 56	305	45					

# Point Assignments Cont.

Popit Switch Setting	Translation	Point #	Point Index	Area Assign	Debounce	BFSK/Relay	Point Text
- 23- 5-	306	46	---	---	---	---	-----
- 23- - 6	307	47	---	---	---	---	-----
- 23- - -	308	48	---	---	---	---	-----
- 2- 456	309	49	---	---	---	---	-----
- 2- 45-	310	50	---	---	---	---	-----
- 2- 4- 6	311	51	---	---	---	---	-----
- 2- 4- -	312	52	---	---	---	---	-----
- 2- -56	313	53	---	---	---	---	-----
- 2- - 5 -	314	54	---	---	---	---	-----
- 2- - -6	315	55	---	---	---	---	-----
- 2- - - -	316	56	---	---	---	---	-----
- -3456	401	57	---	---	---	---	-----
- -345 -	402	58	---	---	---	---	-----
- -34- 6	403	59	---	---	---	---	-----
- - 34- -	405	60	---	---	---	---	-----
- - 3- 56	405	61	---	---	---	---	-----
- -3- 5 -	406	62	---	---	---	---	-----
- -3- - 6	407	63	---	---	---	---	-----
- -3- - -	408	64	---	---	---	---	-----
- - - 456	409	65	---	---	---	---	-----
- - - 45-	410	66	---	---	---	---	-----
- - - 4- 6	411	67	---	---	---	---	-----
- - - 4- -	412	68	---	---	---	---	-----
- - - -56	413	69	---	---	---	---	-----
- - - -5 -	414	70	---	---	---	---	-----
- - - - -6	415	71	---	---	---	---	-----
		72	---	---	---	---	NOT USED
123456	501	73	---	---	---	---	-----
12345-	502	74	---	---	---	---	-----
1234- 6	503	75	---	---	---	---	-----
1234- -	504	76	---	---	---	---	-----
123-5 6	505	77	---	---	---	---	-----
123-5 -	506	78	---	---	---	---	-----
123- - 6	507	79	---	---	---	---	-----
123- - -	508	80	---	---	---	---	-----
12- 456	509	81	---	---	---	---	-----
12- 45 -	510	82	---	---	---	---	-----
12- 4- 6	511	83	---	---	---	---	-----
12- 4- -	512	84	---	---	---	---	-----
12- -5 6	513	85	---	---	---	---	-----
12- -5 -	514	86	---	---	---	---	-----
12- - - 6	515	87	---	---	---	---	-----
12- - - -	516	88	---	---	---	---	-----
1- 3456	601	89	---	---	---	---	-----
1- 345 -	602	90	---	---	---	---	-----

# Point Assignments Cont.

Popit Switch Setting	Translation	Point #	Point Index	Area Assign	Debounce	BFSK/Relay	Point Text
1-34- 6	603	91	---	---	---	---	-----
1-34- -	604	92	---	---	---	---	-----
1-3-56	605	93	---	---	---	---	-----
1-3-5-	606	94	---	---	---	---	-----
1-3-- 6	607	95	---	---	---	---	-----
1- 3 - - -	608	96	---	---	---	---	-----
1- -456	609	97	---	---	---	---	-----
1- -45 -	610	98	---	---	---	---	-----
1- -4- 6	611	99	---	---	---	---	-----
1- -4- -	612	100	---	---	---	---	-----
1- - -56	613	101	---	---	---	---	-----
1- - -5-	614	102	---	---	---	---	-----
1- - - -6	615	103	---	---	---	---	-----
1- - - - -	616	104	---	---	---	---	-----
- 23456	701	105	---	---	---	---	-----
- 2 345-	702	106	---	---	---	---	-----
- 234- 6	703	107	---	---	---	---	-----
- 234- -	704	108	---	---	---	---	-----
- 23- 56	705	109	---	---	---	---	-----
- 23- 5-	706	110	---	---	---	---	-----
- 23- - 6	707	111	---	---	---	---	-----
- 23- - -	708	112	---	---	---	---	-----
- 2- 456	709	113	---	---	---	---	-----
- 2- 45-	710	114	---	---	---	---	-----
- 2- 4- 6	711	115	---	---	---	---	-----
- 2- 4- -	712	116	---	---	---	---	-----
- 2- -56	713	117	---	---	---	---	-----
- 2- - 5-	714	118	---	---	---	---	-----
- 2- - -6	715	119	---	---	---	---	-----
- 2- - - -	716	120	---	---	---	---	-----
- -3456	801	121	---	---	---	---	-----
- -345 -	802	122	---	---	---	---	-----
- -34- 6	803	123	---	---	---	---	-----
- - 34- -	804	124	---	---	---	---	-----
- - 3- 56	805	125	---	---	---	---	-----
- -3- 5 -	806	126	---	---	---	---	-----
- -3- - 6	807	127	---	---	---	---	-----
- -3- - -	808	128	---	---	---	---	-----
- - - 456	809	129	---	---	---	---	-----
- - - 45-	810	130	---	---	---	---	-----
- - - 4- 6	811	131	---	---	---	---	-----
- - - 4- -	812	132	---	---	---	---	-----
- - - -56	813	133	---	---	---	---	-----
- - - - 5 -	814	134	---	---	---	---	-----
- - - - - 6	815	135	---	---	---	---	-----
		CMD 9	---				C O M M A N D _ _ _ _ 9
		CMD 7	---				C O M M A N D _ _ _ _ 7

# Relay Parameters

## Area Wide Relays

	1	2	3	4	5	6	7	8
Alarm Bell ‡								
Fire Bell ‡								
Reset Sensors ‡								
Late To Close								
Force Armed								
Watch Mode ‡								
Area Armed ‡								
Area Fault								
Duress ‡								
Keypad Fail*								
Perim Fault								
Silent Alarm								
Command 7 ‡								
Command 9 ‡								

## Panel Wide Relays

Printer #17 Fail	
Printer #18 Fail	
Printer #19 Fail	
AC Failure	
Battery Trouble	
Phone Fail	
Comm Fail	
Log % Full	
Summary Fire	
Summary Alarm	
Summary Fire Tbl	
Summary Trouble	

‡ This symbol indicates the same relay can be shared between areas or functions. A different relay must be used for each area and/or function unless indicated by this ‡ symbol.

\*Relay follows the address number for the Command Center.

Relay A = Terminal 6

Relay B = Terminal 7 Requires relay in socket K3

Relay C = Terminal 8 Requires relay in socket K1

Relay #	Description	Relay #	Description	Relay #	Description	Relay #	Description
1		33		65		97	
2		34		66		98	
3		35		67		99	
4		36		68		100	
5		37		69		101	
6		38		70		102	
7		39		71		103	
8		40		72		104	
9		41		73		105	
10		42		74		106	
11		43		75		107	
12		44		76		108	
13		45		77		109	
14		46		78		110	
15		47		79		111	
16		48		80		112	
17		49		81		113	
18		50		82		114	
19		51		83		115	
20		52		84		116	
21		53		85		117	
22		54		86		118	
23		55		87		119	
24		56		88		120	
25		57		89		121	
26		58		90		122	
27		59		91		123	
28		60		92		124	
29		61		93		125	
30		62		94		126	
31		63		95		127	
32		64		96		128	

# Skeds

Sked #	Function Code	Parameter		Time	Type 1	or	Type 2	Optional		Description
		1	2		Date	Day(s) of Week	Xept Holiday	Holiday		
01	--	-----	--	--:--	--/--		S M T W T F S	Yes / No	1 2 3 4	
02	--	-----	--	--:--	--/--		S M T W T F S	Yes / No	1 2 3 4	
03	--	-----	--	--:--	--/--		S M T W T F S	Yes / No	1 2 3 4	
04	--	-----	--	--:--	--/--		S M T W T F S	Yes / No	1 2 3 4	
05	--	-----	--	--:--	--/--		S M T W T F S	Yes / No	1 2 3 4	
06	--	-----	--	--:--	--/--		S M T W T F S	Yes / No	1 2 3 4	
07	--	-----	--	--:--	--/--		S M T W T F S	Yes / No	1 2 3 4	
08	--	-----	--	--:--	--/--		S M T W T F S	Yes / No	1 2 3 4	
09	--	-----	--	--:--	--/--		S M T W T F S	Yes / No	1 2 3 4	
10	--	-----	--	--:--	--/--		S M T W T F S	Yes / No	1 2 3 4	
11	--	-----	--	--:--	--/--		S M T W T F S	Yes / No	1 2 3 4	
12	--	-----	--	--:--	--/--		S M T W T F S	Yes / No	1 2 3 4	
13	--	-----	--	--:--	--/--		S M T W T F S	Yes / No	1 2 3 4	
14	--	-----	--	--:--	--/--		S M T W T F S	Yes / No	1 2 3 4	
15	--	-----	--	--:--	--/--		S M T W T F S	Yes / No	1 2 3 4	
16	--	-----	--	--:--	--/--		S M T W T F S	Yes / No	1 2 3 4	
17	--	-----	--	--:--	--/--		S M T W T F S	Yes / No	1 2 3 4	



## Sked Function Code Table

Function	Parameter 1		Parameter 2	
	Description	Selection	Description	Selection
<b>Blank Not In Use</b> (all inactive Skeds must have a Blank entry in Function Code for panel efficiency).				
<b>Arm Area</b>	1	Area 1 Area 2 Area 3 Area 4 Area 5 Area 6 Area 7 Area 8	<b>No / Yes</b> <b>No / Yes</b> <b>No / Yes</b> <b>No / Yes</b> <b>No / Yes</b> <b>No / Yes</b> <b>No / Yes</b> <b>No / Yes</b>	
<b>Disarm Area</b>	2	Area 1 Area 2 Area 3 Area 4 Area 5 Area 6 Area 7 Area 8	<b>No / Yes</b> <b>No / Yes</b> <b>No / Yes</b> <b>No / Yes</b> <b>No / Yes</b> <b>No / Yes</b> <b>No / Yes</b> <b>No / Yes</b>	
<b>Bypass Point</b> A point can be bypassed only if it is programmed to allow bypassing in Point Index. Bypass reports are sent if Report at Occurrence or Defer Bypass Report is Yes for the point.	3	Point Number	1 – 71 / 73 - 135	
<b>Unbypass Point</b>	4	Point Number	1 – 71 / 73 - 135	
<b>Unbypass All</b>	5	Area 1 Area 2 Area 3 Area 4 Area 5 Area 6 Area 7 Area 8	<b>No / Yes</b> <b>No / Yes</b> <b>No / Yes</b> <b>No / Yes</b> <b>No / Yes</b> <b>No / Yes</b> <b>No / Yes</b> <b>No / Yes</b>	
<b>Relay On</b>	6	Relay Number	1 – 128	
<b>Relay Off</b>	7	Relay Number	1 – 128	
<b>All Relays Off</b>	8	None		
<b>Test Report</b> Generates a test report. The report is sent to the phone(s) programmed in Phone Routing.	9	Defer Test	<b>No / Yes</b>	Hourly Rpt <b>No / Yes</b>
<b>Status Report</b>	10	Defer Status	No / Yes	
<b>Execute Custom Function</b>	11	Cmd Center	1 – 8	Custom Func 128 - 143
<b>Adjust Time Forward 1 Hour</b> Use for Daylight Savings Time adjustments.	13	None		
<b>Adjust Time Backward 1 Hour</b> Use for Daylight Savings Time adjustments.	14	None		
<b>Sound Watch Tone at Command Center</b>	15	Command Center Address	1 – 8	

# Holiday Indexes

Index					Index					Index				
Date	1	2	3	4	Date	1	2	3	4	Date	1	2	3	4
Jan 1					Feb 1					Mar 1				
2					2					2				
3					3					3				
4					4					4				
5					5					5				
6					6					6				
7					7					7				
8					8					8				
9					9					9				
10					10					10				
11					11					11				
12					12					12				
13					13					13				
14					14					14				
15					15					15				
16					16					16				
17					17					17				
18					18					18				
19					19					19				
20					20					20				
21					21					21				
22					22					22				
23					23					23				
24					24					24				
25					25					25				
26					26					26				
27					27					27				
28					28					28				
29					29					29				
30										30				
31										31				
Apr 1					May 1					Jun 1				
2					2					2				
3					3					3				
4					4					4				
5					5					5				
6					6					6				
7					7					7				
8					8					8				
9					9					9				
10					10					10				
11					11					11				
12					12					12				
13					13					13				
14					14					14				
15					15					15				
16					16					16				
17					17					17				
18					18					18				
19					19					19				
20					20					20				
21					21					21				
22					22					22				
23					23					23				
24					24					24				
25					25					25				
26					26					26				
27					27					27				
28					28					28				
29					29					29				
30					30					30				
					31									

# Holiday Indexes Cont.

Index					Index					Index				
Date	1	2	3	4	Date	1	2	3	4	Date	1	2	3	4
Jul 1					Aug 1					Sep 1				
2					2					2				
3					3					3				
4					4					4				
5					5					5				
6					6					6				
7					7					7				
8					8					8				
9					9					9				
10					10					10				
11					11					11				
12					12					12				
13					13					13				
14					14					14				
15					15					15				
16					16					16				
17					17					17				
18					18					18				
19					19					19				
20					20					20				
21					21					21				
22					22					22				
23					23					23				
24					24					24				
25					25					25				
26					26					26				
27					27					27				
28					28					28				
29					29					29				
30					30					30				
31					31									
Oct 1					Nov 1					Dec 1				
2					2					2				
3					3					3				
4					4					4				
5					5					5				
6					6					6				
7					7					7				
8					8					8				
9					9					9				
10					10					10				
11					11					11				
12					12					12				
13					13					13				
14					14					14				
15					15					15				
16					16					16				
17					17					17				
18					18					18				
19					19					19				
20					20					20				
21					21					21				
22					22					22				
23					23					23				
24					24					24				
25					25					25				
26					26					26				
27					27					27				
28					28					28				
29					29					29				
30					30					30				
31										31				

# System Notes

---



---



---



---



---



---



---

## Printer Address

Printer	Switches					
	1	2	3	4	5	6
17	ON	ON	ON	*	ON	ON
18	OFF	ON	ON	*	ON	ON
19	ON	OFF	ON	*	ON	ON

\* ON = Header and Form Feed  
 OFF = No Header and Form Feed

## Command Center Assignment

Address #	Switches					
	1	2	3	4	5	6
Address #1	ON	ON	ON	ON	ENCODING TONE ON/OFF	ON
Address #2	OFF	ON	ON	ON		ON
Address #3	ON	OFF	ON	ON		ON
Address #4	OFF	OFF	ON	ON		ON
Address #5	ON	ON	OFF	ON		ON
Address #6	OFF	ON	OFF	ON		ON
Address #7	ON	OFF	OFF	ON		ON
Address #8	OFF	OFF	OFF	ON		ON

## OctoPopit Switch Settings

Zonex Bus 1 Terminal 27&28 Point 9 - 71	Switches			Zonex Bus 2 Terminal 25&26 Point 73 - 135
	9	10	11	
9 - 16	ON	ON	ON	73 - 80
17 - 24	ON	ON	OFF	81 - 88
25 - 32	ON	OFF	ON	89 - 96
33 - 40	ON	OFF	OFF	97 - 104
41 - 48	OFF	ON	ON	105 - 112
49 - 56	OFF	ON	OFF	113 - 120
57 - 64	OFF	OFF	ON	121 - 128
65 - 71	OFF	OFF	OFF	128 - 135

## OctoRelay Switch Settings

Zonex Bus 1 Terminal 27&28 Relays 1 - 64	Switches				Zonex Bus 2 Terminal 25&26 Relays 65 - 128
	1	2	3	4	
1 - 8	OFF	ON	ON	ON	65 - 72
9 - 16	ON	OFF	ON	ON	73 - 80
17 - 24	OFF	OFF	ON	ON	81 - 88
25 - 32	ON	ON	OFF	ON	89 - 96
33 - 40	OFF	ON	OFF	ON	97 - 104
41 - 48	ON	OFF	OFF	ON	105 - 112
49 - 56	OFF	OFF	OFF	ON	113 - 120
57 - 64	ON	ON	ON	OFF	121 - 128

