

R A D I O N I C S

READYKEY™ K6000, K6000-AM, K6000-MS Network Controller Program Record Sheet

Installer Name	Tested By
----------------	-----------

Customer Information			
Name		Phone #	
Address			
City	State	Zip	

System Description (Up to Eight Controllers on Remote Sites)			
Controller Address	Controller Type	Location	Optional Equipment
01			
02			
03			
04			
05			
06			
07			
08			
09			
10 (A)			
11 (B)			
12 (C)			
13 (D)			
14 (E)			
15 (F)			
16 (G)			
17 (H)			
18 (I)			
19 (J)			
20 (K)			
21 (L)			
22 (M)			
23 (N)			
24 (O)			
25 (P)			
26 (Q)			
27 (R)			
28 (S)			
29 (T)			
30 (U)			
31 (V)			
32 (W)			

Photocopy this page to record information for each additional site.

Site _____ Page _____ of _____

Routing

Enable		ON	OFF	Time Profile		Description			
Transaction				Transaction					
01	Exit Authorized			1 2 3 4	R X A P S	49	transaction type 49	1 2 3 4	R X A P S
02	Entry Authorized			1 2 3 4	R X A P S	50	transaction type 50	1 2 3 4	R X A P S
03	Access Authorized			1 2 3 4	R X A P S	51	transaction type 51	1 2 3 4	R X A P S
04	Free Exit			1 2 3 4	R X A P S	52	transaction type 52	1 2 3 4	R X A P S
05	Emergency Override On			1 2 3 4	R X A P S	53	transaction type 53	1 2 3 4	R X A P S
06	Emergency Override Off			1 2 3 4	R X A P S	54	transaction type 54	1 2 3 4	R X A P S
07	Request to Exit			1 2 3 4	R X A P S	55	transaction type 55	1 2 3 4	R X A P S
08	Request for Entry			1 2 3 4	R X A P S	56	transaction type 56	1 2 3 4	R X A P S
09	Unauthorized Access *			1 2 3 4	R X A P S	57	transaction type 57	1 2 3 4	R X A P S
10	No Access: Level			1 2 3 4	R X A P S	58	transaction type 58	1 2 3 4	R X A P S
11	No Access: Locked Out			1 2 3 4	R X A P S	59	transaction type 59	1 2 3 4	R X A P S
12	No Access: Time			1 2 3 4	R X A P S	60	transaction type 60	1 2 3 4	R X A P S
13	No Entry: Passback			1 2 3 4	R X A P S	61	transaction type 61	1 2 3 4	R X A P S
14	No Access: Holiday			1 2 3 4	R X A P S	62	transaction type 62	1 2 3 4	R X A P S
15	Door Left Open			1 2 3 4	R X A P S	63	transaction type 63	1 2 3 4	R X A P S
16	Door Closed			1 2 3 4	R X A P S	64	transaction type 64	1 2 3 4	R X A P S
17	Anti-Tamper Alarm *			1 2 3 4	R X A P S	65	transaction type 65	1 2 3 4	R X A P S
18	Alarm Cleared			1 2 3 4	R X A P S	66	Comms Session Start	1 2 3 4	R X A P S
19	Override Alarm			1 2 3 4	R X A P S	67	Comms Session End	1 2 3 4	R X A P S
20	Override Alarm Reset			1 2 3 4	R X A P S	68	Redialling	1 2 3 4	R X A P S
21	Manual Lock			1 2 3 4	R X A P S	69	Line Unobtainable	1 2 3 4	R X A P S
22	Manual Unlock			1 2 3 4	R X A P S	70	Comms Session Timeout	1 2 3 4	R X A P S
23	Automatic Lock			1 2 3 4	R X A P S	71	Comms Session Aborted	1 2 3 4	R X A P S
24	Automatic Unlock			1 2 3 4	R X A P S	72	D/C not Responding	1 2 3 4	R X A P S
25	Editor Off			1 2 3 4	R X A P S	73	Modem not Connected	1 2 3 4	R X A P S
26	Editor On			1 2 3 4	R X A P S	74	Comms error type 1	1 2 3 4	R X A P S
27	Alarm Activated *			1 2 3 4	R X A P S	75	Comms error type 2	1 2 3 4	R X A P S
28	Sensor Reset			1 2 3 4	R X A P S	76	Comms error type 3	1 2 3 4	R X A P S
29	Automatic Isolate			1 2 3 4	R X A P S	77	Comms Restored	1 2 3 4	R X A P S
30	Automatic Engage			1 2 3 4	R X A P S	78	transaction type 78	1 2 3 4	R X A P S
31	Local Alarm Accept			1 2 3 4	R X A P S	79	transaction type 79	1 2 3 4	R X A P S
32	No Access: Visit Time			1 2 3 4	R X A P S	80	transaction type 80	1 2 3 4	R X A P S
33	No Access: Unknown ID			1 2 3 4	R X A P S	81	transaction type 81	1 2 3 4	R X A P S
34	Manual Isolate			1 2 3 4	R X A P S	82	transaction type 82	1 2 3 4	R X A P S
35	Manual Engage			1 2 3 4	R X A P S	83	transaction type 83	1 2 3 4	R X A P S
36	Alarm Acknowledged			1 2 3 4	R X A P S	84	transaction type 84	1 2 3 4	R X A P S
37	Override Alm Accepted			1 2 3 4	R X A P S	85	transaction type 85	1 2 3 4	R X A P S
38	RTE Button Held Down			1 2 3 4	R X A P S	86	transaction type 86	1 2 3 4	R X A P S
39	Repeated Key Use			1 2 3 4	R X A P S	87	transaction type 87	1 2 3 4	R X A P S
40	Unused			1 2 3 4	R X A P S	88	transaction type 88	1 2 3 4	R X A P S
41	Unused			1 2 3 4	R X A P S	89	transaction type 89	1 2 3 4	R X A P S
42	Unused			1 2 3 4	R X A P S	90	transaction type 90	1 2 3 4	R X A P S
43	unused			1 2 3 4	R X A P S	91	transaction type 91	1 2 3 4	R X A P S
44	Unused			1 2 3 4	R X A P S	92	transaction type 92	1 2 3 4	R X A P S
45	No Exit: Passback			1 2 3 4	R X A P S	93	transaction type 93	1 2 3 4	R X A P S
46	Exit out of Hours			1 2 3 4	R X A P S	94	transaction type 94	1 2 3 4	R X A P S
47	Unused			1 2 3 4	R X A P S	95	transaction type 95	1 2 3 4	R X A P S
48	Unused			1 2 3 4	R X A P S	96	transaction type 96	1 2 3 4	R X A P S

One routing frame can be programmed on this sheet. Photocopy this page to record additional routing frames.

Frame _____ Page _____ of _____

Time Periods							
Time Period	Start HH:MM	End HH:MM	Day of Week H=Holiday Profile #1	Time Period	Start HH:MM	End HH:MM	Day of Week H=Holiday Profile #1
1			MTWTFSSH	17			MTWTFSSH
2	:	:	MTWTFSSH	18	:	:	MTWTFSSH
3	:	:	MTWTFSSH	19	:	:	MTWTFSSH
4	:	:	MTWTFSSH	20	:	:	MTWTFSSH
5	:	:	MTWTFSSH	21	:	:	MTWTFSSH
6	:	:	MTWTFSSH	22	:	:	MTWTFSSH
7	:	:	MTWTFSSH	23	:	:	MTWTFSSH
8	:	:	MTWTFSSH	24	:	:	MTWTFSSH
9	:	:	MTWTFSSH	25	:	:	MTWTFSSH
10	:	:	MTWTFSSH	26	:	:	MTWTFSSH
11	:	:	MTWTFSSH	27	:	:	MTWTFSSH
12	:	:	MTWTFSSH	28	:	:	MTWTFSSH
13	:	:	MTWTFSSH	29	:	:	MTWTFSSH
14	:	:	MTWTFSSH	30	:	:	MTWTFSSH
15	:	:	MTWTFSSH	31	:	:	MTWTFSSH
16	:	:	MTWTFSSH	32	:	:	MTWTFSSH

Time Profiles							
Time Profile	On/Off		Time Periods	Time Profile	On/Off		Time Periods
1	On Off		■ ■ , ■ ■ , ■ ■	17	On Off		■ ■ , ■ ■ , ■ ■
2	On Off		, ,	18	On Off		, ,
3	On Off		, ,	19	On Off		, ,
4	On Off		, ,	20	On Off		, ,
5	On Off		, ,	21	On Off		, ,
6	On Off		, ,	22	On Off		, ,
7	On Off		, ,	23	On Off		, ,
8	On Off		, ,	24	On Off		, ,
9	On Off		, ,	25	On Off		, ,
10	On Off		, ,	26	On Off		, ,
11	On Off		, ,	27	On Off		, ,
12	On Off		, ,	28	On Off		, ,
13	On Off		, ,	29	On Off		, ,
14	On Off		, ,	30	On Off		, ,
15	On Off		, ,	31	On Off		, ,
16	On Off		, ,	32	On Off		, ,

Photocopy this page to record information for each additional site.

Site _____ Page _____ of _____

Holiday Periods

Holiday Period	Start Date MM-DD-YY	No. of Days	Holiday Period	Start Date MM-DD-YY	No. of Days
1			31		
2			32		
3			33		
4			34		
5			35		
6			36		
7			37		
8			38		
9			39		
10			40		
11			41		
12			42		
13			43		
14			44		
15			45		
16			46		
17			47		
18			48		
19			49		
20			50		
21			51		
22			52		
23			53		
24			54		
25			55		
26			56		
27			57		
28			58		
29			59		
30			60		

Up to 60 Holiday Periods can be programmed on this sheet. Photocopy this page to record additional Holiday Periods. For Holiday Periods 61-254, re-number the Holiday Period column as appropriate.

Page ____ of ____

Holiday Profile	On/Off	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
*1	On Off																				
2	On Off																				
3	On Off																				
4	On Off																				
5	On Off																				
6	On Off																				
7	On Off																				
8	On Off																				
9	On Off																				
10	On Off																				
11	On Off																				
12	On Off																				
13	On Off																				
14	On Off																				
15	On Off																				
16	On Off																				
17	On Off																				
18	On Off																				
19	On Off																				
20	On Off																				
21	On Off																				
22	On Off																				
23	On Off																				
24	On Off																				

* Holiday Profile #1 affects Time Periods.

Access Points

Door	Door Name	Lock Release Time (seconds)	Door Open Time (seconds)	Time Profile	Lock Mode
1		■ ■ ■	■ ■ ■	■ ■	1 2 3 4 5 6 7 8
2					1 2 3 4 5 6 7 8
3					1 2 3 4 5 6 7 8
4					1 2 3 4 5 6 7 8
5					1 2 3 4 5 6 7 8
6					1 2 3 4 5 6 7 8
7					1 2 3 4 5 6 7 8
8					1 2 3 4 5 6 7 8
9					1 2 3 4 5 6 7 8
10					1 2 3 4 5 6 7 8
11					1 2 3 4 5 6 7 8
12					1 2 3 4 5 6 7 8
13					1 2 3 4 5 6 7 8
14					1 2 3 4 5 6 7 8
15					1 2 3 4 5 6 7 8
16					1 2 3 4 5 6 7 8
17					1 2 3 4 5 6 7 8
18					1 2 3 4 5 6 7 8
19					1 2 3 4 5 6 7 8
20					1 2 3 4 5 6 7 8
21					1 2 3 4 5 6 7 8
22					1 2 3 4 5 6 7 8
23					1 2 3 4 5 6 7 8
24					1 2 3 4 5 6 7 8
25					1 2 3 4 5 6 7 8
26					1 2 3 4 5 6 7 8
27					1 2 3 4 5 6 7 8
28					1 2 3 4 5 6 7 8
29					1 2 3 4 5 6 7 8
30					1 2 3 4 5 6 7 8
31					1 2 3 4 5 6 7 8
32					1 2 3 4 5 6 7 8

Up to 32 Access Points for this site can be programmed on this sheet. Photocopy this page to record additional Access Points and sites. For Access Points 33-128, re-number the Access Point column as appropriate.

Site _____ Page _____ of _____

Lock Mode Settings

Digit	Function	Not Set (off)	Set (on)
1	Lock Type	Power To Unlock	Power to Lock
2	Door Contact	Door Alarm	Free Exit
3	RTE Report	Request To Exit	Request For Entry
4	Not Used	Leave in off position	Do Not Use
5	Alarm Module	No K2015 installed	K2015 installed
6	Exit Out Hours	Not allowed	Allowed
7	Not Used	Leave in off position	Do Not Use
8	Not Used	Leave in off position	Do Not Use

Door Groups

		Circle each access point									
Door Group	Description	1-4	5-8	9-12	13-16	17-20	21-24	25-28	29-32		
		33-36	37-40	41-44	45-48	49-52	53-56	57-60	61-64		
		65-68	69-72	73-76	77-80	81-84	85-88	89-92	93-96		
		97-100	101-104	105-108	109-112	113-116	117-120	121-124	125-128		
1		1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4
2		1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4
3		1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4
4		1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4
5		1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4
6		1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4
7		1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4
8		1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4
9		1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4
10		1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4
11		1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4
12		1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4
13		1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4
14		1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4
15		1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4

Up to 15 Door Groups for this site can be programmed on this sheet. Photocopy this page to record additional Door Groups and sites. For Door Groups 16-128, re-number the Door Group column as appropriate.

Site _____ Page _____ of _____

Access Levels

Access Level	Description	Door Groups															
1																	
2																	
3																	
4																	
5																	
6																	
7																	
8																	
9																	
10																	
11																	
12																	
13																	
14																	
15																	
16																	
17																	
18																	
19																	
20																	
21																	
22																	
23																	
24																	
25																	
26																	
27																	
28																	
29																	
30																	

Up to 30 Access Levels for this site can be programmed on this sheet. Photocopy this page to record additional Access Levels and sites. For Access Levels 31-128, re-number the Access Level column as appropriate.

Site _____ Page _____ of _____

Access Codes

Access Code	Description	Primary		Secondary	
		Access Level	Time Profile	Access Level	Time Profile
1		■ ■ ■	■ ■	■ ■ ■	■ ■
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					

Up to 30 Access Codes for this site can be programmed on this sheet. Photocopy this page to record additional Access Codes and sites. For Access Codes 31-128, re-number the Access Code column as appropriate.

Site _____ Page _____ of _____

Personnel						
User ID	User Name	Emergency COD	Holiday Profile	Access Code	Key Code	
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						
24						
25						
26						
27						
28						
29						
30						

Up to 30 Users for this site can be entered on this sheet. Photocopy this page to record additional Users and sites. For Users 31-9,999, re-number the User ID column as appropriate.

Site _____ Page _____ of _____

Visitors						
Visitor ID	Visitor	Access Code	Dates		Key Code	
			From	To		
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						
24						
25						
26						
27						
28						
29						
30						

Up to 30 Visitors for this site can be entered on this sheet. Photocopy this page to record additional Visitors and sites. For Visitors 31-750, re-number the Visitor ID column as appropriate.

Site _____ Page _____ of _____

Alarm Messages

Alarm Message	Message (32 characters)
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	

Up to 30 Alarm Messages can be programmed on this sheet. Photocopy this page to record additional Alarm Messages. For Alarm Messages 31-4,096, re-number the Alarm messages column as appropriate.

Page ____ of ____

Alarm Responses

Alarm Response	Alarm Message				Time Profile	On / Off
	1	2	3	4		
1						On Off
2						On Off
3						On Off
4						On Off
5						On Off
6						On Off
7						On Off
8						On Off
9						On Off
10						On Off
11						On Off
12						On Off
13						On Off
14						On Off
15						On Off
16						On Off
17						On Off
18						On Off
19						On Off
20						On Off
21						On Off
22						On Off
23						On Off
24						On Off
25						On Off
26						On Off
27						On Off
28						On Off
29						On Off
30						On Off

Alarm Response	Alarm Message				Time Profile	On / Off
	1	2	3	4		
31						On Off
32						On Off
33						On Off
34						On Off
35						On Off
36						On Off
37						On Off
38						On Off
39						On Off
40						On Off
41						On Off
42						On Off
43						On Off
44						On Off
45						On Off
46						On Off
47						On Off
48						On Off
49						On Off
50						On Off
51						On Off
52						On Off
53						On Off
54						On Off
55						On Off
56						On Off
57						On Off
58						On Off
59						On Off
60						On Off

Up to 60 Alarm Responses for this site can be entered on this sheet. Photocopy this page to record additional Alarm Responses and sites. For Alarm Responses 61-255, re-number the Alarm Response column as appropriate.

Site _____ Page _____ of _____

Alarm Sensors

	IP (Zone)	Controller																Description	Resp. No.	Moment. Relay Resp.
		01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16			
Door		1	5	9	13	17	21	25	29	33	37	41	45	49	53	57	61			
Channel 1	1	1	33	65	97	129	161	193	225	257	289	321	353	385	417	449	481			1 2 3 4
	2	2	34	66	98	130	162	194	226	258	290	322	354	386	418	450	482			1 2 3 4
	3	3	35	67	99	131	163	195	227	259	291	323	355	387	419	451	483			1 2 3 4
	4	4	36	68	100	132	164	196	228	260	292	324	356	388	420	452	484			1 2 3 4
	5	5	37	69	101	133	165	197	229	261	293	325	357	389	421	453	485			1 2 3 4
	6	6	38	70	102	134	166	198	230	262	294	326	358	390	422	454	486			1 2 3 4
	7	7	39	71	103	135	167	199	231	263	295	327	359	391	423	455	487			1 2 3 4
	8	8	40	72	104	136	168	200	232	264	296	328	360	392	424	456	488			1 2 3 4
Door		2	6	10	14	18	22	26	30	34	38	42	46	50	54	58	62			
Channel 2	1	9	41	73	105	137	169	201	233	265	297	329	361	393	425	457	489			1 2 3 4
	2	10	42	74	106	138	170	202	234	266	298	330	362	394	426	458	490			1 2 3 4
	3	11	43	75	107	139	171	203	235	267	299	331	363	395	427	459	491			1 2 3 4
	4	12	44	76	108	140	172	204	236	268	300	332	364	396	428	460	492			1 2 3 4
	5	13	45	77	109	141	173	205	237	269	301	333	365	397	429	461	493			1 2 3 4
	6	14	46	78	110	142	174	206	238	270	302	334	366	398	430	462	494			1 2 3 4
	7	15	47	79	111	143	175	207	239	271	303	335	367	399	431	463	495			1 2 3 4
	8	16	48	80	112	144	176	208	240	272	304	336	368	400	432	464	496			1 2 3 4
Door		3	7	11	15	19	23	27	31	35	39	43	47	51	55	59	63			
Channel 3	1	17	49	81	113	145	177	209	241	273	305	337	369	401	433	465	497			1 2 3 4
	2	18	50	82	114	146	178	210	242	274	306	338	370	402	434	466	498			1 2 3 4
	3	19	51	83	115	147	179	211	243	275	307	339	371	403	435	467	499			1 2 3 4
	4	20	52	84	116	148	180	212	244	276	308	340	372	404	436	468	500			1 2 3 4
	5	21	53	85	117	149	181	213	245	277	309	341	373	405	437	469	501			1 2 3 4
	6	22	54	86	118	150	182	214	246	278	310	342	374	406	438	470	502			1 2 3 4
	7	23	55	87	119	151	183	215	247	279	311	343	375	407	439	471	503			1 2 3 4
	8	24	56	88	120	152	184	216	248	280	312	344	376	408	440	472	504			1 2 3 4
Door		4	8	12	16	20	24	28	32	36	40	44	48	52	56	60	64			
Channel 4	1	25	57	89	121	153	185	217	249	281	313	345	377	409	441	473	505			1 2 3 4
	2	26	58	90	122	154	186	218	250	282	314	346	378	410	442	474	506			1 2 3 4
	3	27	59	91	123	155	187	219	251	283	315	347	379	411	443	475	507			1 2 3 4
	4	28	60	92	124	156	188	220	252	284	316	348	380	412	444	476	508			1 2 3 4
	5	29	61	93	125	157	189	221	253	285	317	349	381	413	445	477	509			1 2 3 4
	6	30	62	94	126	158	190	222	254	286	318	350	382	414	446	478	510			1 2 3 4
	7	31	63	95	127	159	191	223	255	287	319	351	383	415	447	479	511			1 2 3 4
	8	32	64	96	128	160	192	224	256	288	320	352	384	416	448	480	512			1 2 3 4

The numbers in the shaded area indicate the eight input points assigned to individual channels on each controller for this site. Photocopy this page to record the Alarm Sensors for each additional controller.

Site _____ Page _____ of _____

Alarm Sensors

	IP (Zone)	Controller																Description	Resp. No.	Moment. Relay Resp.
		17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32			
Door		65	69	73	77	81	85	89	93	97	101	105	109	113	117	121	125			
Channel 1	1	513	545	577	609	641	673	705	737	769	801	833	865	897	929	961	993			1 2 3 4
	2	514	546	578	610	642	674	706	738	770	802	834	866	898	930	962	994			1 2 3 4
	3	515	547	579	611	643	675	707	739	771	803	835	867	899	931	963	995			1 2 3 4
	4	516	548	580	612	644	676	708	740	772	804	836	868	900	932	964	996			1 2 3 4
	5	517	549	581	613	645	677	709	741	773	805	837	869	901	933	965	997			1 2 3 4
	6	518	550	582	614	646	678	710	742	774	806	838	870	902	934	966	998			1 2 3 4
	7	519	551	583	615	647	679	711	743	775	807	839	871	903	935	967	999			1 2 3 4
	8	520	552	584	616	648	680	712	744	776	808	840	872	904	936	968	1000			1 2 3 4
Door		66	70	74	78	82	86	90	94	98	102	106	110	114	118	122	126			
Channel 2	1	521	553	585	617	649	681	713	745	777	809	841	873	905	937	969	1001			1 2 3 4
	2	522	554	586	618	650	682	714	746	778	810	842	874	906	938	970	1002			1 2 3 4
	3	523	555	587	619	651	683	715	747	779	811	843	875	907	939	971	1003			1 2 3 4
	4	524	556	588	620	652	684	716	748	780	812	844	876	908	940	972	1004			1 2 3 4
	5	525	557	589	621	653	685	717	749	781	813	845	877	909	941	973	1005			1 2 3 4
	6	526	558	590	622	654	686	718	750	782	814	846	878	910	942	974	1006			1 2 3 4
	7	527	559	591	623	655	687	719	751	783	815	847	879	911	943	975	1007			1 2 3 4
	8	528	560	592	624	656	688	720	752	784	816	848	880	912	944	976	1008			1 2 3 4
Door		67	71	75	79	83	87	91	95	99	103	107	111	115	119	123	127			
Channel 3	1	529	561	593	625	657	689	721	753	785	817	849	881	913	945	977	1009			1 2 3 4
	2	530	562	594	626	658	690	722	754	786	818	850	882	914	946	978	1010			1 2 3 4
	3	531	563	595	627	659	691	723	755	787	819	851	883	915	947	979	1011			1 2 3 4
	4	532	564	596	628	660	692	724	756	788	820	852	884	916	948	980	1012			1 2 3 4
	5	533	565	597	629	661	693	725	757	789	821	853	885	917	949	981	1013			1 2 3 4
	6	534	566	598	630	662	694	726	758	790	822	854	886	918	950	982	1014			1 2 3 4
	7	535	567	599	631	663	695	727	759	791	823	855	887	919	951	983	1015			1 2 3 4
	8	536	568	600	632	664	696	728	760	792	824	856	888	920	952	984	1016			1 2 3 4
Door		68	72	76	80	84	88	92	96	100	104	108	112	116	120	124	128			
Channel 4	1	537	569	601	633	665	697	729	761	793	825	857	889	921	953	985	1017			1 2 3 4
	2	538	570	602	634	666	698	730	762	794	826	858	890	922	954	986	1018			1 2 3 4
	3	539	571	603	635	667	699	731	763	795	827	859	891	923	955	987	1019			1 2 3 4
	4	540	572	604	636	668	700	732	764	796	828	860	892	924	956	988	1020			1 2 3 4
	5	541	573	605	637	669	701	733	765	797	829	861	893	925	957	989	1021			1 2 3 4
	6	542	574	606	638	670	702	734	766	798	830	862	894	926	958	990	1022			1 2 3 4
	7	543	575	607	639	671	703	735	767	799	831	863	895	927	959	991	1023			1 2 3 4
	8	544	576	608	640	672	704	736	768	800	832	864	896	928	960	992	1024			1 2 3 4

The numbers in the shaded area indicate the eight input points assigned to individual channels on each controller for this site. Photocopy this page to record the Alarm Sensors for each additional controller.



RadionicsTM

T H E Q U A L I T Y L E A D E R

Radionics, Inc., 1800 Abbott Street
Salinas, CA, 93901, U.S.A.
Customer Support: (800) 538-5807

TM The Radionics logo is a registered trademark of Radionics, Inc., Salinas, CA, U.S.A.
© 1991 Radionics, Inc., Salinas, CA, U.S.A. All rights reserved.