



Caddx

introducing

PINPOINT™

ADDRESSABLE TWO-WIRE POINT ID SYSTEM

NetworkX



YOUR ONE SOLUTION JUST GOT MORE POWERFUL



ADDRESSABLE TWO-WIRE POINT ID SYSTEM

PinPoint is the right choice for commercial applications where extensive wire runs are needed to install traditional systems. PinPoint can be wired in a free style configuration (star, T-tap or single loop), which gives you maximum flexibility on new or retrofit applications. And because the sensors are made by Sentrol you know it's performance you can trust.

FLEXIBILITY

PinPoint supports up to 192 addressable devices on three separate two-mile loops. The system is scalable so it can adapt to changing customer requirements in the future.

ACCURACY

PinPoint identifies the exact location of an alarm or trouble event, which saves time for emergency personnel and service technicians. PinPoint is a two-wire system—that means up to 50% fewer termination points on powered devices and less chance of wiring errors. PinPoint also eliminates the need for additional auxiliary power supplies because power and zoning are handled on the same pair of wires.

REWARDING

PinPoint installations require less wiring than traditional systems. Less wire to pull means lower labor costs and greater profits on new and retrofit applications.

LESS INSTALL TIME = MORE PROFIT

Application — 150,000 sq. ft. warehouse/office complex

	TRADITIONAL	PINPOINT
Labor*	\$2400	\$1250
1 NX-8E Panel	\$100	\$100
1 NX-2192 Interface card	—	\$50
10 PIR	\$300	\$450
10 Glassbreak	\$300	\$450
2 Zone Expansion module	\$60	—
20 PinPoint Single Input	—	\$150
20 Magnetic contact	\$30	\$30
2 Additional Power supplies	\$100	—
Equipment Rental for Lift	\$300	\$150
Total	\$3290	\$2480
SAVINGS		\$810

**Labor costs are based on one hour per point for traditional installation and 1/2 hour per point on PinPoint installations*


PINPOINT SYSTEM AND COMPATIBLE PRODUCTS





SI-ID Single Input Device
Single input interface that allows you to connect a single non-addressable input device.



Caddx NX-8E
The latest innovation in the NetworX series builds on the power of one platform for simple and fast installations every time.




NX-2192 ID Bus Interface Card
Snaps into your Caddx NX-8E control panel and gives you the power to install up to 192 addressable devices on up to three loops.



TRADITIONAL SYSTEM WIRING

Up to 3 Loops

- Warehouse partition
- High security area partition
- Front office partition



4I/4O Device
A four input and four supervised output interface that allows you to connect up to four non-addressable devices.




5845-ID ShatterPro™ Glassbreak
Pattern Recognition Technology® for superior detection and false alarm immunity.




AP750-ID PIR
True 3D single processing with gliding focus mirror optics for excellent catch performance and false alarm immunity.


GROWTH OPPORTUNITIES WITH THE PINPOINT™ SYSTEM




Retrofits




Warehouses




Supermarkets




Government




Multi-Office Spaces



Strip Malls



Office/Manufacturing Facilities



Schools

A System Backed by Brands You Trust

The PinPoint addressable system brings together the versatility of the Caddx NX-8E control panel and the reliability of Sentrol sensors. The result is a winning combination that can help grow your business and reduce your costs. And PinPoint is backed by a service and support team that is dedicated to making the difference for dealers.



A W i n n i n g C o m b i n a t i o n