


# Simon 3 Security System Control Panel

Document Number: 466-1873 BETA TEST  
June 2001



## Contents

### About This Manual 1

- Special Installation Requirements 1
  - UL Listed Installations 1
  - Central Station Reporting 1
  - UL Canada Listed Installations 1
  - California State Fire Marshall Listed Installations 1

### Planning the Installation 2

- Standard Panel 2
- Interrogator 200 Audio
- Verification Module 2

### Installing the System 2

- System Components 2
  - Control Panel 2
  - System Devices 3

### Planning Sensor Types & Locations 3

- Device Locations 4
  - Control Panel 4
  - Remote Handheld Touchpad 4
  - Keychain Touchpad 4
- X-10 Modules 4
  - House Code and Unit Numbers 4

### Installing the System 5

- Materials Needed 5
- Opening the Panel Cover and Chassis 5
- Mounting the Panel 5
- Connecting Hardwire Devices 6
  - AC Terminals 6
  - HWIN1, HWIN2, and DCOU2 Terminals 6
- Wiring Interior Sirens 6
  - LD105 Hardwire Interior Siren 6
- Wiring Exterior Sirens 7
  - Hardwire Exterior Siren with Supervision 7
  - Hardwire Exterior Siren without Supervision 7
- Wiring Hardwire Contacts 7
- Wiring a Phone Line to the Panel 7
  - Full Line Seizure 7
  - No Line Seizure 8
- Wiring the Power Transformer 9
- Powering Up the Panel 9
  - Installing the Panel Backup Battery 9
  - Applying AC Power 9
- Installing X-10 Modules 9

## Installation Instructions

- Lamp and Appliance Modules 9
- Universal Module 10
- Sensor Installation 10

### Programming 10

- Entering Program Mode 10
- Closing the Cover 10
- Reset Memory to the Factory Defaults 10
- Set the Clock 10
- Adding (Learning) Sensors 10
  - Deleting Sensors 12
- Light, Appliance, and Garage Door Controls 12
- Numbered Options 12
  - Option 01: Panel Piezo Beeps 13
  - Option 02: Panel Voice 13
  - Option 03: Latchkey 13
  - Option 04: Primary Phone Number 13
  - Option 05: Secondary Phone Number 13
  - Option 06: Downloader Phone Number 14
  - Option 07: Account Number 14
  - Option 08: Phone Lock 14
  - Option 09: Downloader Code 14
  - Option 10: Entry Delay 14
  - Option 11: Exit Delay 14
  - Option 12: Phone Mod 1 15
  - Option 13: Phone Mod 2 15
  - Option 14: DTMF Dialing 15
  - Option 15: No Activity Time-out 15
  - Option 16: Auto Phone Test 16
  - Option 17: Dialer Delay 16
  - Option 18: Alarm Cancel Report 16
  - Option 19: RF Timeout 16
  - Option 20: Manual Phone Test 16
  - Option 21: Opening Reports 17
  - Option 22: Closing Reports 17
  - Option 23: Force Armed Report 17
  - Option 24: AC Power Failure Report 17
  - Option 25: CPU Low Battery Report 17
  - Option 26: Fail to Communicate 17
  - Option 27: Ring/Hang/Ring 17
  - Option 28: No Delay from Keychain Touchpad 18
  - Option 29: Panel Piezo Alarms 18
  - Option 30: Panel Panic Alarms 18
  - Option 31: Downloader Enable 18
  - Option 32: 300 Baud 18
  - Option 33: Audio Verification 18
  - Option 34: Fail to Open Report 18
  - Option 35: Fail to Close Report 19

Option 36: Sensor Activated Light Lockout Start Time 19  
Option 37: Sensor Activated Light Lockout Stop Time 19  
Option 38: Auto Arm 19  
Option 39: Siren Timeout 19  
Option 40: Trouble Beeps 20  
Option 41: Chime Voice 20  
Option 42: Speaker Level 20  
Option 43: Numeric Pager/Voice Event Notification Phone Number 20  
Option 44: Numeric Pager/Voice Event Notification Phone Mod 3 20  
Option 45: Sensor Alarm Restoral Report 21  
Option 46: Fire Shutdown - AVM 21  
Option 47: AVM Mode 21  
Option 48: Panic Talk - AVM 21  
Option 49: Arming LEDs Shutdown 21  
Option 50: RF Jam Detect 21  
Option 51: 24 Hour Tamper 21  
Option 52: Unvacated Premises 22  
Option 53: Hardwire Siren Supervision 22  
Option 54: Access Code Length 22  
Option 55: Status Beep Volume 22  
Option 56: Call Waiting 22  
Option 57: Supervisory/Tamper Report 23  
Option 58: Remote Touchpad Arming 23  
Option 60: Secure Arming 23  
Option 61: Demo Mode 23  
Option 62: Supervisory Protest 23  
Option 63: 24 Hour Time 23  
Option 64: No Arm on Panel Low Battery 24  
Option 65: No Usage Report 24  
Option 66: External Siren Delay 24  
Option 67: Quick Exit 24  
Option 68: Swinger Shutdown 24  
Option 69: SIA Limits 24  
Option 70: Line Cut Detection 25  
Option 71: Programming Report 25  
Option 72: Supervisory Time 25  
Option 73: Modem Sensitivity 25  
Option 74: Silent Panel Police Panic 25  
Option 75: VOX Mic Gain 25  
Option 76: VOX Gain Range 25  
Option 77: Manual Mic Gain 26  
Option 78: VOX Receiver Gain 26  
Programming System Access Codes 26

## Testing the System 27

Control Panel 27  
Testing Sensors 27  
Improving Sensor/Panel Communication 28  
    Antenna 28  
    If a Sensor Fails the Sensor Test 28  
Phone Communication 29  
Testing Off-Site Phone Operation 29  
Central Station Communication 29  
Pager Communication 30  
Testing 2-Way Voice Operation 30  
X-10 Lamp Modules 30  
    Siren and X-10 Lamp Module Functions 30

## Emergency Planning 31

### Appendix A: Troubleshooting 32

System Status 32  
Control Panel 32  
Options (Programmable by the homeowner) 32  
Sensors 32  
X-10 Modules 32

### Appendix B: System Configuration 33

Alphabetical Listing of Sensor Names 33  
Option Settings 36

## Specifications 39

# Beta Test 8/10/01

## FCC Notices

### FCC Part 15 Information to the User

Changes or modifications not expressly approved by Interlogix Inc. can void the user's authority to operate the equipment.

### FCC Part 15 Class B

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against interference in a residential installation.

This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the affected equipment and the panel receiver to separate outlets, on different branch circuits.
- Consult the dealer or an experienced radio/TV technician for help.

### FCC Part 68

This equipment complies with Part 68 of the FCC Rules. Located on this equipment is a label that contains, among other information, the FCC registration number and the ringer equivalence number (REN) for this equipment. If requested, this information must be provided to the telephone company.

The REN is used to determine the maximum number of devices that may be connected to your telephone line. In most areas, the sum of all device RENs should not exceed five (5.0).

If this equipment causes harm to the telephone network, the telephone company may temporarily disconnect your service. If possible, you will be notified in advance. When advance notice is not practical, you will be notified as soon as possible. You will also be advised of your right to file a complaint with the FCC.

Your telephone company may make changes in its facilities, equipment, operations, or procedures that could affect the proper operation of your equipment. You will be given advanced notice in order to maintain uninterrupted service.

If you experience trouble with this equipment, please contact the company that installed the equipment for service and repair information. The telephone company may ask you to disconnect this equipment from the network until the problem has been corrected or you are sure that the equipment is not malfunctioning.

This equipment may not be used on coin service provided by the telephone company. Connection to party lines is subject to state tariffs.

## Canada Notice

The Canadian Department of Communications label identifies certified equipment. This certification means that the equipment meets certain telecommunications network protective, operational, and safety requirements. The department does not guarantee the equipment will operate to the user's satisfaction.

Before installing this equipment, users should ensure that it is permissible to be connected to the facilities of the local telecommunications company. The equipment must also be installed using an acceptable method of connection. In some cases, the company's inside wiring associated with a single-line individual service may be extended by means of a certified connector assembly (telephone extension cord). The customer should be aware that compliance with the above conditions may not prevent degradation of service in some situations.

Repairs to certified equipment should be made by an authorized Canadian maintenance facility designated by the supplier. Any repairs or alterations made by the user to this equipment, or equipment malfunctions, may give the telecommunications company cause to request the user to disconnect the equipment.

For your protection, make sure that the electrical ground connections of the power utility, telephone lines, and internal metallic water pipe system, if present, are connected together.



**CAUTION**  
Do not attempt to make connections yourself. Contact the appropriate electrician or electric inspections authority.

The Load Number (LN) assigned to each terminal device denotes the percentage of the total load to be connected to a telephone loop which is used by the device, to prevent overloading. The termination on a loop may consist of any combination of devices subject only to the requirement that the total of the LNs of all the devices does not exceed 100. Load Number: \_\_\_\_\_ Acceptability Number: \_\_\_\_\_

“AVIS: - L'étiquette du ministère des Communications du Canada identifie le matériel homologué. Cette étiquette certifie que le matériel est conforme à certaines normes de protection, d'exploitation et de sécurité des réseaux de télécommunications. Le ministère n'assure toutefois pas que le matériel fonctionnera à la satisfaction de l'utilisateur.

Avant d'installer ce matériel, l'utilisateur doit s'assurer qu'il est permis de le raccorder aux installations de l'entreprise locale de télécommunication. Le matériel doit également être installé en suivant une méthode acceptée de raccordement. Dans certains cas, les fils intérieurs de l'entreprise utilisés pour un service individuel à ligne unique peuvent être prolongés au moyen d'un dispositif homologué de raccordement (cordon prolongateur téléphonique interne). L'abonné ne doit pas oublier qu'il est possible que la conformité aux conditions énoncées ci-dessus n'empêche pas la dégradation du service dans certaines situations. Actuellement, les entreprises de télécommunication ne permettent pas que l'on raccorde leur matériel à des jacks d'abonné, sauf dans les cas précis prévus par les tarifs particuliers de ces entreprises.

Les réparations de matériel homologué doivent être effectuées par un centre d'entretien canadien autorisé désigné par le fournisseur. La compagnie de télécommunications peut demander à l'utilisateur de débrancher un appareil à la suite de réparations ou de modifications effectuées par l'utilisateur ou à cause de mauvais fonctionnement.

Pour sa propre protection, l'utilisateur doit s'assurer que tous les fils de mise à la terre de la source d'énergie électrique, des lignes téléphoniques et des canalisations d'eau métalliques, s'il y en a, sont raccordés ensemble. Cette précaution est particulièrement importante dans les régions rurales.

Avertissement. - L'utilisateur ne doit pas tenter de faire ces raccordements lui-même; il doit avoir recours à un service d'inspection des installations électriques, ou à un électricien, selon le cas”.

Une note explicative sur les indices de charge (voir 1.6) et leur emploi, à l'intention des utilisateurs du matériel terminal, doit être incluse dans l'information qui accompagne le matériel homologué. La note pourrait être rédigée selon le modèle suivant:

“L'indice de charge (IC) assigné à chaque dispositif terminal indique, pour éviter toute surcharge, le pourcentage de la charge totale qui peut être raccordée à un circuit téléphonique bouclé utilisé par ce dispositif. La terminaison du circuit bouclé peut être constituée de n'importe quelle somme des indices de charge de l'ensemble des dispositifs ne dépasse pas 100.”

L'Indice de charge de cet produit est \_\_\_\_\_.

Beta Test



SECURITY & LIFE SAFETY GROUP  
CABO | DSL | GRC | ITI | KALTEL | SHORTEL

2266 Second Street North | North Saint Paul Mn | 55109 | 800-777-2624 | www.interlogixinc.com

©2001 Interlogix,™ Inc. Interlogix is a trademark of Interlogix, Inc. ITI, Advent, and SuperBus are registered trademarks of Interlogix, Inc.

## About This Manual

This manual provides information for planning, installing, programming, and testing this security system. When necessary, this manual refers you to other documentation included with compatible devices.

Planning sheets are included for you to record sensor locations and software programming settings.

## Special Installation Requirements

This security system can be used as a fire warning system, an intrusion alarm system, an emergency notification system, or any combination of the three.

Some installations may require configurations dictated by city/state codes, insurance, or Underwriter's Laboratories (UL). This section describes the various component and configuration listings.

### UL Listed Installations

This section describes the requirements for UL Listed installations.

#### Note

The control panels described are not currently UL Listed.

#### Basic System

- Control Panel (60-TBD-95R or 60-TBD-95R)
- Backup Battery 12V 1.2 AH (60-TBD)
- Standard Class II 9 VAC, 700 mA Power Transformer (22-109-ITI) or Class II 9 VAC, 700 mA Line Carrier Power Transformer (22-TBD)
- Hardwire Interior Siren (13-374) or Hardwire Exterior Siren (13-046)

#### Household Burglary Alarm System Unit (UL 1023)

Basic system, plus:

- Hardwire Magnetic Contact (13-068 or 13-071) or Wireless Learn Mode Door/Window Sensor (60-362)
- Option 01: Panel Piezo Beeps turned on
- Option 10: Entry Delay set to 45 seconds
- Option 11: Exit Delay set to 60 seconds
- Option 12: Phone Mod 1 turned on
- Option 16: Auto Phone Test set to 001
- Option 19: RF Timeout set to 24 hours
- Option 24: AC Power Failure Report turned on
- Option 25: CPU Low Battery Report turned on
- Option 26: Fail to Communicate turned on
- Option 29: Control Panel Alarms turned on
- Option 39: Siren Timeout set to 4 minutes or more
- Option 40: Trouble Beeps set to on
- Option 50: RF Jam Detect set to on
- Option 53: Hardwire Siren Supervision turned on if Option 29: Control Panel Alarms is turned off
- Option 59: Exit Extension turned off
- Option 67: Quick Exit turned off

#### Household Fire Warning System (UL 985)

Basic system, plus:

- Wireless Smoke Sensor 60-506-319.5 or 60-838-95 learned into sensor group 26
- Option 01: Panel Piezo Beeps turned on
- Option 19: RF Timeout set to 4 hours
- Option 24: AC Power Failure Report turned on
- Option 29: Control Panel Alarms turned on
- Option 40: Trouble Beeps set to on
- Option 50: RF Jam Detect set to on
- Option 53: Hardwire Siren Supervision turned on if Option 29: Control Panel Alarms is turned off

#### UL 1023 & 985 24-Hour Backup

- For 24-hour backup, the total current draw for all connected devices is limited to XX mA (during normal standby conditions) using a 1.2 AH battery.

#### UL 1635 Digital Alarm Communicator System

- Same as UL 1023 & 985

#### Central Station Reporting

The panel has been tested with the following central station receivers using SIA and Contact ID reporting formats:

- ITI CS-5000 Central Station Receiver
- Sur-Gard Central Station Receiver with models SG-DRL2A and SG-CPM2

#### UL Canada Listed Installations

This section describes the requirements for CUL (UL Canada) Listed installations.

#### Canadian Standards CSA Certified Accessories

#### Residential Burglary Alarm System Unit (ULC-S309)

Basic system as described for "UL Listed Installations" plus:

- Hardwire Magnetic Contact (13-068 or 13-071) or Wireless Learn Mode Door/Window Sensor (60-362)

#### Residential Fire Warning System Control Unit (ULC-S545-M89)

Basic system as described for "UL Listed Installations" plus:

- Wireless Smoke Sensor 60-506-319.5 or 60-838-95 learned into sensor group 26
- Option 01: Panel Piezo Beeps turned on
- Option 19: RF Timeout set to 4 hours
- Option 40: Trouble Beeps set to on

#### Note

For 24-hour backup, external power drain is limited to XX mA (during normal standby condition) using a 1.2 AH battery.

#### California State Fire Marshall Listed Installations

Applied for.

## Planning the Installation

This section describes system capabilities to help you get familiar with the system. "Appendix A" provides planning sheets with tables that let you record the hardware and programming configuration of the system. Fill in all necessary information ahead of time to help prepare for system installation.

### Standard Panel

The following describe the basic panel (out-of-box) hardware capabilities.

- Power:** Input for an AC step-down, plug-in style transformer.
- 2 Siren Outputs/Zone Inputs:** Terminals for connecting hardware sirens or normally closed (NC) loop switch circuits.
- Phone Line Connection:** Allows panel to communicate with central monitoring station and/or pagers.

### Interrogator 200 Audio Verification Module

Adding this module allows central station operators to listen-in and talk to occupants on the premises to verify an emergency when an alarm report is received.

## Installing the System

This section describes how to install the system control panel. Before starting the installation, plan your system layout and programming using the worksheets provided in Appendix A.

Installing the system consists of the following:

- Determining Panel and Device Locations
- Mounting the Panel
- Connecting Sirens
- Connecting Normally Closed Loop Switch Circuits
- Connecting the Phone Line to the Panel
- Connecting the AC Power Transformer
- Powering Up the Panel

## System Components

The security system has three types of components: the control panel, devices that report to the panel, and devices that respond to commands from the panel (see Figure 1).




Figure 1. Typical Security System Components

### Control Panel

The control panel is the main processing unit for all system functions. It receives and responds to signals from wireless sensors and wireless touchpads throughout the premises. For monitored systems, the panel can be connected to the premises phone line for central monitoring station and/or pager reporting.

Two panel models are available. One has an on-board 2-way voice microphone, the other does not. The Interrogator<sup>®</sup> 200 Audio Verification Module can be added to either panel.

#### User Interface

When the panel cover is closed, the panel buttons *operate* the security system. The user operates the panel by pressing panel buttons or by using a touchpad. See the User Manual for complete operation instructions.

When the panel cover is open, the buttons *program* the security system. The panel can be programmed on-site by the installer or user, or from off-site using ITI ToolBox<sup>®</sup> software. See the "Programming" section of this manual for complete on-site programming instructions. See the ITI ToolBox manual and ToolBox on-line help for off-site programming instructions.

#### Note

ITI ToolBox has not been investigated by UL and should not be used to program panels in UL listed systems.

#### Panel Tamper

If the panel cover is opened while the system is armed, an intrusion alarm occurs. When the system status button is subsequently pressed, the panel says *System Access Alarm*.

## System Devices

The system can monitor up to 24 sensors and may use any of the following:

### Door/Window Sensor (60-670)

For intrusion protection, install Door/Window sensors on all ground-floor doors and windows. At a minimum, install them in the following locations:

- All easily accessible exterior doors and windows.
- Interior doors leading into the garage.
- Doors to areas containing valuables such as cabinets and closets.

### Indoor Motion Sensor (60-639)

Indoor motion sensors are ideal whenever it is not practical to install door/window sensors on every opening. Identify areas where an intruder is likely to walk through. Large areas in an open floor plan, downstairs family rooms, and hallways are typical locations for indoor motion sensors. For installations with pets, use the ITI SAW Pet Immune PIR (60-807).

### Outdoor Motion Sensor (60-639)

Use outdoor motion sensors to detect motion in a protected outdoor area. Detected motion in this protected area can sound chimes or turn on outside lights. **Do not use Outdoor Motion Sensors for intrusion protection.**

### Freeze Sensor (60-742)

Freeze sensors detect low temperature conditions which may indicate a furnace failure. The sensor contains a bimetallic thermal switch connected to the built-in transmitter. The sensor transmits an alarm signal to the panel when the surrounding temperature drops to about 41°F. When the temperature rises to 50°F, the sensor transmits a restore signal.

### Water Sensor (60-744)

Water sensors detect a water leak/rising water. The detector is connected to the sensor by an 8-foot (2.4-meter) cable. Water that reaches both detector contact points activates the sensor, causing it to transmit an alarm signal.

### Smoke Sensor (60-848-95)

Smoke sensors provide fire protection by causing an alarm to sound throughout the house. You can add smoke sensors near sleeping areas and on every floor of the house. Avoid areas that could have some smoke or exhaust such as attics, kitchens, above fireplaces, dusty locations, garages, and areas with temperature extremes. In these areas you may want to install Rate-of-Rise sensors to detect extreme temperature changes. See “Emergency Planning” and the instructions packaged with the smoke sensor for complete placement information.

### Carbon Monoxide (CO) Alarm (60-652-95)

The Learn Mode™ CO Alarm alerts users to hazardous levels of carbon monoxide gas. If dangerous concentrations of gas are present, the red indicator light comes on, the internal siren goes off, and an alarm is transmitted to the panel. The panel sounds its own alarm and reports to the central station.

### Keychain Touchpad (60-659)

The Keychain Touchpad lets you turn the system on and off from right outside the home or activate a panic alarm if there is an emergency. If you have X-10 Lamp Modules, you can use keychain touchpads to turn all system controlled lights on and off.

### Remote Handheld Touchpad (60-671)

The Remote Handheld Touchpad lets you turn the system on and off while in the home, turn system controlled lights on and off (all or individual lights), or activate a panic alarm if there is a non-medical emergency.

### X-10 Modules

When the panel is powered using the line carrier power transformer, the system can work with any of the following modules:

- X-10 Appliance Module (13-402)
- X-10 Powerhorn/Remote Siren Module (13-398)
- X-10 Universal Module (13-399)
- X-10 Wall Switch Module (13-397)

#### Note

Use of X-10 modules has not been investigated by UL.

### Interrogator® 200 Audio Verification Module (60-787)

The Audio Verification Module (AVM) gives the central station operator the ability to hear what’s happening at the premises during an alarm and to speak directly to the system user. The operator can then determine how serious an alarm is, find out what kind of help is needed, and dispatch the appropriate assistance. Only one AVM may be installed per panel.

## Planning Sensor Types & Locations

The first step to an easy and successful installation is to decide what areas or items to protect, which lights or appliances to operate, and the best location for the panel, touchpad, sensors, and sirens.

Metal objects, mirrors, and metallic wallpaper can block signals sent by the wireless sensors. Make sure there are no metal objects in the way when installing the system.

Use the planning tables in Appendix A to determine the appropriate Sensor Type for the sensors you will be adding. You’ll need to understand the application for each sensor. For example, Keychain Touchpads are typically programmed as sensor type 01 (Portable panic), used to send an intrusion alarm to a central monitoring station. This sensor type is instant intrusion, it does not require restoral or supervisory communication with the panel and it is active in 4 arming levels (disarm, arm doors & windows, arm motion sensors, and arm doors/windows and motions sensors).

## Recommended Sensor Types

Device	Recommended Sensor Type
Keychain Touchpad	01, 03, 06, 07
Remote Handheld Touchpad	01, 03, 06, 07
Indoor Motion Sensor	17 (intrusion), 25 (chime)
Outdoor Motion Sensor	25
Smoke Sensor	26
Exterior Door	10
Interior Door	14
Window Sensor	13
CO Alarm	34
Freeze & Water Sensors	29

## Device Locations

### Control Panel

Locate the panel where alarm sounds can be heard and is easily accessible for operation.

Do not install the panel near a window or door where it can be reached easily by an intruder.

### Remote Handheld Touchpad

Locate Remote Handheld Touchpads where they will be convenient and offer quick access to the user.

### Keychain Touchpad

Keychain Touchpads attach to the owner's key ring or can be conveniently carried.

## X-10 Modules

The system can control up to 8 individual unit numbers on Lamp, Wallswitch, Appliance, and Universal Modules.

## House Code and Unit Numbers

Each device (lamp, appliance, garage door, etc.) controlled by the panel must have an identification setting. The modules use two dials to set identification codes: one with letters A through P and one with numbers 1 through 16.

The lettered dial sets the house code, which enables the system to differentiate this home from other homes in the area. Set all modules (except the remote siren) and the panel to the same house code.

### Note

All Lamp Modules with the same house code will turn on or flash as a group during an alarm or when operating the "Light" button on a Keychain Touchpad.

The numbered dial sets the unit number, which identifies and lets you control a specific device. Each device must have a unique unit number (1-8) to be individually controlled. For example, lights and appliances operated from a Remote Handheld Touchpad or operated by a sensor; or lights programmed to go on during the entry/exit delay or at scheduled times.

### Note

When unit numbers 9-16 are used for lamp modules, they can only be controlled by an all on or all off command.

A lamp will flash to the arming level if its unit number is set to 10. A lamp set to unit number 10 will flash once if the panel is disarmed, twice if doors & windows are armed, etc.

The remote siren can be set to any unit number to hear alarm sounds. Set it to unit number 9 to also hear arming level beeps, status beeps, and trouble beeps.

Do not use a lamp module to control appliances. Use an appliance module, since the wattage rating on Lamp Modules is less than on Appliance Modules.

## To Fill Out the Home Control Planning Table:

1. Set the house code on all modules (except the remote siren) to the same letter.

### Note

The house code instructions that come with the Powerhorn Siren won't work with this panel. Follow the house-code instructions given here.

2. Set the Remote Siren house code to the *next* alphabetical letter. For example, if you chose house code B in step 1 above, set the remote siren house code to C.

3. Set the module unit numbers.

### Note

If you are using a Universal Module to operate a garage door, make sure to assign a unique unit number to this module, choosing from 1-8.

4. List the location of the lamp or appliance in the Location column of the.
5. Write the location of each Lamp Module on an adhesive note and label the module.
6. Decide if the device should be activated by sensors, entry/exit delay, time, or a combination. An example of sensor activation is using a motion sensor to turn on a light. Record the information in the appropriate columns.



Use the following tables to help you further plan X-10 module installation.

**House Code Assignments**

House Codes	Results
A through P	Set all modules to the same house code except the remote sirens.
Next Higher House Code	Remote Siren needs must be set to the next higher alphabetical letter.

Unit #	Result
1 - 8	<p>Used for sensor-activated, time-activated, and entry/exit delay lights.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Sensor-activated lights are enabled and disabled pressing the LIGHTS Sensor Activated button on the panel.</li> <li><input type="checkbox"/> Time-activated lights are enabled and disabled by pressing the LIGHTS Time Activated button on the panel.</li> </ul> <p>If using the universal module to operate a garage door, be sure to assign a unique unit number.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> The STAR button on the KeyChain Touchpad activates the universal module to open the garage door or to turn on special lights if programmed.</li> </ul>
9 - 16	Used for lamp modules and controlled by an all on or all off command.
9	Used for remote siren to hear arming level beeps, status beeps and trouble beeps. If set to any other number the user will hear only alarm sounds.
10	Lamps will flash to arming level.

**Installing the System**

This section describes how to open the panel for mounting, mount the panel, connect sirens, hardwire contacts, and the AC power transformer.

**Materials Needed**

- Pencil
- Screwdriver

**Opening the Panel Cover and Chassis**

Tabs at the top of the panel secure and release the front cover and the chassis. The plastic hinges on the panel bottom allow the cover and chassis to swing down and out of the way (see Figure 2).




Figure 2. Opening the Panel Cover and Chassis

**Mounting the Panel**

The panel can be mounted on a wall or on the optional Table-top Base (60-TBD).

1. Choose a panel location.
2. Run all necessary power, phone, siren, and hardwire contact wires to the desired panel location.

**Note**

When choosing the AC outlet location for the AC power transformer, make sure the outlet is not controlled by a switch or that it is not part of a ground fault interrupt circuit (GFI).

3. Refer to Figure 3 for mounting hole locations.

**For wall mounting**, hold the panel against the wall and mark the mounting hole locations with a pencil. **For Tabletop Base mounting**, place the panel back on the base until the top and bottom mounting holes line up with the mounting posts on the base.




Figure 3. Panel Mounting Hole Locations

4. For wall mounting, insert anchors into holes where studs are not present.
5. Install all screws and tighten gently.

## Connecting Hardwire Devices

The panel has 5 screw terminals located on the upper-right corner of the circuit board (see Figure 3) for connecting AC power, sirens and/or hardwire detectors.

### AC Terminals

These terminals are used for connecting a 9 VAC, 700 mA AC power transformer. For systems with no X-10 modules, use transformer part no. 22-109-ITI. For systems with X-10 modules, use transformer part no. 22-TBD-ITI

### HWIN1, HWIN2, and DCOUT Terminals

These terminals are dual purpose and can be used for either siren or hardwire detector connections.

#### Note

These terminals cannot provide both functions simultaneously.

From the factory, these terminals are set up for siren operation with HWIN1 handling interior sirens (status and alarm sounds), HWIN2 handling exterior sirens (alarm sounds only), and DCOUT providing the positive (+) voltage.

#### Note

The combined total current available from HWIN1 and HWIN2 is 250 mA.

To set up HWIN1 and/or HWIN2 for hardwire detectors, make the required connections as described under “Wiring Hardwire Detectors,” then proceed to the “Programming” section to add (learn) them into panel memory.

## Wiring Interior Sirens

Panel terminal HWIN1 can be used for connecting interior sirens and activates for status and alarm sounds.

Interior sirens must be wired with a resistor in the circuit. For circuit supervision which allows the panel to detect if the siren wire is cut (open), Option 53: Hardwire Siren Supervision must be turned on (see the “Programming” section).

### LD105 Hardwire Interior Siren

Connect the LD105 Hardwire Interior Siren (13-374) to the panel using a 4.7k resistor (included with siren) as shown in Figure 4. The resistor must be connected across the siren wires as close to the siren as possible.

#### Note

Do not install the resistor at the panel terminals. This does not provide supervision of the wire.




Figure 4. Hardwire Interior Siren with Supervision

If a siren is not connected to the HWIN1 and DCOUT terminals, Option 53 must be turned off.

## Wiring Exterior Sirens

Panel terminal HWIN2 can be used for connecting exterior sirens and activates when intrusion and fire alarms occur.

Exterior sirens can be wired with or without a resistor in the circuit for supervision. Supervision allows the panel to detect if the siren wire is cut (open) or shorted. Option 53: Hardwire Siren Supervision, must also be turned on to enable supervision (see the "Programming" section).

### Hardwire Exterior Siren with Supervision

Connect the Hardwire Exterior Siren (13-046) to the panel using a 4.7k resistor (included with siren) as shown in Figure 5. The resistor must be connected across the siren wires as close to the siren as possible.

#### Note

Do not install the resistor at the panel terminals. This does not provide supervision of the wire.




Figure 5. Hardwire Exterior Siren with Supervision

If a siren is not connected to the HWIN2 and DCOUT terminals, Option 53 must be turned off.

### Hardwire Exterior Siren without Supervision

Connect the Hardwire Exterior Siren (13-046) to the panel without a resistor as shown in Figure 6.




Figure 6. Hardwire Exterior Siren without Supervision

If a siren is not connected to the HWIN2 and DCOUT terminals, Option 53 must be turned off.

## Wiring Hardwire Contacts

You can connect hardwire reed switches (normally closed loop only) to HWIN1 and/or HWIN2, if either terminal is not being utilized for a hardwire siren.

#### Important!

Connect only normally closed (N/C) reed switches to HWIN1 and/or HWIN2. Other types of hardwire detectors should not be used.

The total resistance of the wire loop must not exceed 3 ohms. This allows you to use up to 200 feet of 2-conductor, 22-gauge stranded wire.

Connect hardwire reed switches to the panel using a 47k resistor as shown in Figure 7. The resistor must be connected at the last switch in the circuit.

#### Note

Do not install the resistor at the panel terminals. This does not provide supervision of the wire.




Figure 7. Connecting Normally Closed Hardwire Reed Switches

## Wiring a Phone Line to the Panel

You can connect a phone line to the panel for systems monitored by a central monitoring station and/or systems that notify users by a digital pager.

Basically, there are two methods for connecting the panel to a phone line; full line seizure and no line seizure.

### Full Line Seizure

This method requires that the panel be wired ahead (or in front of) all other phones, answering machines, computers, or any other devices on the phone line. This allows the panel to take over (seize) the phone line, even if another device on the line is in use.

An RJ-31X (CA-38A) jack should be installed when wiring for full line seizure. This lets the user quickly and easily disconnect the panel from the phone line in case the panel disables the phone line due to a malfunction.

**Full Line Seizure Wiring with an RJ-31X**

**Note**

For UL Listed systems, the RJ-31X jack must be mounted within 5 feet of the panel.

1. Run a 4-conductor cable from the TELCO block to the RJ-31X (A in Figure 8).
2. Connect the 4-conductor cable wires to the RJ-31X (B in Figure 8).
3. Disconnect the Green and Red premises phone jack wires from the TELCO block and splice them to the 4-conductor cable Black and White (or Yellow) wires (C in Figure 8). Use weatherproof wire connectors for these splices.
4. Connect the 4-conductor cable Green and Red wires to the TELCO block TIP (+) and Red to RING (-) posts (D in Figure 8).
5. Connect the phone cord included with the panel to the RJ-31X and the panel LINE IN jack (E in Figure 8).




Figure 8. Full Line Seizure Wiring with an RJ-31X

**Full Line Seizure Wiring with 1 Premises Phone**

If a single phone is all that exists on the premises, full line seizure can be accomplished without an RJ-31X.

**Note**

If the customer ever adds a phone or other phone device to another phone jack, full line seizure no longer exists. Inform the customer to contact you if they want to add a phone or other device so that you can rewire for full line seizure by adding an RJ-31X.

1. Disconnect the phone from the premises phone jack and plug it into the panel PHONE jack (A in Figure 9). This jack is disconnected automatically whenever the panel reports.
2. Connect the phone cord included with the panel to the panel LINE IN jack and the premises phone jack (B in Figure 9).




Figure 9. Full Line Seizure Wiring with 1 Premises Phone

**No Line Seizure**

This method is typically used where DSL (digital subscriber line) service exists. DSL allows multiple devices on a single phone line to be used simultaneously. Simply connecting the panel LINE IN jack to an available phone jack on the premises is all that is required.

**Note**

Connecting the panel to a standard phone (voice) line in this manner should be avoided. Other devices in use at the same time the panel is using the line can prevent reports from going through.

## Wiring the Power Transformer

Connect the power transformer to the panel AC terminals as shown in Figure 10.

### Note

Do not plug in the transformer at this time.




Figure 10. Connecting the Power Transformer

## Powering Up the Panel

When applying power to the panel connect the battery first, then plug in the AC power transformer. This sequence prevents a battery fault condition.

## Installing the Panel Backup Battery

1. Position and push the battery between the 2 flexible tabs (A in Figure 11).
2. Slide the battery to the left until the tabs snap into place, securing the battery (B in Figure 11).




Figure 11. Installing the Panel Backup Battery

3. Connect the red and black battery leads (included with panel) to the battery and panel terminals (see Figure 12).




Figure 12. Connecting the Battery Leads to the Battery and Panel Terminals

## Applying AC Power

### Note

Make sure the outlet is not controlled by a switch or that it is not part of a ground fault interrupt circuit (GFIC).

1. Remove the center screw from the outlet cover plate and hold the cover plate in place.

### WARNING!

Use extreme caution when securing the transformer to a metal outlet cover. You could receive a serious shock if a metal outlet cover drops down onto the prongs of the plug while you are securing the transformer and outlet cover to the outlet box.

2. Plug the transformer into the lower receptacle of the outlet so that the hole in the transformer tab lines up with the outlet cover screw hole. The panel voice should announce "Hello, system n is o.k."
3. Insert the cover plate screw through the transformer tab and the outlet cover plate. Tighten the screw firmly.

## Installing X-10 Modules

### Lamp and Appliance Modules

1. Set the unit code dial to a unit number different from all other X-10 modules (between 1 and 8).

2. Set the house code for the installation.
3. Plug the module into a wall outlet.
4. Plug the lamp/appliance into the module.

**CAUTION!**

Do not plug in appliances or lamps with 300-watt or larger bulbs into Lamp Modules.

**Universal Module**

1. Set the unit code dial to a unit number different from all other X-10 modules (between 1 and 8).
2. Set the house code for the installation.
3. Set the module switches to momentary and relay only.
4. Connect the module terminals to the garage door opener button terminals.
5. Plug the universal module into a wall outlet.

**Note**

See "Light and Appliance Controls" to program a Key-chain Touchpad to open a garage door.

**Sensor Installation**

Program sensors and devices before you install them. Use the following section to program the panel and add the sensors to panel memory.

**Programming****Entering Program Mode**

There are 2 codes you can use to enter program mode.

**Utility Access Code 1 (Dealer Code)**

Depending upon how Option 54 is set, the default utility access code is 654321, 54321, 4321 (factory default), or 321. This code can be used for all programming.

**Utility Access Code 2 (installer Code)**

Depending upon how Option 54 is set, the default access code is 654321, 54321, 4321 (factory default), or 321. This code is limited to changing all but the following: Utility Access Code 1, Options 4, 5, 6, 8, 9, 12, and 13.

1. Open the panel cover.
2. Enter Utility Access Code 1 or 2 using the numbered keys.

The panel is now in program mode. Follow the programming arrows on the panel label. The system prompts you through programming steps with beeps and voice messages.

**Note**

Do not remove panel power while in program mode. Programming changes are saved only when exiting program mode (closing the panel cover).

**Program the panel in this order:**

1. Set the panel clock.
2. Add (learn) sensors.

3. Set House Code and Light & Appliance Controls (Entry/Exit activated lights, Sensor activated lights, Time activated lights).
4. Change numbered Options as needed.

**Closing the Cover**

If you need more time before proceeding with programming, simply close the panel cover until you are ready to continue.

When you close the cover, the panel reverts to the operating mode. The control panel piezo, hardwire interior sirens, and the X-10 powerhorn beep once.

**Reset Memory to the Factory Defaults**

If it becomes necessary to reset panel programming to the factory defaults, do the following:

1. Open the panel cover and enter Utility Access code 1.
2. Unplug the transformer and disconnect the battery.
3. Simultaneously press **Cancel**, **Clock Set**, and **Minutes +**.
4. Restore power to the panel with either the battery or the transformer while pressing these three buttons.
5. Plug in the transformer or connect the battery.

**Note**

If Option 8: Phone Lock is on, options 04, 05, 06, 08, 09, 12, and 13 will not reset to their defaults.

**Set the Clock**

1. Press **Clock Set** from the Start Menu.
2. Press the **Hours +** and **-** keys and listen to the voice prompts. Stop when panel voice announces the correct hour.
3. Press the **Minutes +** and **-** keys and listen to the voice prompts. Stop when the panel announces the correct minutes.
4. Press **Done**. The panel announces the set time.

**Adding (Learning) Sensors**

These instructions show you how to program sensors, touchpads and other system devices into the panel. The panel recognizes a sensor when you press the sensor program button or tamper switch.

**Note**

The hardwire inputs must have sirens or hardwire sensors with 47k Ohm resistors connected between the DCOUT and HWIN1 or HWIN2 terminals before learning in a sensor. If one of these connections is not made, the panel will learn in a hardwire zone.

**Note**

If you are installing a sensor used with a gun case, jewelry box, or similar usage, and the sensor is active in level one, you must sub-disarm to avoid putting the panel into alarm when the sensor and the magnet are separated.

The following table, "Device Programming," describes the programming button location for each device.

## Device Programming

Device	To Program
Door/Window Sensor	Press button on top of sensor (cover removed) or trip tamper
Motion Sensor	Press button on back of sensor (mounting plate removed)
Keychain Touchpad	Press lock & Unlock buttons
Remote Handheld Touchpad	Press the EMERGENCY buttons
Hardwire Sensors	Separate sensor from magnet
CO Alarm	Plug in the module and within 30 seconds press and hold the test button for 6 beeps
Freeze & Water	Press the button on top of the sensor (cover removed) until the control panel confirms the programming. If the button is not held down long enough, SYSTEM STATUS will report the sensor is open.

The panel uses an ascending numbering sequence (beginning with 1) when adding (learning) sensors. You can override this by entering the desired sensor number using the numbered keys.


Use the Table in Appendix C, which was filled out during the system planning, to help program sensors.

**To add a hardwire or RF sensor or remote control:**

1. Press **Add**. The panel announces "Select from Main Menu."
2. Press **Sensor/Remote**. The panel announces "Press button on sensor."
3. Press the sensor program or tamper button. The panel announces "Keychain Remote. Press sensor again for next name or press Done to select."
4. Press **Sensor/Remote** repeatedly until you hear the name or item you want to use. The order of names the panel uses are listed in Appendix C. Each name may be used more than once.
 

**Note**  
For a more specific location name, press **Option #** for compass directions (north, northeast, east, southeast, south, southwest, west, northwest).
5. Press **DONE** when you hear the desired name. The panel announces "Use numbered keys to enter sensor group."
6. Enter the 2-digit sensor group. The panel announces the first available sensor number and sensor group, then prompts you to press Done to accept.
 

**Note**  
If you wish to use a sensor number other than the next one available, use the numbered keys to enter a 2 digit sensor number immediately after entering the sensor type.
7. Press **DONE**. The panel confirms programming by announcing the sensor number, name, and group.



## Deleting Sensors

### To delete sensors:

1. Press **Delete**. The panel announces "Select from Main Menu."
2. Press **Sensor/Remote** repeatedly until you hear the name you want deleted.
3. Press **DONE**. The panel announces that the sensor is deleted.

## Light, Appliance, and Garage Door Controls

Use the following procedure to program X-10 module operations into panel memory. Notice that the **Light Control** button is used to program **all** X-10 module operations (light, appliance, and universal).

### To program the house code:

1. Press **Add**.
2. Press **Light Control** repeatedly until you hear the desired house code letter.
3. Press **DONE**.
4. Set the HOUSE dial on each lamp, appliance, and universal module, to the same letter.
5. Set the HOUSE dial on powerhorn/remote sirens to the next sequential alphabetical letter.

### To add an entry/exit activated module:

1. Press **ADD**.
2. Press **Light Control**.
3. Press **Unit #** repeatedly until you hear the unit number that matches the one you chose for the module.
4. Press **Entry/Exit Delay**. The panel confirms your programming.

### To add a sensor-activated module:

1. Press **ADD**.
2. Press **Light Control**.
3. Press **Unit #** repeatedly until you hear the unit number that matches the one you chose for the module.
4. Press **Sensors** until you hear the sensor you want to control the light.

#### Note

A Keychain Touchpad button can also be programmed to control a light or appliance module.

5. Press **DONE**. The panel confirms your programming.

### To add a time-activated module:

1. Press **Add**.
2. Press **Light Control**.
3. Press **Unit #** until you hear the unit number that matches the one you chose on the module.
4. Press **Time**.
5. Press **Hours** and **Minutes** to set the beginning of the schedule.
6. Press **DONE**.
7. Press **Hours** and **Minutes** to set the end of the schedule.
8. Press **DONE**. The panel confirms your programming.

### To delete an Entry/Exit-activated module:

1. Press **Delete**.
2. Press **Light Control**.
3. Press **Unit #** repeatedly until you hear the unit number you want deleted.
4. Press **Entry/Exit Delay**. The panel confirms your programming.

### To delete a sensor-activated module:

1. Press **Delete**.
2. Press **Light Control**.
3. Press **Unit #** repeatedly until you hear the unit number you want deleted.
4. Press **Sensors** until you hear the one you want deleted.
5. Press **DONE**. The panel confirms your programming.

### To delete a time-activated module:

1. Press **Delete**.
2. Press **Light Control**.
3. Press **Unit #** repeatedly until you hear the unit number you want deleted.
4. Press **DONE**. The panel confirms your programming.

## Numbered Options

Numbered options let you customize system operation according to dealer and user needs.

The "Numbered Options" table in Appendix B lists all system options and their characteristics. Fill in the last column of the table before programming to help speed up the programming process.

There are two ways to reach the desired option setting.

- Press **Add** or **Delete**, then press **Option #** repeatedly until you hear the option you want changed.

Or—

- Press **Add** or **Delete**, **Option #**, then enter the option number using the numbered keys.

The following instructions use the last method.

#### Note

Although the panel voice prompts you through programming, it is not necessary to wait for the complete message before pressing the next button in the programming sequence.



**Option 01: Panel Piezo Beeps (Default = On)**

Determines whether the panel piezo produces beeps based on system activity (on) or is silent (off). The following table describes all possible beeps.

**Panel Piezo Beeps**

Activity	Piezo Beep Response
ARM Doors & Windows	Exit Delay—2 beeps sound every 5 seconds and 2 times per second during the last 10 seconds.  Silent Exit—2 beeps sound at the beginning of the exit delay and 2 more sound just before the exit delay expires.  Entry Delay—2 beeps sound every 5 seconds and 2 times per second during the last 10 seconds.
ARM Motion Sensors	Exit Delay—3 beeps sound every 5 seconds and 3 times per second during the last 10 seconds.  Silent Exit—3 beeps sound at the beginning of the exit delay and 3 more sound just before the exit delay expires.  Entry Delay—3 beeps sound every 5 seconds and 3 times per second during the last 10 seconds.
ARM Doors/Windows & Motion Sensors	Exit Delay—4 beeps sound every 5 seconds and 4 times per second during the last 10 seconds.  Silent Exit—4 beeps sound at the beginning of the exit delay and 4 more sound just before the exit delay expires.  Entry Delay—4 beeps sound every 5 seconds and 4 times per second during the last 10 seconds.
DISARM	1 beep
CHIME DOORS	2 beeps (when programmed)
CHIME SPECIAL MOTION	3 beeps (when programmed)
Trouble Beeps	6 beeps every minute. Press SYSTEM STATUS to stop beeps for 4 hours.
No Activity	20 beeps every minute for 5 minutes (when programmed)

**To turn on Panel Piezo Beeps, press:**

Add—Option #—01—DONE.

**To turn off Panel Piezo Beeps, press:**

Delete—Option #—01—DONE.

**Note**

For all UL listed systems, Option 1 must be on (added).

**Option 02: Panel Voice (Default = On)**

Determines whether the panel announces all status, alarm, and program mode messages (on), or only announces messages for canceled alarms, open sensors (protesting), when SYSTEM STATUS is pressed, or if the panel is in program mode (off).

**To turn on Panel Voice, press:**

Add—Option #—02—DONE.

**To turn off Panel Voice, press:**

Delete—Option #—02—DONE.

**Option 03: Latchkey (Default = Off)**

Determines whether the panel reports a Latchkey alarm if the system is not disarmed at a preset time between midnight and 11:59 P.M. (on), or if the Latchkey feature is disabled (off).

**Note**

The system clock must be set for the Latchkey feature to work.

**To set Latchkey, press:**

Add—Option #—03—Hours—Minutes—DONE.

**To turn off Latchkey, press:**

Delete—Option #—03—DONE.

**Option 04: Primary Phone Number (Default = none)**

Lets you program up to a 26-digit central monitoring station receiver phone number for monitored systems (on), or delete an existing primary phone number (off).

Press Test for each required pause, Add for a \*, and Delete for a # (each of which uses one of the 26 available places).

**To set Primary Phone Number, press:**

Add—Option #—04—Up to 26 digits—DONE.

**Note**

Pressing DONE is required if you enter fewer than 26 digits. The phone number is automatically stored without pressing DONE if all 26 places are used.

**To delete Primary Phone Number, press:**

Delete—Option #—04—DONE.

**Option 05: Secondary Phone Number (Default = none)**

Lets you program up to a 26-digit central monitoring station receiver/numeric pager phone number for monitored systems (on), or delete an existing secondary phone number (off).

Press Test for each required pause, Add for a \*, and Delete for a # (each of which uses one of the 26 available places).

**Note**

For numeric pagers, add 2 pauses at the end of the number. Some pagers may require 3 or 4 additional pauses to work correctly. Pagers that require the panel to dial more than 26 digits will not work.

The panel calls a numeric pager twice for each report. Silent alarms report to a pager as an intrusion alarm. See the Table "Pager Reporting Messages" for more reporting information.

**To set Secondary Phone Number, press:**

Add—Option #—05—Up to 26 digits—DONE.

**Note**

Pressing DONE is required if you enter fewer than 26 digits. The phone number is automatically stored without pressing DONE if all 26 places are used.

**To delete Secondary Phone Number, press:**

Delete—Option #—05—DONE.

**Option 06: Downloader Phone Number (Default = none)**

Lets you program up to a 26-digit phone number for a computer modem for using ITI ToolBox Downloader (on), or delete an existing phone number (off).

Press Test for each required pause, Add for a \*, and Delete for a # (each of which uses one of the 26 available places).

**To set Downloader Phone Number, press:**

Add—Option #—06—Up to 26 digits—DONE.

**Note**

Pressing DONE is required if you enter fewer than 26 digits. The phone number is automatically stored without pressing DONE if all 26 places are used.

**To delete Downloader Phone Number, press:**

Delete—Option #—06—DONE.

**Option 07: Account Number (Default = 00000)**

Lets you program up to a 10-character alphanumeric account number (on) or delete an existing account number (off).

To enter letters (A - F only), press 9 then the Minutes + button. The panel announces the letter A. Continue pressing the Minutes + button to progress through the alphabet.

**Note**

The CID format only supports account numbers with letters B through F, or numbers 0 through 9 (or a combination of those letters and numbers).

**To set Account Number, press:**

Add—Option #—07—Up to 10 characters—DONE.

**Note**

Pressing DONE is required if you enter fewer than 10 characters. The account number is automatically stored without pressing DONE if 11 characters are entered, of which only the first 10 are stored.

**To delete Account Number, press:**

Delete—Option #—07—DONE.

**Option 08: Phone Lock (Default = off)**

Prevents unauthorized persons from clearing panel memory to change phone/reporting related Options 04, 05, 06, 08, 09, 12, and 13 (on), or allows anyone to clear panel memory and change these option settings (off).

**To turn on Phone Lock, press:**

Add—Option #—08—DONE.

**To turn off Phone Lock, press:**

Delete—Option #—08—DONE.

**Option 09: Downloader Code (Default = 12345)**

Lets you set a unique 5-digit code that is required for initiating ToolBox sessions (on) or sets the code to its default (off).

The code must be 5 digits long and can range from 00000 to 99999. The Downloader Code must match the downloader access code in the ToolBox account to perform ToolBox sessions.

**Note**

The downloader code should always be changed from the default setting to avoid competitor theft.

**To set Downloader Code, press:**

Add—Option #—09—5-digit code—DONE.

**To delete Downloader Code (return to default), press:**

Delete—Option #—09—DONE.

**Option 10: Entry Delay (Default = 030 sec)**

Determines how long Entry Delay beeps sound to alert the user to disarm the system when entering the armed premises through a designated entry/exit door, before an alarm occurs.

When turned on, the Entry Delay can be set from 005-254 seconds (030-254 if SIA Limits Option 69 is on). All entries must be 3 digits. When turned off, the Entry Delay is set to 005 seconds (030 if Option 69: SIA Limits is on).

**Note**

For UL listed systems, the entry delay must not exceed 45 seconds.

**To set Entry Delay, press:**

Add—Option #—10—3-digit delay time—DONE.

**To reset Entry Delay (return to default), press:**

Delete—Option #—10—DONE.

**Option 11: Exit Delay (Default = 060 sec)**

Determines how long Exit Delay beeps sound after arming the system to alert the user to leave the armed premises through a designated entry/exit door, before an alarm occurs.

When turned on, the Exit Delay can be set from 005-254 seconds (045-254 if SIA Limits Option 69 is on). All entries must

be 3 digits. When turned off, the Exit Delay is set to 005 seconds (045 if Option 69: SIA Limits is on).

**Note**

For UL listed systems, the exit delay must not exceed 60 seconds.

**To set Exit Delay, press:**

Add—Option #—11—3-digit delay time—DONE.

**To reset Exit Delay (return to default), press:**

Delete—Option #—11—DONE.

**Option 12: Phone Mod 1 (Default = 0)**

Determines the primary phone number (Option 4) report content and reporting format.

**Note**

UL has only verified reporting compatibility with the ITI CS5000 Digital Alarm Communicator Receiver. For UL listed systems, Phone Mod 1 must be set to 0 or 1.

The following table describes the choices.

**Phone Mod 1**

Setting #	Content	Format
0	All	SIA
1	All	Contact ID
2	Alarms only	SIA
3	Alarms only	Contact ID

Alarms include: Fire, Intrusion, Emergency, Silent, and Alarm Cancels.

Non-alarms include: Latchkey, No Activity, Openings, Closings, Fail to Open, Fail to Close, Force Armed, AC Power Failure, CPU Low Battery, and Trouble Restorals.

**To set Phone Mod 1, press:**

Add—Option #—12—0, 1, 2, or 3—DONE.

**To reset Phone Mod 1 (return to default), press:**

Delete—Option #—12—DONE.

**Option 13: Phone Mod 2 (Default = 00)**

Determines the secondary phone number (Option 5) report content and reporting format. The following table describes the choices. All entries must be 2 digits.

**Phone Mod 2**

Setting #	Content	Format
00	All	SIA
01	All	Contact ID
02	Alarms only	SIA
03	Alarms only	Contact ID
04	Non-Alarms only	SIA
05	Non-Alarms only	Contact ID
06	Phone 1 failure	SIA
07	Phone 1 failure	Contact ID
08	Latchkey, No Activity, Phone Test, Openings, Closings, Fail to Open/Close, AC Power Restorals/ Failures	Pager
09	Same as setting 8 plus Alarms	Pager
10	Alarms only	Voice Event Notification

**To set Phone Mod 2, press:**

Add—Option #—13—0, 1, 2, or 3—DONE.

**To reset Phone Mod 2 (return to default), press:**

Delete—Option #—13—DONE.

**Option 14: DTMF Dialing (Default = on)**

Determines whether the panel uses DTMF (on) or pulse (off) for dialing programmed phone numbers.

**To turn on DTMF Dialing, press:**

Add—Option #—14—DONE.

**To turn off DTMF Dialing, press:**

Delete—Option #—14—DONE.

**Option 15: No Activity Time-out (Default = off)**

Determines whether the panel sends a No Activity report to a central station or pager when the programmed time period elapses (on), or if the feature is disabled (off).

No activity means control panel, remote handheld, and key-chain touchpad buttons have not been pressed and sensors have not been tripped within a specified period of time (except sensors in group 25).

The time-out can be set from 02 - 24 hours. All entries must be 2 digits.

**To set No Activity Time-out, press:**

Add—Option #—15—02 - 24—DONE.

**To turn off No Activity Time-out, press:**

Delete—Option #—15—DONE.

**Option 16: Auto Phone Test (Default = off)**

Determines whether the panel automatically performs a periodic phone test (on) or not (off).

The test interval can be from 001 - 254 days. Entries must be 3 digits. The time of day the panel performs the test is determined by Option 72: Supervisory Time, which must be turned on for this feature to work.

**Note**

For UL 1635 listed systems, Auto Phone Test must be set to 001 days.

**To set Auto Phone Test, press:**

Add—Option #—16—001 - 254—DONE.

**To turn off Auto Phone Test, press:**

Delete—Option #—16—DONE.

**Option 17: Dialer Delay (Default = off)**

Determines whether the panel delays dialing programmed phone numbers before sending reports (on), or if dialing begins immediately (off).

If Option 21: Opening (Disarming) Reports is on, the panel does not delay dialing if the system is disarmed before the delay time expires. The panel dials immediately for both the alarm and opening report.

**Note**

Regardless of this option setting, the panel always dials immediately for alarms from sensors in groups 0-8, 26, and for alarms triggered by the control panel or remote handheld touchpad emergency buttons.

The delay time can be set from 005 - 254 seconds (015 to 045 if Option 69: SIA Limits is on). Entries must be 3 digits.

**Note**

For UL installations, the Dialer Delay must not exceed 45 seconds.

**To set Dialer Delay, press:**

Add—Option #—17—005 - 254—DONE.

**To turn off Dialer Delay, press:**

Delete—Option #—17—DONE.

**Option 18: Alarm Cancel Report (Default = 005 minutes)**

Determines when the panel reports an alarm cancel message to the central station.

If the system is disarmed from an alarm state within the programmed time, the panel sends an alarm cancel message to the central station. An alarm cancel message is not reported if the system is disarmed after the programmed time expires.

The time can be set from 005 - 255 minutes. Entries must be 3 digits. When set to 255, the panel always reports alarm cancel messages. Turning off this option disables alarm cancel reporting.

**To turn on Alarm Cancel Report, press:**

Add—Option #—18—005 - 255—DONE.

**To turn off Alarm Cancel Report, press:**

Delete—Option #—18—DONE.

**Option 19: RF Timeout (Default = 12 hours)**

Determines the time period the panel must receive at least one supervisory signal from learned sensors before identifying a sensor failure and sounding trouble beeps. Any sensor failure is reported immediately and again at the supervisory time (Option 72: Supervisory Time).

The timeout can be set from 02-24 hours. Entries must be 2 digits.

**Note**

Setting this feature to 2 hours (02) may cause false reports. For UL listed systems, RF Timeout shall not exceed 4 hours (04).

**To change RF Timeout, press:**

Add—Option #—19—02 - 24—DONE.

**To reset RF Timeout (return to default), press:**

Delete—Option #—19—DONE.

**Option 20: Manual Phone Test (Default = on)**

Determines whether the user can perform a manual phone test to verify communication to a central station/pager (on), or not (off).

**To turn on Manual Phone Test, press:**

Add—Option #—20—DONE.

**To turn off Manual Phone Test, press:**

Delete—Option #—20—DONE.

**Option 21: Opening Reports (Default = off)**

Determines whether the panel sends opening reports to a central station or pager whenever the system is disarmed (on), or not (off).

**To turn on Opening Reports, press:**

Add—Option #—21—DONE.

**To turn off Opening Reports, press:**

Delete—Option #—21—DONE.

**Option 22: Closing Reports (Default = off)**

Determines whether the panel sends closing reports to a central station or pager whenever the system is armed (on), or not (off).

**To turn on Closing Reports, press:**

Add—Option #—22—DONE.

**To turn off Closing Reports, press:**

Delete—Option #—22—DONE.

**Option 23: Force Armed Report (Default = off)**

Determines whether the panel sends a force armed report to a central station or pager if the user bypasses protesting sensors (indirect bypass) when arming the system (on), or not (off).

**To turn on Force Armed Report, press:**

Add—Option #—23—DONE.

**To turn off Force Armed Report, press:**

Delete—Option #—23—DONE.

**Option 24: AC Power Failure Report (Default = off)**

Determines whether the panel sends AC power failure reports to a central station or pager after the programmed time expires (on), or not (off).

When the panel is without AC power for 30 seconds, the panel LEDs turn off. When the panel is without AC power for the programmed time, an AC power failure is reported. The panel reports an AC power restoral when AC power returns to the panel.

The time can be set from 5-254 minutes. Entries must be 3 digits.

**Note**

For UL listed systems, AC Power Failure must be set to 15 minutes.

**To turn on AC Power Failure Report, press:**

Add—Option #—24—005 - 254—DONE.

**To turn off AC Power Failure Report, press:**

Delete—Option #—24—DONE.

**Option 25: CPU Low Battery Report (Default = on)**

Determines whether the panel sends a low CPU battery report to the central station when the panel backup battery voltage drops below 5.4 volts (on), or not (off).

**Note**

For UL listed systems, CPU Low Battery Report must be on.

**To turn on CPU Low Battery Report, press:**

Add—Option #—25—DONE.

**To turn off CPU Low Battery Report, press:**

Delete—Option #—25—DONE.

**Option 26: Fail to Communicate (Default = on)**

Determines whether the panel and interior sirens sound trouble beeps if it is unable to successfully send a report to a central station or pager (on), or not (off).

**Note**

For UL listed systems, Fail to Communicate must be on.

**To turn on Fail to Communicate, press:**

Add—Option #—26—DONE.

**To turn off Fail to Communicate, press:**

Delete—Option #—26—DONE.

**Option 27: Ring/Hang/Ring (Default = 1)**

Determines when the panel answers a remote phone access or Toolbox call. Depending on whether an answering machine exists at the panel location, off-site access to the panel can be done with a series of phone calls or just one.

The following table shows the available settings.

**Ring/Hang/Ring Settings**

Setting	Control Panel answers after:
1	ring/hang/ring or 10 rings
2	ring/hang/ring/hang/ring or 10 rings
3	ring/hang/ring/hang/ring/hang/ring or 10 rings
4	10 rings
Off	Disabled—no remote (off-site) access

For off-site access where an answering machine does not exist, the user or ToolBox operator simply calls the panel location once and listens for 10 rings. The panel should answer after the tenth ring.

For off-site access where an answering machine exists, the user or ToolBox operator must perform the following steps:

1. Call the panel location.
2. Let the phone ring once, then hang up.

3. Wait at least 10 seconds but not more than 40, then call the panel location again. The panel should answer on the first ring.

If set to 1, perform steps 1 - 3 once.

If set to 2, perform steps 1 - 3 twice.

If set to 3, perform steps 1 - 3 three times.

**To turn on Ring/Hang/Ring, press:**

Add—Option #—27—1, 2, 3, or 4—DONE.

**To turn off Ring/Hang/Ring (disable remote access), press:**

Delete—Option #—27—DONE.

**Option 28: No Delay from Keychain Touchpad (Default = off)**

Determines whether a keychain touchpad arms the system with no delay (on) or not (off).

**Note**

When this feature is on, the system must be disarmed before entering the premises, since it is disabling the Entry Delay.

**To turn on No Delay from Keychain Touchpad, press:**

Add—Option #—28—DONE.

**To turn off No Delay from Keychain Touchpad, press:**

Delete—Option #—28—DONE.

**Option 29: Panel Piezo Alarms (Default = on)**

Determines whether the panel piezo emits alarm sounds (on) or not (off).

**Note**

For UL listed systems, at least one listed external audible signal device shall be used if the internal piezo is disabled.

**To turn on Panel Piezo Alarms, press:**

Add—Option #—29—DONE.

**To turn off Panel Piezo Alarms, press:**

Delete—Option #—29—DONE.

**Option 30: Panel Panic Alarms (Default = on)**

Determines whether the panel panic buttons (police, auxiliary, and fire) activate alarms when pressed (on), or not (off).

**To turn on Panel Panic Alarms, press:**

Add—Option #—30—DONE.

**To turn off Panel Panic Alarms, press:**

Delete—Option #—30—DONE.

**Option 31: Downloader Enable (Default = on)**

Determines whether the panel can be accessed using ToolBox (on), or not (off).

**To turn on Downloader Enable, press:**

Add—Option #—31—DONE.

**To turn off Downloader Enable, press:**

Delete—Option #—31—DONE.

**Option 32: 300 Baud (Default = on)**

Determines whether the baud rate used by the panel for central station or ToolBox communication is 300 bps (on) or 110 bps (off).

**To turn on 300 Baud, press:**

Add—Option #—32—DONE.

**To turn off 300 Baud, press:**

Delete—Option #—32—DONE.

**Option 33: Audio Verification (Default = off)**

Determines whether the system can perform 2-way voice audio sessions with a central station operator (on), or not (off).

**Note**

Panel voice announcements are silenced during audio sessions. If the operator does not terminate the session correctly, panel announcements may not occur for up to 90 seconds after the operator hangs up.

**Note**

The user can perform 2-way voice audio sessions if Option 27: Ring/Hang/Ring is on. To conduct an audio session using remote phone access see the Table "Phone Commands for Remote Access" in the "Testing" section.

**To turn on Audio Verification, press:**

Add—Option #—33—DONE.

**To turn off Audio Verification, press:**

Delete—Option #—33—DONE.

**Option 34: Fail to Open Report (Default = off)**

Determines whether the panel sends a Fail to Open report to a central station or pager if the system has not been disarmed by the programmed time (on), or not (off).

**Note**

System time must be set correctly for this feature to work.

**To turn on Fail to Open Report, press:**

Add—Option #—34—Hours—Minutes—DONE.

**To turn off Fail to Open Report, press:**

Delete—Option #—34—DONE.

**Option 35: Fail to Close Report (Default = off)**

Determines whether the panel sends a Fail to Close report to a central station or pager if the system has not been armed by the programmed time (on), or not (off).

**Note**

System time must be set correctly for this feature to work.

**To turn on Fail to Close Report, press:**

Add—Option #—35—Hours—Minutes—DONE.

**To turn off Fail to Close Report, press:**

Delete—Option #—35—DONE.

**Option 36: Sensor Activated Light Lockout Start Time (Default = off)**

Sets the START time that determines when the panel prevents the sensor activated lights feature from turning on sensor activated lights.

**Note**

System time must be set correctly for this feature to work.

When a time value is set (on) and the sensor activated lights feature is on, the panel prevents sensor activated lights from turning on between the programmed start time (this option) and the programmed stop time (Option 37).

**Note**

Both Options 36 and 37 must have a time programmed for this feature to work correctly.

When both Options 36 and 37 are turned off and the sensor activated lights feature is on, sensor activated lights turn on at all times.

**To set Sensor Activated Light Lockout Start Time, press:**

Add—Option #—36—Hours—Minutes—DONE.

**To turn off Sensor Activated Light Lockout Start Time, press:**

Delete—Option #—36—DONE.

**Option 37: Sensor Activated Light Lockout Stop Time (Default = off)**

Sets the STOP time that determines when the panel prevents the sensor activated lights feature from turning on sensor activated lights.

**Note**

System time must be set correctly for this feature to work.

When a time value is set (on) and the sensor activated lights feature is on, the panel prevents sensor activated lights from turning on between the programmed start time (Option 36) and the programmed stop time (this option).

**Note**

Both Options 36 and 37 must have a time programmed for this feature to work correctly.

When both Options 36 and 37 are turned off and the sensor activated lights feature is on, sensor activated lights turn on at all times.

**To set Sensor Activated Light Lockout Stop Time, press:**

Add—Option #—37—Hours—Minutes—DONE.

**To turn off Sensor Activated Light Lockout Stop Time, press:**

Delete—Option #—37—DONE.

**Option 38: Auto Arm (Default = off)**

Determines how long the system protests (announces open/failed sensors) when attempting to arm with open/failed sensors, before bypassing these sensors and automatically arming the rest of the system.

**Note**

The panel protests an arming attempt when it has not received a restore (close) signal from sensors learned into restore-specific sensor groups. Sensors learned into group 26 (Fire) cannot be bypassed. See "Sensor Group Characteristics" in "Appendix B" to identify sensor groups with restore signal requirements.

When this option is on, the panel announces all open/failed sensors repeatedly for 4 minutes, then automatically bypasses the open sensors and arms the rest of the system.

Pressing the ARM Doors & Windows button a second time (before the 4-minute time expires) bypasses all open sensors and arms the rest of the system. Pressing this button a third time eliminates the entry delay.

**Note**

This option must be turned on for Option 52: Unvacated Premises to work correctly.

**To turn on Auto Arm, press:**

Add—Option #—38—DONE.

When this option is off, the panel announces all open/failed sensors once, then automatically bypasses the open sensors and arms the rest of the system.

**To turn off Auto Arm, press:**

Delete—Option #—38—DONE.

**Option 39: Siren Timeout (Default = 4 min.)**

Determines how long sirens sound alarms if no one is present to cancel the alarm (disarm the system).

The time can be set from 002 - 254 minutes. Entries must be 3 digits. When this feature is turned off, sirens sound alarms until the alarm is canceled (system is disarmed).

**Note**

For UL listed systems, Siren Timeout must be set to at least 4 minutes.

**To set Siren Timeout, press:**

Add—Option #—39—002 - 254—DONE.

**To turn off Siren Timeout, press:**

Delete—Option #—39—DONE.

## Option 40: Trouble Beeps (Default = on)

Determines whether the panel, X-10, and hardwire interior sirens sound six beeps every minute when a trouble condition occurs (on) or not (off). The following conditions cause trouble beeps:

- AC power failure
- Low CPU battery
- Sensor failure (supervisory)
- Sensor trouble (low battery or tripped tamper)
- Fail to communicate
- No Activity timer has timed out. Trouble beeps continue for 5 minutes and if the panel does not see activity, trouble beeps stop and the panel reports the no activity to the central station.

Trouble beeps can be silenced by arming or disarming the system, or by pressing the STATUS button. Trouble beeps resume 4 hours later if the trouble condition is not cleared.

**Note**

For UL listed systems, Trouble Beeps must be on.

**To turn on Trouble Beeps, press:**

Add—Option #—40—DONE.

**To turn off Trouble Beeps, press:**

Delete—Option #—40—DONE.

## Option 41: Chime Voice (Default = off)

Determines whether the panel voice announces the sensor number and name (on) or not (off), when the CHIME Doors or CHIME Special Motion features are on and sensors in groups 10, 13, and 25 are tripped while the system is disarmed.

**To turn on Chime Voice, press:**

Add—Option #—41—DONE.

**To turn off Chime Voice, press:**

Delete—Option #—41—DONE.

## Option 42: Speaker Level (Default = 8)

Sets the volume of voice messages from the panel speaker.

The volume can be set from 1 (lowest) to 8 (highest). Turning off this option returns the setting to the default value.

**To set Speaker Level, press:**

Add—Option #—42—1 - 8—DONE.

**To turn off Speaker Level (return to default), press:**

Delete—Option #—42—DONE.

## Option 43: Numeric Pager/Voice Event Notification Phone Number (Default = off)

Lets you program up to a 26-digit phone number for numeric pager or remote phone reporting (on), or delete an existing phone number (off).

When used to call a numeric pager, a 3-digit code appears on the pager display to identify the report. When used to call a remote phone, a person at the remote phone location can hear system voice alarm announcements. See the “Testing” section for more information.

Press Test for each required pause, Add for a \*, and Delete for a # (each of which uses one of the 26 available places).

**Note**

Some pagers may require 3 or 4 additional pauses after the last digit to work correctly.

**To set Numeric Pager/Voice Event Notification Phone Number, press:**

Add—Option #—43—Up to 26 digits—DONE.

**Note**

Pressing DONE is required if you enter fewer than 26 digits. The phone number is automatically stored without pressing DONE if all 26 places are used.

**To delete Numeric Pager/Voice Event Notification Phone Number, press:**

Delete—Option #—43—DONE.

## Option 44: Numeric Pager/Voice Event Notification Phone Mod 3 (Default = 09)

Determines the report content and reporting format when Option 43: Numeric Pager/Voice Event Notification Phone Number is programmed. The following table describes the choices. All entries must be 2 digits.

**Phone Mod 3**

Setting #	Content	Format
08	Latchkey, No Activity, Phone Test, Openings, Closings, Fail to Open/Close, AC Power Restorals/Failures	Numeric Pager
09	Same as setting 8 plus Alarms	Numeric Pager
10	Alarms only	Voice Event Notification

**To set Numeric Pager/Voice Event Notification Phone Mod 3, press:**

Add—Option #—44—08, 09, or 10—DONE.

**To reset Numeric Pager/Voice Event Notification Phone Mod 3 (return to default), press:**

Delete—Option #—44—DONE.



**Option 45: Sensor Alarm Restoral Report (Default = off)**

Determines whether the panel reports sensor alarm restorals (on), or not (off). The following table describes the possible settings.

**Sensor Alarm Restoral Settings**

Setting	When Restorals are Reported
Off	No restoral reporting
1	Immediately after sensor is closed or restored
2	After siren timeout expires
3	When system is disarmed

**To turn on Sensor Alarm Restoral Report, press:**

Add—Option #—45—1, 2, or 3—DONE.

**To turn off Sensor Alarm Restoral Report, press:**

Delete—Option #—45—DONE.

**Option 46: Fire Shutdown - AVM (Default = off)**

Determines whether system sirens are silenced during a 2-way audio session (on) or not (off). Beeps sound every 10 seconds while sirens are silenced.

**To turn on Fire Shutdown - AVM, press:**

Add—Option #—46—DONE.

**To turn off Fire Shutdown - AVM, press:**

Delete—Option #—46—DONE.

**Option 47: AVM Mode (Default = off)**

Determines whether the panel hangs up and waits for a callback from the central station operator before starting an audio session (on), or stays on line with the central station for an instant audio session (off).

**Note**

Option 33: Audio Verification must be on for this feature to work.

**To set AVM Mode to Callback, press:**

Add—Option #—47—DONE.

**To set AVM Mode to Instant, press:**

Delete—Option #—47—DONE.

**Option 48: Panic Talk - AVM (Default = off)**

Determines whether the central station operator can talk to the user during a silent alarm (on) or just listen in on the premises (off).

Silent alarms occur when sensors learned into groups 02 or 03 are tripped, when the Panic Code is entered, or when the panel Police button is pressed and Option 74: Silent Panel Police Panic is turned on.

**To turn on Panic Talk - AVM, press:**

Add—Option #—48—DONE.

**To turn off Panic Talk - AVM, press:**

Delete—Option #—48—DONE.

**Option 49: Arming LEDs Shutdown (Default = off)**

Determines whether the panel LEDs (buttons) turn off 30 seconds after the last button press (on), or remain on for the entire arming period (off).

**To turn on Arming LEDs Shutdown, press:**

Add—Option #—49—DONE.

**To turn off Arming LEDs Shutdown, press:**

Delete—Option #—49—DONE.

**Option 50: RF Jam Detect (Default = off)**

Determines whether the panel checks for and reports RF interference/jam to the central station (on), or not (off).

If this option is on and the panel receives a constant 319.5 MHz signal, the panel speaker announces “Option 50 detected” and reports the condition to the central station. If this option is off, the panel does not detect an RF jam.

**Note**

For UL listed systems, RF Jam Detect must be on.

**To turn on Arming LEDs Shutdown, press:**

Add—Option #—50—DONE.

**To turn off Arming LEDs Shutdown, press:**

Delete—Option #—50—DONE.

**Option 51: 24 Hour Tamper (Default = off)**

Determines whether the system (armed or disarmed) goes into and reports an alarm anytime a tamper switch is tripped (on), or only when the system is armed and a tamper switch of an armed sensor is tripped (off).

**To turn on 24 Hour Tamper, press:**

Add—Option #—51—DONE.

**To turn off 24 Hour Tamper, press:**

Delete—Option #—51—DONE.

**Option 52: Unvacated Premises (Default = on)**

Determines whether the system automatically arms down to level 2 (ARM Doors & Windows) if the user arms the system to a higher level without leaving the premises (on), or remains at the armed level chosen by the user (off).

If this option is turned on and the user arms to level 3 (ARM Motion Sensors) or 4 (ARM Doors & Windows, + ARM Motion Sensors) but does not exit the premises within the Exit Delay time, the panel automatically changes to arming level 2.

**Note**

Option 38: Auto Arm must be on for this feature to work.

**To turn on Unvacated Premises, press:**

Add—Option #—52—DONE.

**To turn off Unvacated Premises, press:**

Delete—Option #—52—DONE.

**Option 53: Hardwire Siren Supervision (Default = off)**

Determines whether the panel monitors hardwired sirens for open or shorted conditions (on), or not (off).

If this option is turned on, sirens connected to the panel terminals require an EOL resistor in the wire circuit (see “Installing the System” for siren supervision wiring). If this option is turned off, EOL resistors are not required whether sirens are connected or not.

**Note**

For UL listed systems, Hardwire Siren Supervision must be on and EOL resistors installed.

**To turn on Hardwire Siren Supervision, press:**

Add—Option #—53—DONE.

**To turn off Hardwire Siren Supervision, press:**

Delete—Option #—53—DONE.

**Option 54: Access Code Length (Default = 4)**

Determines how many digits are in all access codes.

Turning on this option lets you set the access code length to 3, 4, 5, or 6 digits. Turning off this option resets the access code length to the default setting, resets Master, Utility 1, and Utility access codes.

Read the following before changing this option.

- This option affects all system access codes (Master, Utility 1, Utility 2, Panic, and User).
- Changing the access code length changes the Master, Utility 1, and Utility 2 access codes to their respective defaults as described in the following table.

**Access Code Length Defaults**

Setting	Default Code
3	Master—123 Utility 1—321 Utility 2—321
4	Master—1234 Utility 1—4321 Utility 2—4321
5	Master—12345 Utility 1—54321 Utility 2—54321
6	Master—123456 Utility 1—654321 Utility 2—654321

- Changing the access code length clears any User Codes that were previously programmed.
- If the customer wants the Access Code Length changed, it should be set before programming any new (unprogrammed) access codes, whenever possible.

**To change Access Code Length, press:**

Add—Option #—54—3, 4, 5, or 6—DONE.

**To reset Access Code Length (to default), press:**

Delete—Option #—54—DONE.

**Option 55: Status Beep Volume (Default = 07)**

Determines the panel piezo volume level for status sounds such as arming, trouble, and status beeps.

The volume can be set from 1 (lowest) to 10 (highest). Turning off this option resets the volume to the default setting. Entries must be 2 digits.

**To set Status Beep Volume, press:**

Add—Option #—55—01 - 10—DONE.

**To reset Status Beep Volume (return to default), press:**

Delete—Option #—55—DONE.

**Option 56: Call Waiting (Default = off)**

Lets you program up to a 26-digit number or code that disables call waiting or any other phone service before dialing central station or pager phone numbers (on). When this option is turned off, the panel dials only the central station or pager phone numbers.

Press Test for each required pause, Add for a \*, and Delete for a # (each of which uses one of the 26 available places).

**To program Call Waiting, press:**

Add—Option #—56—Up to 26 digits—DONE.

**Note**

Pressing DONE is required if you enter fewer than 26 digits. The phone number is automatically stored without pressing DONE if all 26 places are used.

**To delete Call Waiting, press:**

Delete—Option #—56—DONE.

**Option 57: Supervisory/Tamper Report (Default = off)**

Determines whether the panel sends supervisory reports to a central station or pager as a tamper (on) or a supervisory (off).

**Note**

This option is typically used only in Europe where a supervisory condition is required to report as a tamper.

**To report supervisories as Tamper Reports, press:**

Add—Option #—57—DONE.

**To report supervisories as Supervisory Reports, press:**

Delete—Option #—57—DONE.

**Option 58: Remote Touchpad Arming (Default = off)**

Determines whether wireless touchpads (keychain and remote) can disarm the system only after the entry delay starts (on) or anytime during the armed period (off).

**To turn on Remote Touchpad Arming, press:**

Add—Option #—57—DONE.

**To turn off Remote Touchpad Arming, press:**

Delete—Option #—57—DONE.

**Option 59: Exit Extension**

Determines whether the panel restarts the exit delay time if the user enters the armed premises during the initial exit delay period (on), or not (off).

Turning on this feature allows users to re-enter after arming, without disarming and then re-arming the system. Turning off this feature requires the user to disarm and re-arm the system.

**Note**

For UL listed systems, Exit Extension must be off.

**To turn on Exit Extension, press:**

Add—Option #—59—DONE.

**To turn off Exit Extension, press:**

Delete—Option #—59—DONE.

**Option 60: Secure Arming (Default = off)**

Determines whether an access code is required when arming the system (on) or not (off).

This option does not affect keychain touchpad arm/disarm operation.

**To turn on Secure Arming, press:**

Add—Option #—60—DONE.

**To turn off Secure Arming, press:**

Delete—Option #—60—DONE.

**Option 61: Demo Mode (Default = off)**

Determines whether the panel operates as a demonstration model (on) or a standard panel (off).

Turning on this feature disables low battery supervision and allows the microphone to remain on continuously during an AVM session.

**To turn on Demo Mode, press:**

Add—Option #—61—DONE.

**To turn off Demo Mode, press:**

Delete—Option #—61—DONE.

**Option 62: Supervisory Protest (Default = off)**

Determines whether the panel protests arming if it has not received a supervisory signal from any sensor 15 minutes before arming (on) or not (off).

**Note**

This feature must be turned on for European installations, but turned off for U.S. installations.

**To turn on Supervisory Protest, press:**

Add—Option #—62—DONE.

**To turn off Supervisory Protest, press:**

Delete—Option #—62—DONE.

**Option 63: 24 Hour Time (Default = off)**

Determines whether the panel uses a 24-hour clock (on) or 12-hour clock (off).

**To turn on 24 Hour Time, press:**

Add—Option #—63—DONE.

**To turn off 24 Hour Time, press:**

Delete—Option #—63—DONE.

## **Option 64: No Arm on Panel Low Battery (Default = off)**

Determines whether the system prevents users from arming if a low CPU battery trouble condition exists (on) or not (off).

**To turn on No Arm on Panel Low Battery, press:**

Add—Option #—64—DONE.

**To turn off No Arm on Panel Low Battery, press:**

Delete—Option #—64—DONE.

## **Option 65: No Usage Report (Default = off)**

Determines whether the panel sends a No Usage report to the central station if the user has not operated the system before the programmed time expires (on) or not (off). The timer starts each time the system is disarmed.

This is a customer service feature that alerts the central station if a customer is not using their security system. The service provider can then contact the customer to find out why the system is not being used, and help correct any problems for the customer.

The time can be set from 001 to 254 days. Entries must be 3 digits.

**To turn on No Usage Report, press:**

Add—Option #—65—001 - 254—DONE.

**To turn off No Usage Report, press:**

Delete—Option #—65—DONE.

## **Option 66: External Siren Delay (Default = off)**

Determines whether external siren activation is delayed 30 seconds after an alarm activation (on), or if external siren activation is immediate upon alarm activation (off).

**To turn on External Siren Delay, press:**

Add—Option #—66—DONE.

**To turn off External Siren Delay, press:**

Delete—Option #—66—DONE.

## **Option 67: Quick Exit (Default = off)**

Determines whether pressing the disarm button when the system is armed activates the exit delay time to allow exit and re-entry without disarming the system (on) or not (off).

This feature is useful if the user wants to step outside briefly and return, such as to get the paper. If the system is armed and the user presses the Disarm button, the panel announces “Exit time on” and sounds exit delay beeps. This allows a designated entry/exit door to be open for up to 2 minutes without causing an alarm. When the door is closed, the beeps stop and the door is armed again.

**Note**

For UL listed systems, Quick Exit must be off.

**To turn on Quick Exit, press:**

Add—Option #—67—DONE.

**To turn off Quick Exit, press:**

Delete—Option #—67—DONE.

## **Option 68: Swinger Shutdown (Default = on)**

Determines whether the panel prevents the same sensor from activating an alarm more than once in a single arming period (on) or not (off).

**Note**

Swinger Shutdown does not affect smoke and fire sensors.

**To turn on Swinger Shutdown, press:**

Add—Option #—68—DONE.

**To turn off Swinger Shutdown, press:**

Delete—Option #—68—DONE.

## **Option 69: SIA Limits (Default = on)**

Determines whether Entry, Exit, and Dialer delay times fall within SIA limits (on) or factory ranges (off).

The following table shows the available settings when this option is on or off.

**SIA Limits**

Affected Option	SIA Limits (Option 69 on)	Factory Ranges (Option 69 off)
Option 10: Entry Delay	030-254 seconds	005-254 seconds
Option: 11 Exit Delay	045-254 seconds	005-254 seconds
Option: 17 Dialer Delay	015-045 seconds	005-045 seconds

**To turn on SIA Limits, press:**

Add—Option #—69—DONE.

**To turn off SIA Limits, press:**

Delete—Option #—69—DONE.

**Option 70: Line Cut Detection (Default = off)**

Determines whether the panel detects and indicates a phone line failure trouble condition before the programmed time expires (on) or not at all (off).

**Note**

The hardware required to use this option is not included with all panels. Ask your supplier for details.

**Important!**

**This option will only work correctly if the panel phone line is wired for line seizure!** If the panel is wired in parallel with the phone line and this option is on, the panel detects a "line cut" whenever the phone is in use.

The range is 02-48 in 5 second increments, with 02 being a 10 second delay and 48 being a 240 second delay.

**To turn on Line Cut Detection, press:**

Add—Option #—70—02 - 48—DONE.

**To turn off Line Cut Detection, press:**

Delete—Option #—70—DONE.

**Option 71: Programming Report (Default = off)**

Determines whether the panel sends a report to the central station anytime the programming mode is entered/exited (on) or not at all (off).

The panel sends a report whenever the dealer (Utility 1) or installer (Utility 2) code is used to enter programming mode and another report is sent when the programming session ends (when the cover is closed).

**To turn on Programming Report, press:**

Add—Option #—71—DONE.

**To turn off Programming Report, press:**

Delete—Option #—71—DONE.

**Option 72: Supervisory Time (Default = 12:00am)**

Determines when the panel reports supervisory conditions (sensor failures) and automatic phone tests to the central station.

**Note**

This option must be set to the correct time for Option 16: Auto Phone Test to work correctly.

**To set Supervisory Time, press:**

Add—Option #—72—Hours—Minutes—DONE.

**To reset Supervisory Time (return to default), press:**

Delete—Option #—71—DONE.

**Option 73: Modem Sensitivity (Default = off)**

Determines whether the modem sensitivity is set to normal (off) or high (on).

**Note**

This feature should be used only if the panel experiences consistent trouble reporting to the central station. Otherwise, leave this option off.

**To turn on Modem Sensitivity, press:**

Add—Option #—73—DONE.

**To turn off Modem Sensitivity, press:**

Delete—Option #—73—DONE.

**Option 74: Silent Panel Police Panic (Default = off)**

This option determines whether pressing the panel police panic button causes an audible (off) or silent (on) alarm.

**Note**

For UL Listed systems, this option must be off (audible).

**To turn on Silent Panel Police Panic, press:**

Add—Option #—74—DONE.

**To turn off Silent Panel Police Panic, press:**

Delete—Option #—74—DONE.

**Option 75: VOX Mic Gain (Default = 14)**

Sets the mic gain (sensitivity) that triggers the voice-activated switching (VOX).

Room size, acoustics, and furnishings where the panel or Interrogator 200 are located will influence the setting. The available settings are 01 (low) - 64 (high). Entries must be 2 digits.

For panels with a built-in microphone, a setting of 14 is recommended. For systems using the Interrogator 200, a setting of 7 should be used.

**To set VOX Mic Gain, press:**

Add—Option #—75—01 - 64—DONE.

**To reset Vox Mic Gain (return to default), press:**

Delete—Option #—75—DONE.

**Option 76: VOX Gain Range (Default = 64)****Note**

This option works in conjunction with Option 75: VOX Mic Gain. It is important to follow the setting recommendations as described to achieve acceptable operation.

Sets the gain range for the voice-activated switching (VOX).

The available settings are 01 (low) - 64 (high). Entries must be 2 digits.

For best results, this option should be set equal to or greater than Option 75: VOX Mic Gain. For panels with a built-in microphone, this option should be set to the default value.

**To set VOX Gain Range, press:**

Add—Option #—76—01 - 64—DONE.

**To reset VOX Gain Range (return to default), press:**

Delete—Option #—76—DONE.

**Option 77: Manual Mic Gain (Default = 64)**

Determines the gain level (sensitivity) during 2-way audio sessions, when Option 33: Audio Verification is set to 0 or 1 (Speak).

Room size, acoustics, and furnishings where the panel or Interrogator 200 are located will influence the setting. The available settings are 01 (low) - 64 (high). Entries must be 2 digits.

For panels with a built-in microphone, a setting of 64 is recommended. For systems using the Interrogator 200, a setting of 20 should be used.

**To set Manual Mic Gain, press:**

Add—Option #—77—01 - 64—DONE.

**To reset Manual Mic Gain (return to default), press:**

Delete—Option #—77—DONE.

**Option 78: VOX Receiver Gain (Default = 6)**

Determines the receiver gain level during 2-way audio sessions.

If the VOX is switching the speaker on when the central station operator is not talking, lower both this setting and Option 75: VOX Mic Gain setting. If the VOX is not switching the speaker on when the central station operator is talking, raise this setting and lower Option 75: VOX Mic Gain setting.

**Note**

Changing this setting does not affect speaker volume.

This option can be set from 01 - 10. Entries must be 2 digits.

**To set VOX Receiver Gain, press:**

Add—Option #—78—1 - 10—DONE.

**To reset VOX Receiver Gain (return to default), press:**

Delete—Option #—78—DONE.

**Programming System Access Codes****Master Access Code**

Depending upon how Option 54 is set, the default Master Access Code is 123456, 12345, 1234 (factory default), or 123. This code is used to: disarm the panel, subdisarm the panel, program light control, set the system clock, program the master code, program access codes 1-5, program the panic code, perform a sensor or phone test, and program options 1, 2, 3, 31, 36, 37, 41, 42, 43, and 55.

**Access Codes (1 - 5)**

The panel can have up to 5 secondary user access codes. These could be used by children, a baby sitter, or a service person to disarm (or arm if Option 60 is on). These codes cannot be used for programming.

**Panic Code**

The Panic Code is able to disarm or subdisarm the panel and send a silent alarm to the Central Station. There will be no indication of an alarm at the panel.

**To add a code:**

1. Press **Add**.
2. Press **Access Code** button. Continue pressing this button until you hear the access code to be changed.
3. Press **DONE**.
4. Enter the new access code by using the numbered keys. The panel announces the new code.

**To delete a code:**

1. Press **Delete**.
2. Press **Access Code**. Continue pressing this button until you hear the access code to be deleted.
3. Press **DONE**. The panel announces the code is deleted.

## Testing the System

This section describes how to perform the following test procedures:

- Control Panel
- Testing sensors
- Testing phone communication
- Testing central station communications
- Testing the X-10 Lamp Modules

You should test the system after installing, after servicing, and after adding or removing devices from the system.

### Control Panel

Test the Control Panel by pressing the buttons as described below.

- ARM Doors & Windows-The panel arms Doors & Windows. Press twice to eliminate the programmed entry delay. The button will blink when No Entry Delay is on.
- ARM Motion Sensors-The panel will arm Motion Sensors. Press twice to turn Latchkey on. The button blinks when Latchkey is on.
- DISARM -The panel will prompt you to enter an access code. Enter the appropriate code and the panel will disarm Doors, Windows, and Motion Sensors.

#### Arming Levels

Arming Level	Description of Level
0	Bypasses 24 hour intrusion sensors (Master Access Code Only)
1	Disarm the system
2	Arm Doors and Windows
3	Arm Motions
4	Arm Doors, Windows, and Motions

- Two beeps verify that Door/Window sensors are armed.
- One beep indicates the system is disarmed
- Three beeps verify that Motion Sensors are armed.
- Four beeps verify that both Door/Window and Motion sensors are armed.
- SYSTEM STATUS-Press to determine system status and system time.
- CHIME Doors-Press to enable two beeps that will sound from the interior siren output, the panel siren, and the X-10 powerhorn siren (if set to unit number 9) when a protected door or window learned into sensor group 10 or 13 is opened.
- CHIME Special Motion- Press to enable three beeps that will sound from the interior siren output, the panel siren, and the X-10 powerhorn siren (if set to unit number 9) when a Motion Sensor that is programmed as sensor type 25 is activated. If there are no sensors learned into sensor group 25, this function will not be available. The control panel will also announce which sensor was tripped if chime voice (option 41) is on.
- LIGHTS Time Activated-Press to enable system controlled lights to turn on/off at a scheduled time.
- LIGHTS Sensor Activated-Press to enable system con-

trolled lights to turn on for 4 minutes when a specific sensor is tripped.

- AUX, POLICE, FIRE-Press and hold or press twice quickly to activate a non-medical, police, or fire emergency alarm

### Testing Sensors

We recommend that you test the sensors after all programming is completed and whenever a sensor-related problem occurs.

#### Note

While the sensor test is a valuable installation and service tool, it only tests sensor operation for the current conditions. You should perform a sensor test after any change in environment, equipment, or programming.

1. Place all sensors in their secured (non-alarm) state.
2. Open the panel cover.
3. Enter the appropriate access code.
4. Press **Test**.

The panel responds with *Sensor test, press again to change or DONE to select*.

5. Press **DONE**.

The panel will prompt you to trip each sensor one at a time. You may follow the panel voice prompting or test the sensors in any order. Use the "Sensor Tripping Instructions" table on the next page to trip sensors.

### Sensor Tripping Instructions

Sensor	Do This
Door/Window	Open the secured door or window
Freeze	Apply ice to the sensor. Do not allow the sensor to get wet
Water	Press a wet rag or wet finger over both of the round, gold-plated terminals on the underside of the sensor
Carbon Monoxide Alarm	Unplug the CO Alarm. Plug it back in, then press the TEST/RESET button until the unit beeps 8 times
Glass Guard	Tap the glass 3 or 4 inches from the sensor
Motion Sensor	Avoid the Motion Sensor field of view for 5 minutes, then enter its view
Rate-of-Rise Heat Detector	Rub your hands together until warm, then place one hand on the detector for 30 seconds
Shock	Tap the glass twice, away from the sensor. Wait at least 30 seconds before testing again
Smoke	Press and hold the test button until the system sounds transmission beeps
Panic Buttons	Press and hold the appropriate panic button(s) for 3 seconds
KeyChain Touchpad	Press and hold LOCK and UNLOCK simultaneously for 3 seconds
Remote Handheld Touchpad	Press and hold the 2 EMERGENCY buttons simultaneously for 3 seconds

6. Interior sirens and speakers sound transmission beeps as each sensor is tripped. Each beep represents one RF packet. **Count the number of beeps** and refer to the “Minimum Beeps” table for minimum requirements. After the beeps, the panel announces, *Sensor Name is activated, sensor status is XX* (XX = number of RF packets). The system will continue to prompt for sensors that have not yet been tested. When all sensors have been tested the panel will announce, *Sensor test complete, press DONE*.

#### Note

If a sensor does not meet the minimum transmission beep requirements, refer to the “If a Sensor Fails the Sensor Test” section of this manual

### Minimum Beeps

Type of Sensor	Number of Beeps
Wireless Intrusion Sensors	7–8 beeps
Wireless Smoke & Heat Sensors	7–8 beeps
Wireless Environmental/Panic Buttons	7–8 beeps
Hardwire Loops	1
Emergency Buttons (Remote Handheld Touchpads only)	7-8 beeps

7. Press **DONE**. The panel announces, *Sensor Test OK*.
8. If **Cancel** or **DONE** is pressed and the panel has not heard from all sensors, the panel will respond, *Sensor test canceled or failure*.

### Improving Sensor/Panel Communication

#### Antenna

The panel antenna can be put into the wall to increase the panel RF range.

#### CAUTION!

Do not do this for installations that require antenna tamper for external antennas.

#### If a Sensor Fails the Sensor Test

If sirens do not beep when a sensor is tripped, use an ITI RF Sniffer (60-401) test tool to verify that the sensor is transmitting. Constant beeps from the RF Sniffer indicate a runaway (faulty) sensor. Replace the sensor.

If possible, locate sensors within 100 feet of the panel. While a sensor may have a range of 500 feet or more out in the open, the environment at the installation site can have a significant effect on transmitter range. A change in sensor location may help overcome adverse wireless conditions and can be accomplished by the following:

- reposition the sensor
- relocate the sensor
- if necessary, replace the sensor

#### To reposition a sensor

1. Rotate the sensor and test for improved sensor communication at 90 and 180 degrees from the original position.
2. If poor communication persists, relocate the sensor.

#### To relocate a sensor

1. Test the sensor a few inches from the original position.
2. Increase the distance from the original position and retest until an acceptable location is found.
3. Mount the sensor in the new location.



- If no location is acceptable, replace the sensor.

#### To replace a sensor

- Test a known good sensor at the same location.
- If the transmission beeps remain below the minimum level, avoid mounting a sensor at that location.
- If the known-good sensor functions, contact ITI for repair or replacement of the problem sensor.

### Phone Communication

Perform a phone test to check the phone communication between the panel and the central station.

#### To perform a phone test or Downloader (DL) phone test

- Open the panel cover.
- Enter the appropriate access code.
- Press **Test** twice to perform a phone test

#### OR

Press **Test** three times to perform a DL phone test.

- Press **DONE**. The panel confirms that a phone test or downloader phone test has begun. When the phone test is complete, the panel will announce *Phone Test is OK* within 3 minutes. The panel will say *Phone test is on* three times if you have a pager. Your pager will display 101 101 if the phone test to the pager was successful.

If the test is unsuccessful, the **SYSTEM STATUS** button will light and the panel will say *Phone communication failure* within 10 minutes.

If the panel announces *Phone communication failure*, proceed to the following instructions.

#### If the phone test fails

- Check that the panel is connected to the phone jack.
- Check the phone number programmed into the panel.
- Perform the phone test again.
- If the phone test fails again, check the phone connection wiring.

### Testing Off-Site Phone Operation

Test the system from a remote phone using the commands in the following table.

#### Remote Phone Operation

System Function	Phone Command
DISARM	* + CODE + 1
ARM Doors/Windows	* + CODE + 2
ARM Motion Sensors	* + CODE + 3
ARM Doors/Windows with No Entry Delay	* + CODE + 2 + 2
ARM Motion Sensors with Latchkey	* + CODE + 3 + 3
ARM Doors/Windows and Motion Sensors	* + CODE + 2 + 3
ARM Doors/Windows with No Entry Delay and Motion Sensors with Latchkey	* + CODE + 2 + 2 + 3 + 3
Toggle Lights	* + CODE + 0
System Status	* + CODE + # + 1
Audio Verification	* + CODE + 5 + X (X = a command from Audio Verification Set)
Terminate Session	* + CODE + 9

### Central Station Communication

After performing sensor and phone tests, check that the system is reporting alarms successfully to the central station.

#### To test communication with the central station:

- Call the central station and tell the operator that you will be testing the system.
- Arm the system.
- Test each of the wireless panic buttons and trip at least one sensor of each type (fire, intrusion, etc.) to verify that the appropriate alarms are working correctly.
- When you finish testing the system, call the central station to verify that the alarms were received.

#### User Codes for Opening and Closing Reports

Arm or Disarm from:	Reports as User:
Panel or Remote Handheld Touchpad	0
Keychain Touchpad	1-24 (sensor number)
Master Code	30
Access Codes 1-5	31-35
Panic Code	36

## Pager Communication

Use the following table to determine what the numeric message is reporting.

**Pager Reporting Message**

Reports	Numeric Message
Phone Test	-101 -101
AC Power Restoral	-102 -102
AC Power Failure	-103 -103
Latchkey	-104 -104
No Activity	-105 -105
Panic Code	-106 -106
Emergency	-107 -107
Intrusion	-108 -108
Fire	-109 -109
Openings	-110 -110
Closings	-111 -111
Fail to Open	-112 -112
Fail to Close	-113 -113

## Testing 2-Way Voice Operation

To initiate an audio session, the central station operator must perform the following steps:

1. After the panel has completed reporting the alarm, pick up the CS phone and press the **\*** button to start the audio session.
2. Press 1 or 0 to speak, 2 for VOX operation, and 3 or 6 to listen.
3. Press 99 to terminate the session.

### Note

Panel voice announcements are silenced during AVM sessions. If the operator does not terminate the session correctly, panel announcements may not occur for up to 90 seconds after the operator hangs up.

### Note

To conduct an audio session using remote phone access see the Table "Phone Commands for Remote Access" in the "Testing" section.

**Audio Verification Set**

Phone Button(s)	Function
0-1	Speak
2	VOX operation
3 or 6	Listen
7	Extend session for 90 more seconds
88	Terminates session with call back (the panel answers on the first ring if called within 5 minutes)
99	Terminates session with no call back

## X-10 Lamp Modules

Use the to determine the full extent of module testing to be accomplished.

### To test the system controlled lamp modules:

1. Press the **LIGHT** button on the Key Chain Touchpad repeatedly to turn all lights on and off. The panel responds with *Lights on/off*.
2. Press the **Lights On** button and the **unit #** of the lamp module using the numeric buttons on the Remote Handheld Touchpad to test individual lamp modules, the panel will respond with *Lights # on/off*.

## Siren and X-10 Lamp Module Functions

All sirens will time out in the programmed siren time-out (Option 39, 1-254 minutes). Siren priority is as follows:

1. Fire (highest priority)
2. Intrusion
3. Emergency

If an alarm of greater priority occurs during an alarm of lower priority, the greater priority alarm sirens sound. Fire alarms will sound a temporal 3 pattern. Temporal 3 is 0.5 seconds on, 0.5 seconds off for 3 beeps then 1.5 seconds off.

### Note

The X-10 must be set to unit #9 to "hear" emergency alarm beeps.

**Alarm Siren and X-10 Light Information**


	Fire	Intrusion	Emergency
X-10 Lights	Steady	Flashing	Steady
X-10 Siren	Steady	Steady	Alarm beeps
Interior & Panel Siren	Temporal 3	Steady	Fast on/off
Exterior Siren	Temporal 3	Steady	

**Emergency Planning**

**Emergency Planning Floor Plan**

Use the following guidelines when drawing an emergency floor plan for the homeowner:

- Show all building levels.
- Show exits from each room (2 exits per room are recommended).
- Show the locations of all security system components.
- Show the locations of any fire extinguishers.



**NOTE:** Ceiling-mounted smoke detectors should be located in the center of the room or hall, or not less than 4 inches from the wall. When the detector is mounted on the wall, the top of the detector should be 4 to 12 inches from the ceiling.

**NOTE:** Do not install smoke detectors where normal ambient temperatures are above 100°F or below 40°F. Also, do not locate detectors in front of AC/ Heat registers or other locations where normal air circulation will keep smoke from entering the detector.

**NOTE:** Additional information on household fire warning is available at nominal cost from: The National Fire Protection Association, Batterymarch Park, Quincy, MA 02269. Request Standard No. NFPA74.

- Required smoke detector
- ⊕ Heat detector
- ⊗ Indicates smoke detector is optional if door is not provided between basement and recreation rooms.

8557144a

**Figure 13.**Diagram of smoke detector locations.

## Appendix A: Troubleshooting

Use the following table to aid you with troubleshooting problems during installation.

### System Status

How to clear SYSTEM STATUS (Alarm Memory)

From a disarmed state press SYSTEM STATUS, listen to the status message, then press DISARM.

Panel announces *Siren 1 failure or Siren 2 failure*.

- Turn option 53 off if a hardwire siren or sensor is not connected.
- Check for the correct end-of-line resistor at Hardwire inputs 1 and 2. See.

Panel announces *Low Battery*.

- If the control panel has just been plugged in, the control panel will indicate a low battery until the battery is fully charged (up to 24 hours).

Panel announces *Option 50 Detected*.

- Option 50 is RF jam detect. The control panel has detected RF interference.

Panel announces that a sensor is open.

- See Sensors section below.

Panel announces *System time is not set*.

- Set the system time.

### Control Panel

Panel announces *Function not available* when Chime Doors is pressed.

- No sensors are programmed using sensor type 10 or 13.

Panel announces *Function not available* when Chime Special Motion is pressed.

- No sensors are programmed using sensor type 25.

Panel announces *Function not available* when LIGHTS Time Activated is pressed.

- No time activated lights have been programmed.

Panel announces *Function not available* when LIGHTS Sensor Activated is pressed.

- No sensor activated lights have been programmed.

Panel announces *Invalid. Sensor already programmed as Sensor Name*.

- This sensor is already programmed. Delete sensor if not correctly programmed.

### Options (Programmable by the homeowner)

Panel does not beep.

- Turn on (add) Option 1.

Latchkey does not function.

- Latchkey time (option 3) is not set. Set Latchkey time.
- Latchkey is not enabled. Enable Latchkey by pressing ARM Motion Sensors twice.
- The phone number is not programmed properly. Reprogram the phone number. (option 43)

- System Time is not set. Set system time.

### Sensors

A sensor does not work.

- Make sure the battery is fresh and installed correctly.
- Check for interference from metal objects. Move or rotate the sensor.
- Move the sensor to a new location.

Door or window is closed, but the panel announces it is open.

- Be certain the arrow on the magnet and the guide line on the transmitter are aligned and within 1/4 inch of each other.
- The sensor tamper switch may be open (cover off) if it is a crystal sensor.

Motion sensors go off continuously.

- Be sure the sensor is mounted on a solid surface and the viewing field is free from sources of changing temperature.

Motion sensor does not respond to motion.

- Make sure the sensor battery is fresh and installed correctly. Wait 2 minutes after installing a new battery to test the sensor.
- Adjust the sensor mounting.
- Leave the area for 3 minutes, then retest.
- The environment is too hot or too cold. Outdoor sensors will operate between 32° and 120°F.
- Dirt or dust may be causing the problem. Wipe the sensor with a clean, damp cloth.

### X-10 Modules

All Lamp Modules or Siren not working.

- Be sure the panel transformer is plugged directly into an outlet and that the outlet is not controlled by a wall switch.
- The transformer may not work. Try a known-good transformer.
- House code was programmed incorrectly.

One Lamp Module or Siren is not working.

- Unplug nearby equipment that may be causing interference (light dimmer switches, televisions, appliances with older motors).
- Check that the switch on the lamp or appliance is turned on and remains on.
- Make sure the lamp has a working bulb.
- Make sure the lamp or appliance is plugged into the Lamp/Appliance Module, the Module is plugged into the outlet and the outlet is not controlled by a wall switch.
- Make sure the House and Unit Codes are correct.
- Move the Module to a different outlet that is on the same phase (branch) of the household electrical circuit as the panel.

Time activated or sensor activated light not working.

- Make sure you have programmed the light to be activated by a timer or sensor.
- Make sure the system clock is set.
- Make sure these functions have been enabled by pressing the LIGHTS Time Activated/Sensor Activated on the panel. They are enabled if the button is lit.

## Appendix B: System Configuration

### Sensor Assignments/Locations

Sensor No.	Device	Sensor Group	Sensor Name/Location	Notes
01				
02				
03				
04				
05				
06				
07				
08				
09				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				

### Alphabetical Listing of Sensor Names

Attic, Back Door, Back Window, Basement, Basement Window, Bathroom, Bathroom Window, Bedroom, Bedroom Window, Child's Room, Child's Room Window, Closet, Den, Den Window, Dining Room, Dining Room Window, Downstairs, Downstairs Window, Front Door, Front Window, Garage, Garage Door, Garage Window, Guest Room, Guest Room Window, Hallway, Keychain Remote, Kitchen, Kitchen Window, Laundry Room, Laundry Room Window, Living Room, Living Room Window, Master Bedroom, Master Bedroom Window, Medicine Cabinet, Module, Office, Office Window, Patio Door, Phone Communication Module, Porch, Porch Window, Special Chime, System Panic, Touchpad Remote, Upstairs, Upstairs Window, Utility Room

## Sensor Group Characteristics

Type	Name/Application	Siren Type	Delay	Restoral	Supervisory	Active in Levels
00	Fixed Panic: 24 hour audible fixed emergency button	Intrusion	I	No	Yes	1234
01	Portable Panic: 24 hour audible portable emergency buttons	Intrusion	I	No	No	1234
02	Fixed Panic: 24 hour silent fixed emergency buttons. Status light will not blink.	Silent	I	No	Yes	01234
03	Portable Panic: 24 hour silent portable emergency buttons. Status light will not blink.	Silent	I	No	No	01234
04	Fixed auxiliary: 24 hour auxiliary sensor	Emergency	I	No	Yes	01234
05	Fixed Auxiliary: 24 hour emergency button. Siren shut off confirms CS report	Emergency	I	No	Yes	01234
06	Portable Auxiliary: 24 hour portable auxiliary alert button	Emergency	I	No	No	01234
07	Portable Auxiliary: 24 hour portable auxiliary button. Siren shut off confirms CS report	Emergency	I	No	No	01234
08	Special Intrusion: such as gun cabinets and wall safes.	Intrusion	I	Yes	Yes	1234
09	Special Intrusion: such as gun cabinets and wall safes.	Intrusion	S	Yes	Yes	1234
10	Entry/Exit Delay: Entry/Exit Delay that require a standard delay time. Chime	Intrusion	S	Yes	Yes	24
13	Instant perimeter: Exterior doors and windows. Chime	Intrusion	I	Yes	Yes	24
14	Instant Interior: Interior doors	Intrusion	F	Yes	Yes	234
15	Instant Interior: Interior PIR motion sensors*	Intrusion	F	No	Yes	234
16	Instant Interior: Interior doors	Intrusion	F	Yes	Yes	34
17	Instant Interior: PIR motion sensors*	Intrusion	F	No	Yes	34
18	Instant Interior Cross Zone: PIR motion sensors*	Intrusion	F	No	Yes	34
19	Delayed Interior: interior doors that initiate a delay before going into alarm*	Intrusion	S	Yes	Yes	34
20	Delayed Interior: PIR motion sensors that initiate a delay before going into alarm*	Intrusion	S	No	Yes	34
21	Local Instant Interior: 24 hour local alarm zone protecting anything that opens and closes. No Report	Intrusion	I	Yes	Yes	1234
22	Local delayed interior: same as group 21, plus activation initiates a delay before going into alarm. No report.*	Intrusion	S	Yes	Yes	1234
23	Local instant Auxiliary: 24 hour local alarm zone protecting anything that opens and closes.‡ No report	Emergency	I	Yes	Yes	01234
24	Local Instant Auxiliary: 24 hour local alarm zone protecting anything that opens and closes. Sirens shut off at restoral. No report.*	Emergency	I	Yes	Yes	01234
25	Local Special Chime: Notify the user when a door is opened. Sounds emit from a local annunciator.* No report	Three Beeps	I	No	Yes	01234
26	Fire: 24 hour fire, rate-of-rise heat, and smoke sensors§.	Fire	I	Yes	Yes	01234
27	Lamp control or other customer feature.‡ No report	Silent	I	Yes	Yes	01234
28	PIR motion sensor, sound sensor, or pressure mat.‡ No report	Silent	I	No	Yes	01234
29	Auxiliary: Freeze and Water Sensors	Trouble Beeps	I	Yes	Yes	01234
32	PIR motion sensor or sound sensor‡ No report	Silent	I	No	No	01234
34	Carbon Monoxide Alarm	Emergency	I	Yes	Yes	01234

\* This type is not certified as a primary protection circuit for UL-listed systems and is for supplementary use only.

§ This type is required for UL-listed residential fire alarm applications.

‡ This type has not been investigated by UL.

**Delays:**

I = Instant Delay (no delay, immediate alarm)

S = Standard Delay (alarm sounds after programmed entry delay time)

F = Follower Delay (alarm sounds immediately if entry/exit delay is not active, otherwise alarm sounds after programmed entry delay time)

**Sensor Group Characteristics**

Type	Name/Application	Siren Type	Delay	Restoral	Supervisory	Active in Levels
35	Entry/Exit Delay Interior PIR Motion	Intrusion	S	No	Yes	234
<p>* This type is not certified as a primary protection circuit for UL-listed systems and is for supplementary use only.                      § This type is required for UL-listed residential fire alarm applications.                      † This type has not been investigated by UL.</p> <p><b>Delays:</b>                      I = Instant Delay (no delay, immediate alarm)                      S = Standard Delay (alarm sounds after programmed entry delay time)                      F = Follower Delay (alarm sounds immediately if entry/exit delay is not active, otherwise alarm sounds after programmed entry delay time)</p>						

**Home Control Planning Table\***

Module			Activated by		Time Activated	
Unit #	Type	Location	Sensor	Entry/Exit	Start Time	Stop Time
Example	Lamp	Hall lamp	Motion	Yes	8 p.m.	10:30 p.m.
1						
2						
3						
4						
5						
6						
7						
8						

**System Access Codes**

**System Access Codes**

Type	Default <sup>a</sup>	Installer Settings
Utility Access Code 1	654321, 54321, 4321, or 321	
Utility Access Code 2	654321, 54321, 4321, or 321	
Master Access Code	123456, 12345, 1234, or 123	

Type	Default <sup>a</sup>	Installer Settings
Access Code 1	None	
Access Code 2	None	
Access Code 3	None	
Access Code 4	None	
Access Code 5	None	
Panic Code	None	

a. The factory default setting is a 4-digit access code, but the default codes will change whenever Option 54 (Access Code Length) is reset. The default for each access code length is listed.

## Option Settings

Opt. #	Function	Default	Delete	Range	Who Can Change:	Installer Settings
01	Panel Piezo Beeps (must be added for UL listed systems)	On	Off	On/Off	U1 U2 M	
02	Panel Voice	On	Off	On/Off	U1 U2 M	
03	Latchkey Option	Off	Off	12:00 Midnight - 11:59 PM	U1 U2 M	
04	Primary Phone Number	None	None	26 digits	U1	
05	Secondary Phone Number	None	None	26 digits	U1	
06	Downloader Phone Number	None	None	26 digits	U1	
07	Account Number	00000	00000	0 - FFFFFFFF	U1 U2	
08	Phone Lock	Off	Off	On/Off	U1	
09	Downloader Code	12345	12345	00000-99999	U1	
10	Entry Delay (must be 45 seconds for UL listed systems)	030 sec	005 sec	005-254 sec 030-254 if Option 69 is added	U1 U2	
11	Exit Delay (must be 60 seconds for UL listed systems)	060 sec	005 sec	005-254 sec 045-254 if Option 69 is added	U1 U2	
12	Phone Mod 1 (must be 0 or 1 for UL listed systems)	0	0	0-3	U1	
13	Phone Mod 2	00	00	00-10	U1	
14	DTMF	On	Pulse	On/Off	U1 U2	
15	No Activity Report	Off	Off	02-24 hrs	U1 U2	
16	Auto Phone Test (must be set to 001 for UL listed systems)	Off	Off	001-254 days	U1 U2	
17	Dialer Delay	Off	Off	005-254 sec 015-045 is Option 69 is added	U1 U2	
18	Alarm Cancel	005	Off	005-255 min	U1 U2	
19	RF Timeout (SUPSYNC) (must be set to 04 for UL listed systems)	12 hrs	02 hrs	02-24 hrs	U1 U2	
20	Manual Phone Test	On	Off	On/Off	U1 U2	
21	Opening Reports	Off	Off	On/Off	U1 U2	
22	Closing Reports	Off	Off	On/Off	U1 U2	
23	Force Armed Report	Off	Off	On/Off	U1 U2	
24	AC Power Failure Report (must be added for UL listed systems)	Off	Off	005-254 min	U1 U2	
25	CPU Low Battery Report (must be added for UL listed systems)	On	Off	On/Off	U1 U2	
26	Fail to Communicate (must be added for UL listed systems)	On	Off	On/Off	U1 U2	
27	Ring/Hang/Ring	1	Off	1-4	U1 U2	
28	No Delay from Key Chain Touchpad	Off	Off	On/Off	U1 U2	
29	Control Panel Alarms (must be added for UL listed systems OR a siren must be connected)	On	Off	On/Off	U1 U2	
30	Panic Alarms	On	Off	On/Off	U1 U2	
31	Downloader Enable	On	Off	On/Off	U1 U2 M	
32	300 Baud Central Station Communications	On	110 Baud	On/Off	U1 U2	



Opt. #	Function	Default	Delete	Range	Who Can Change:	Installer Settings
33	Audio Verification	Off	Off	On/Off	U1 U2	
34	Fail to Open	Off	Off	12:00 Midnight - 11:59 PM	U1 U2	
35	Fail to Close	Off	Off	12:00 Midnight - 11:59 PM	U1 U2	
36	Sensor Activated Light Lockout Start Time	Off	Off	12:00 Midnight - 11:59 PM	U1 U2 M	
37	Sensor Activated Light Lockout Stop Time	Off	Off	12:00 Midnight - 11:59 PM	U1 U2 M	
38	Auto Arm	Off	Off	On/Off	U1 U2	
39	Siren Time Out (must be greater than 4 minutes for UL listed systems)	04 min	Siren never times out	002 - 254 minutes/ no time out	U1 U2	
40	Trouble Beeps (must be added for UL listed systems)	On	Off	On/Off	U1 U2	
41	Chime Voice	Off	Off	On/Off	U1 U2 M	
42	Speaker Level	8	8	1-8	U1 U2 M	
43	Pager Phone Number	Off	Off	26 digits	U1 U2 M	
44	Pager Phone Mod 3	9	9	08-10	U1 U2	
45	Sensor Alarm Restoral	Off (0)	Off (0)	0 - 3	U1 U2	
46	Fire Shutdown - AVM	Off	Off	On/Off	U1 U2	
47	Audio Verification Mode	Off	Off	On (Callback) Off (Instant)	U1 U2	
48	Panic Talk - AVM	Off	Off	On/Off	U1 U2	
49	Arming LEDs Shutdown	Off	Off	On/Off	U1 U2	
50	RF Jam Detect (must be added for UL listed systems)	Off	Off	On/Off	U1 U2	
51	24 Hour Tamper	Off	Off	On/Off	U1 U2	
52	Unvacated Premises	On	Off	On/Off	U1 U2	
53	Hardwire Siren Supervision (must be added for UL listed systems if Option 29 is deleted)	Off	Off	On/Off	U1 U2	
54	Access Code Length	4	4	3-6	U1 U2	
55	Status Beep Volume	7	7	1 - 10	U1 U2 M	
56	Call Waiting	Off	Off	1-26 digits/Off	U1 U2	
57	Supervisory Tamper Report	Off	Off	On/Off	U1 U2	
58	Remote Touchpad Arming	Off	Off	On/Off	U1 U2	
59	Exit Extension (must be deleted for UL listed systems)	On	Off	On/Off	U1 U2	
60	Secure Arming	Off	Off	On/Off	U1 U2	
61	Demo Mode	Off	Off	On/Off	U1 U2	
62	Supervisory Protest	Off	Off	On/Off	U1 U2	
63	24 Hour Clock	Off	Off	On/Off	U1 U2	
64	No Arm on Panel Low Battery	Off	Off	On/Off	U1 U2	
65	No Usage Report	Off	Off	1-254/Off	U1 U2	
66	External Siren Delay	Off	Off	On/Off	U1 U2	
67	Quick Exit (must be disabled for UL listed systems)	Off	Off	On/Off	U1 U2	
68	Swinger Shutdown	On	Off	On/Off	U1 U2	
69	SIA Limits	On	Off	On/Off	U1 U2	

**Beta Test 8/10/01**

Opt. #	Function	Default	Delete	Range	Who Can Change:	Installer Settings
70	Line Cut Detection	Off	Off	02-48 (10-240 sec in 5 sec intervals)/Off	U1 U2	
71	Programming Report	Off	Off	On/Off	U1 U2	
72	Supervisory Time	Midnight	Midnight		U1 U2	
73	Modem Sensitivity	Off (normal)	Off	On (high)/Off (normal)	U1 U2	
74	Panel Police Panic Audio	Off (audible)	Off	On (silent)/Off (audible)	U1 U2	
75	VOX Mic Gain	14	14	1-64	U1 U2	
76	VOX Gain Range	64	64	1-64	U1 U2	
77	Manual Mic Gain	64	64	1-64	U1 U2	
78	VOX Receiver Gain	06	06	01 - 10	U1 U2	

## Specifications

**Power Requirements:** .....9 VAC, 700 mA

**Rechargeable Batteries:**

6.0 VDC, 1.2 Ah Lead-Acid  
The battery will last 24 hours  
with no AC

**OR**

6.0 VDC 3.2 Ah Lead-Acid.  
The battery will last 60 hours  
with no AC (Euro version only)

**Radio Frequency:** .....319.5 MHz + or - 140 kHz

**Nominal Range:** .....500 feet, open-air receiving range

**Storage Temperature Range:**-29° to 140 ° F (-34° to 60° C)

**Operating Temperature Range:** 32° to 122 ° F (0° to 50° C)

**Maximum Humidity:** .....90% relative humidity, noncondensing

**Auxiliary Power:** .....Regulated & unregulated, fused 12  
VDC at 250 mA (maximum)

